

CODE	GENUS	SPECIES SUBSPECIES VARIETY FORM TEAM FIELD NUMBERS AND LOCATIONS	PCKT	CZK (Kč)	ORDER
SSSA-059C	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2393 Montegabriela Southeast Vicuna Coquimbo Chile	100s	105,00 Kč	
SSSA-059D	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2393 Montegabriela Southeast Vicuna Coquimbo Chile	500s	394,00 Kč	
SSSA-059E	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2393 Montegabriela Southeast Vicuna Coquimbo Chile	1000s	670,00 Kč	
SSSA-060A	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2394 El Albaricoque Southeast Vicuna Coquimbo Chile	20s	28,00 Kč	
SSSA-060B	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2394 El Albaricoque Southeast Vicuna Coquimbo Chile	50s	53,00 Kč	
SSSA-060C	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2394 El Albaricoque Southeast Vicuna Coquimbo Chile	100s	105,00 Kč	
SSSA-060D	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2394 El Albaricoque Southeast Vicuna Coquimbo Chile	500s	394,00 Kč	
SSSA-060E	ERIOSYCE	sandillon mountain type (true original type, best the densest gold orange spines) KPPL 2394 El Albaricoque Southeast Vicuna Coquimbo Chile	1000s	670,00 Kč	
SSSA-061A	ERIOSYCE	sandillon mountain type (true original type, best the densest brightly gold orange spines) KPPL 2395 Cochiguaz pass Cerro Cancana Coquimbo Chile	20s	28,00 Kč	
SSSA-061B	ERIOSYCE	sandillon mountain type (true original type, best the densest brightly gold orange spines) KPPL 2395 Cochiguaz pass Cerro Cancana Coquimbo Chile	50s	53,00 Kč	
SSSA-061C	ERIOSYCE	sandillon mountain type (true original type, best the densest brightly gold orange spines) KPPL 2395 Cochiguaz pass Cerro Cancana Coquimbo Chile	100s	105,00 Kč	
SSSA-061D	ERIOSYCE	sandillon mountain type (true original type, best the densest brightly gold orange spines) KPPL 2395 Cochiguaz pass Cerro Cancana Coquimbo Chile	500s	394,00 Kč	
SSSA-061E	ERIOSYCE	sandillon mountain type (true original type, best the densest brightly gold orange spines) KPPL 2395 Cochiguaz pass Cerro Cancana Coquimbo Chile	1000s	670,00 Kč	
SSSA-062A	COPIAPOA	coquimbana v. microsperma sensu Karel Knize (gray green skin, thick ribs, long needle like spines) KPPL 2396 Cerro Penasco Coquimbo Chile	20s	90,00 Kč	
SSSA-063A	COPIAPOA	coquimbana v. microsperma sensu Karel Knize (gray green skin, thick ribs, long needle like spines) KPPL 2397 Cerro El Jote Coquimbo Chile	20s	90,00 Kč	
SSSA-064A	COPIAPOA	coquimbana v. microsperma sensu Karel Knize (gray green skin, thick ribs, long needle like spines) KPPL 2398 Cerro Los Loros Coquimbo Chile	20s	90,00 Kč	
SSSA-065A	COPIAPOA	coquimbana v. microsperma sensu Karel Knize (gray green skin, thick ribs, long needle like spines) KPPL 2399 El Brillador Coquimbo Chile	20s	90,00 Kč	
SSSA-066A	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2396 A Cerro Penasco Coquimbo Chile	20s	30,00 Kč	
SSSA-066B	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2396 A Cerro Penasco Coquimbo Chile	50s	57,00 Kč	
SSSA-066C	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2396 A Cerro Penasco Coquimbo Chile	100s	113,00 Kč	
SSSA-067A	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2397 A Cerro El Jote Coquimbo Chile	20s	30,00 Kč	
SSSA-067B	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2397 A Cerro El Jote Coquimbo Chile	50s	57,00 Kč	
SSSA-067C	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2397 A Cerro El Jote Coquimbo Chile	100s	113,00 Kč	
SSSA-068A	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2398 A Cerro Los Loros Coquimbo Chile	20s	30,00 Kč	
SSSA-068B	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2398 A Cerro Los Loros Coquimbo Chile	50s	57,00 Kč	
SSSA-068C	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2398 A Cerro Los Loros Coquimbo Chile	100s	113,00 Kč	
SSSA-069A	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2399 A El Brillador Coquimbo Chile	20s	30,00 Kč	
SSSA-069B	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2399 A El Brillador Coquimbo Chile	50s	57,00 Kč	
SSSA-069C	NEOPORTERIA	heirichiana (dull olive green brownish blackish body, stiff needle like straight less curved spines) KPPL 2399 A El Brillador Coquimbo Chile	100s	113,00 Kč	
SSSA-070A	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2396 B Cerro Penasco Coquimbo Chile	20s	24,00 Kč	
SSSA-070B	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2396 B Cerro Penasco Coquimbo Chile	50s	45,00 Kč	
SSSA-070C	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2396 B Cerro Penasco Coquimbo Chile	100s	90,00 Kč	
SSSA-071A	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2397 B Cerro El Jote Coquimbo Chile	20s	24,00 Kč	
SSSA-071B	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2397 B Cerro El Jote Coquimbo Chile	50s	45,00 Kč	
SSSA-071C	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2397 B Cerro El Jote Coquimbo Chile	100s	90,00 Kč	
SSSA-072A	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2398 B Cerro Los Loros Coquimbo Chile	20s	24,00 Kč	
SSSA-072B	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2398 B Cerro Los Loros Coquimbo Chile	50s	45,00 Kč	
SSSA-072C	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2398 B Cerro Los Loros Coquimbo Chile	100s	90,00 Kč	
SSSA-073A	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2399 B El Brillador Coquimbo Chile	20s	24,00 Kč	
SSSA-073B	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2399 B El Brillador Coquimbo Chile	50s	45,00 Kč	
SSSA-073C	EULYCHNIA	acida f. minima (low plants, densely greyish brownish erect spines until 20 cm long) KPPL 2399 B El Brillador Coquimbo Chile	100s	90,00 Kč	
SSSA-074A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2400 Cuesta Buenos Aires Atacama Chile	20s	70,00 Kč	
SSSA-075A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2401 Hualcuna Atacama Chile	20s	70,00 Kč	
SSSA-076A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2402 Cerro Potrerillos Atacama Chile	20s	70,00 Kč	
SSSA-077A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2403 Piritas Atacama Chile	20s	70,00 Kč	
SSSA-078A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2404 Cerro Chinchillon Atacama Chile	20s	70,00 Kč	
SSSA-079A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2405 Agua Grande Atacama Chile	20s	70,00 Kč	
SSSA-080A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2406 El Maray Atacama Chile	20s	70,00 Kč	
SSSA-081A	COPIAPOA	coquimbana v. armata sensu Friedrich Ritter (characteristically longer and more pronounced spines) KPPL 2407 Las Mercedes Atacama Chile	20s	70,00 Kč	
SSSA-082A	COPIAPOA	fusca ssp. donfernandoensis (a new KP finding a trip 2018, significantly different from the type) KPPL 2408 La Cruz del Nino Atacama Chile	20s	240,00 Kč	
SSSA-083A	COPIAPOA	fusca ssp. donfernandoensis (a new KP finding a trip 2018, significantly different from the type) KPPL 2409 Aguada de Tongoy Atacama Chile	20s	240,00 Kč	
SSSA-084A	COPIAPOA	fusca ssp. donfernandoensis (a new KP finding a trip 2018, significantly different from the type) KPPL 2410 El Pino Atacama Chile	20s	240,00 Kč	
SSSA-085A	COPIAPOA	fusca ssp. donfernandoensis (a new KP finding a trip 2018, significantly different from the type) KPPL 2411 El Corral de Los Sauces Atacama Chile	20s	240,00 Kč	
SSSA-086A	COPIAPOA	fusca ssp. donfernandoensis (a new KPPL finding a trip 2023, significantly different from the type) KPPL 2412 SM1 Verdadero Atacama Chile	20s	280,00 Kč	
SSSA-087A	COPIAPOA	fusca ssp. donfernandoensis (a new KPPL finding a trip 2023, significantly different from the type) KPPL 2413 Cenizas Guacolda Atacama Chile	20s	280,00 Kč	
SSSA-088A	COPIAPOA	fusca ssp. donfernandoensis (a new KPPL finding a trip 2023, significantly different from the type) KPPL 2414 Villa Guacolda Atacama Chile	20s	280,00 Kč	
SSSA-089A	COPIAPOA	corralensis typical form (news, greyish brown body and stiff dark brown spines) KPPL 2415 Sauce Perez Freirina Atacama Chile	20s	200,00 Kč	
SSSA-090A	COPIAPOA	corralensis f. nova (news, greyish brown body and stiff dark brown spines) KPPL 2416 Rosario Freirina Atacama Chile	20s	240,00 Kč	
SSSA-091A	COPIAPOA	corralensis f. nova (news, greyish brown body and stiff dark brown spines) KPPL 2417 Cubana Freirina Atacama Chile	20s	240,00 Kč	
SSSA-092A	COPIAPOA	corralensis f. nova (news, greyish brown body and stiff dark brown spines) KPPL 2418 Cuesta Alcomolle Freirina Atacama Chile	20s	240,00 Kč	
SSSA-093A	COPIAPOA	corralensis f. nova (news, greyish brown body and stiff dark brown spines) KPPL 2419 Fragueta Freirina Atacama Chile	20s	240,00 Kč	
SSSA-094A	COPIAPOA	cinerea ssp. dealbata (typical, elongated cluster stems, brightly rich silver body) KPPL 2420 Quebrada Mala by the road table Atacama Chile	20s	90,00 Kč	
SSSA-095A	COPIAPOA	cinerea ssp. dealbata (typical, elongated cluster stems, brightly rich silver body) KPPL 2421 Cordon de Panullico Atacama Chile	20s	90,00 Kč	
SSSA-096A	COPIAPOA	cinerea ssp. dealbata (typical, elongated cluster stems, brightly rich silver body) KPPL 2422 Cerro del Carrizo Atacama Chile	20s	90,00 Kč	
SSSA-097A	COPIAPOA	cinerea ssp. dealbata (typical, elongated cluster stems, brightly rich silver body) KPPL 2423 Cordon Agua de Ordenes Atacama Chile	20s	90,00 Kč	
SSSA-098A	COPIAPOA	cinerea ssp. dealbata (typical, elongated cluster stems, brightly rich silver body) KPPL 2424 Cerro Chuchampe Atacama Chile	20s	90,00 Kč	
SSSA-099A	COPIAPOA	cinerea ssp. dealbata (typical, elongated cluster stems, brightly rich silver body) KPPL 2425 Caleta La Herradura Atacama Chile	20s	90,00 Kč	
SSSA-100A	COPIAPOA	cinerea ssp. dealbata v. carrizalensis (beautiful long curved heavy downward spination) KPPL 2426 Caleta Corrales Atacama Chile	20s	90,00 Kč	
SSSA-101A	COPIAPOA	cinerea ssp. dealbata v. carrizalensis (beautiful long curved heavy downward spination) KPPL 2427 Punta Rescamono Atacama Chile	20s	90,00 Kč	
SSSA-102A	COPIAPOA	cinerea ssp. dealbata v. carrizalensis (beautiful long curved heavy downward spination) KPPL 2428 Cerro Pedernales Atacama Chile	20s	90,00 Kč	
SSSA-103A	COPIAPOA	cinerea ssp. dealbata v. carrizalensis (beautiful long curved heavy downward spination) KPPL 2429 Caleta Matamoros Atacama Chile	20s	90,00 Kč	
SSSA-104A	COPIAPOA	cinerea ssp. dealbata v. carrizalensis (beautiful long curved heavy downward spination) KPPL 2430 Cerro Andacollo Atacama Chile	20s	90,00 Kč	
SSSA-105A	COPIAPOA	cinerea ssp. dealbata v. carrizalensis (beautiful long curved heavy downward spination) KPPL 2431 Cerro Algodones Atacama Chile	20s	90,00 Kč	
SSSA-106A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2432 Cerro Esmeralda Antofagasta Chile	20s	160,00 Kč	
SSSA-107A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2433 Aguada del Difunto Antofagasta Chile	20s	160,00 Kč	
SSSA-108A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2434 Cerrito Paula Antofagasta Chile	20s	160,00 Kč	
SSSA-109A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2435 Casa Guardia Hilo 1 Antofagasta Chile	20s	160,00 Kč	
SSSA-110A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2436 Aguada Jacinto Diaz Antofagasta Chile	20s	160,00 Kč	
SSSA-111A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2437 Santa Generosa Antofagasta Chile	20s	160,00 Kč	
SSSA-112A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2438 San Francisco 1 Antofagasta Chile	20s	160,00 Kč	
SSSA-113A	COPIAPOA	cinerea ssp. columna-alba (epidermis a thick stratum of ashy white pruin, black brownish spines) KPPL 2439 Las Lozas 1 Antofagasta Chile	20s	160,00 Kč	
SSSA-114A	COPIAPOA	cinerea ssp. longistaminea typical (distinctly plum silver body, brownish black spines) KPPL 2440 Placilla de Esmeralda Antofagasta Chile	20s	130,00 Kč	
SSSA-115A	COPIAPOA	cinerea ssp. longistaminea typical (distinctly plum silver body, brownish black spines) KPPL 2441 Cerrito Guanillos Antofagasta Chile	20s	130,00 Kč	
SSSA-116A	COPIAPOA	cinerea ssp. longistaminea typical (distinctly plum silver body, brownish black spines) KPPL 2442 San Francisco 2 Antofagasta Chile	20s	130,00 Kč	
SSSA-117A	COPIAPOA	cinerea ssp. longistaminea typical (distinctly plum silver body, brownish black spines) KPPL 2443 Las Lozas 2 Antofagasta Chile	20s	130,00 Kč	
SSSA-118A	COPIAPOA	cinerea ssp. longistaminea typical (distinctly plum silver body, brownish black spines) KPPL 2444 Quebrada de La Cachina Antofagasta Chile	20s	130,00 Kč	
SSSA-119A	COPIAPOA	cinerea ssp. longistaminea typical (distinctly plum silver body, brownish black spines) KPPL 2445 Casa Guardia Hilo 2 Antofagasta Chile	20s	130,00 Kč	
SSSA-120A	COPIAPOA	cinerea ssp. longistaminea v. jan-novakii (white pink granite rocks, colorful orange reddish spines) KPPL 2446 Caleta Guanillos Antofagasta Chile	20s	150,00 Kč	
SSSA-121A	COPIAPOA	cinerea ssp. longistaminea v. jan-novakii (white pink granite rocks, colorful orange reddish spines) KPPL 2447 Playa Tigrillo South Antofagasta Chile	20s	150,00 Kč	
SSSA-122A	COPIAPOA	cinerea ssp. longistaminea v. jan-novakii (white pink granite rocks, colorful orange reddish spines) KPPL 2448 Punta Rocas Aldea Antofagasta Chile	20s	150,00 Kč	
SSSA-123A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2449 Quebrada Cifuncho Antofagasta Chile	20s	160,00 Kč	
SSSA-124A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2450 Punta Garcia Antofagasta Chile	20s	160,00 Kč	
SSSA-125A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2451 Punta Artigas Antofagasta Chile	20s	160,00 Kč	
SSSA-126A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2452 Los Zanjones Antofagasta Chile	20s	160,00 Kč	
SSSA-127A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2453 Caleta San Pedro Antofagasta Chile	20s	160,00 Kč	
SSSA-128A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2454 Punta San Pedro Antofagasta Chile	20s	160,00 Kč	
SSSA-129A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2455 Punta Negra Antofagasta Chile	20s	160,00 Kč	
SSSA-130A	COPIAPOA	cinerea ssp. columna-alba northernmost area (brightly distinctly top silver epidermis, black spines) KPPL 2456 La Puntilla Antofagasta Chile	20s	160,00 Kč	
SSSA-131A	COPIAPOA	cinerea ssp. columna-alba f. minima (dwarf stem up to a maximum of 15 cm high, black spines) KPPL 2457 Cerro del Griton Antofagasta Chile	20s	200,00 Kč	
SSSA-132A	COPIAPOA	cinerea ssp. columna-alba f. minima (dwarf stem up to a maximum of 15 cm high, black spines) KPPL 2458 Las Guaneras Antofagasta Chile	20s	200,00 Kč	
SSSA-133A	COPIAPOA	cinerea ssp. columna-alba f. minima (dwarf stem up to a maximum of 15 cm high, black spines) KPPL 2459 Alto de la Argolla Antofagasta Chile	20s	200,00 Kč	
SSSA-134A	COPIAPOA	cinerea ssp. columna-alba f. minima (dwarf stem up to a maximum of 15 cm high, black spines) KPPL 2460 Las Barras Antofagasta Chile	20s	200,00 Kč	
SSSA-135A	COPIAPOA	cinerea ssp. columna-alba f. minima (dwarf stem up to a maximum of 15 cm high, black spines) KPPL 2461 Cerro Amarillos Antofagasta Chile	20s	200,00 Kč	
SSSA-136A	COPIAPOA	cinerea ssp. columna-alba f. minima (dwarf stem up to a maximum of 15 cm high, black spines) KPPL 2462 Punta Los Tollos Antofagasta Chile	20s	200,00 Kč	
SSSA-137A	COPIAPOA	cinerea typical (one or two black spine, plum grey silver body, heavy black downward centrals) KPPL 2463 Cerro La Virgen Ruta 1 Antofagasta Chile	20s	200,00 Kč	
SSSA-138A	COPIAPOA	cinerea typical (one or two black spine, plum grey silver body, heavy black downward centrals) KPPL 2464 San Juan Ruta 1 Antofagasta Chile	20s	200,00 Kč	
SSSA-139A	COPIAPOA	cinerea typical (one or two black spine, plum grey silver body, heavy black downward centrals) KPPL 2465 La Sargento Ruta 1 Antofagasta Chile	20s	200,00 Kč	
SSSA-140A	COPIAPOA	cinerea typical (one or two black spine, plum grey silver body, heavy black downward centrals) KPPL 2466 Tito Dos Ruta 1 Antofagasta Chile	20s	200,00 Kč	
SSSA-141A	COPIAPOA	cinerea typical (one or two black spine, plum grey silver body, heavy black downward centrals) KPPL 2467 Pabellon Ruta 1 Antofagasta Chile	20s	200,00 Kč	

CODE	GENUS	SPECIES SUBSPECIES VARIETY FORM TEAM FIELD NUMBERS AND LOCATIONS	PCKT	CZK (K€)	ORDER
SSSA-142A	COPIAPOA	<i>cinerea</i> ssp. <i>riotelepinensis</i> (the spines and the dark skin strongly resemblebest Uebelmannia) KPPL 2468 Mina Chinita Antofagasta Chile	20s	240,00 Kč	
SSSA-143A	COPIAPOA	<i>cinerea</i> ssp. <i>riotelepinensis</i> (the spines and the dark skin strongly resemblebest Uebelmannia) KPPL 2469 Quebrada Tipias Antofagasta Chile	20s	240,00 Kč	
SSSA-144A	COPIAPOA	<i>cinerea</i> ssp. <i>riotelepinensis</i> (the spines and the dark skin strongly resemblebest Uebelmannia) KPPL 2470 Rio Telepin Antofagasta Chile	20s	240,00 Kč	
SSSA-145A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> (taxonomically closer to the <i>cinerea</i> , plum silver body, dark spines) KPPL 2471 Caleta Oliva Antofagasta Chile	20s	120,00 Kč	
SSSA-146A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> (taxonomically closer to the <i>cinerea</i> , plum silver body, dark spines) KPPL 2472 Punta Cascabeles Antofagasta Chile	20s	120,00 Kč	
SSSA-147A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> (taxonomically closer to the <i>cinerea</i> , plum silver body, dark spines) KPPL 2473 Agua de Cascabeles Antofagasta Chile	20s	120,00 Kč	
SSSA-148A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> (taxonomically closer to the <i>cinerea</i> , plum silver body, dark spines) KPPL 2474 Cerro El Buitre Antofagasta Chile	20s	120,00 Kč	
SSSA-149A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> (taxonomically closer to the <i>cinerea</i> , plum silver body, dark spines) KPPL 2475 Cerro El Buitre Antofagasta Chile	20s	120,00 Kč	
SSSA-150A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> f. <i>robustior</i> (taxonomically closer to the <i>cinerea</i> , crested, densely spines) KPPL 2476 Punta Grande Antofagasta Chile	20s	120,00 Kč	
SSSA-151A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> f. <i>robustior</i> (taxonomically closer to the <i>cinerea</i> , crested, densely spines) KPPL 2477 La Cucaracha Antofagasta Chile	20s	120,00 Kč	
SSSA-152A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> f. <i>robustior</i> (taxonomically closer to the <i>cinerea</i> , crested, densely spines) KPPL 2478 Santo Domingo Antofagasta Chile	20s	120,00 Kč	
SSSA-153A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> f. <i>robustior</i> (taxonomically closer to the <i>cinerea</i> , crested, densely spines) KPPL 2479 Mina Copper Antofagasta Chile	20s	120,00 Kč	
SSSA-154A	COPIAPOA	<i>cinerea</i> ssp. <i>eremophila</i> f. <i>robustior</i> (taxonomically closer to the <i>cinerea</i> , crested, densely spines) KPPL 2480 Dorotea Antofagasta Chile	20s	120,00 Kč	
SSSA-155A	COPIAPOA	<i>cinerea</i> f. <i>brachyacantha</i> (almost thornless plants more similar to <i>columna-alba</i>) KPPL 2481 Cerrito Potrero Antofagasta Chile	20s	240,00 Kč	
SSSA-156A	COPIAPOA	<i>cinerea</i> f. <i>brachyacantha</i> (almost thornless plants more similar to <i>columna-alba</i>) KPPL 2482 Los Changos Antofagasta Chile	20s	240,00 Kč	
SSSA-157A	COPIAPOA	<i>cinerea</i> f. <i>brachyacantha</i> (almost thornless plants more similar to <i>columna-alba</i>) KPPL 2483 Cerrito Ossa Antofagasta Chile	20s	240,00 Kč	
SSSA-158A	MONVILLEA	<i>amazonica</i> (shorter prickly darkly spines, large white flowers, sensu KK 257) KPVC 2484 Tarapoto 1200 m San Martin Peru	20s	28,00 Kč	
SSSA-158B	MONVILLEA	<i>amazonica</i> (shorter prickly darkly spines, large white flowers, sensu KK 257) KPVC 2484 Tarapoto 1200 m San Martin Peru	50s	53,00 Kč	
SSSA-159A	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2485 Yunchara Tarija Bolivia	20s	30,00 Kč	
SSSA-159B	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2485 Yunchara Tarija Bolivia	50s	57,00 Kč	
SSSA-160A	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2486 Iscayachi Tarija Bolivia	20s	30,00 Kč	
SSSA-160B	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2486 Iscayachi Tarija Bolivia	50s	57,00 Kč	
SSSA-161A	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2487 Palqui Tarija Bolivia	20s	30,00 Kč	
SSSA-161B	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2487 Palqui Tarija Bolivia	50s	57,00 Kč	
SSSA-162A	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2488 San Luis de Palqui Tarija Bolivia	20s	30,00 Kč	
SSSA-162B	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2488 San Luis de Palqui Tarija Bolivia	50s	57,00 Kč	
SSSA-163A	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2489 Pajchu Tarija Bolivia	20s	30,00 Kč	
SSSA-163B	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2489 Pajchu Tarija Bolivia	50s	57,00 Kč	
SSSA-164A	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2490 San Antonio Tarija Bolivia	20s	30,00 Kč	
SSSA-164B	OREOCEREUS	<i>trollii</i> (hairy stems with strong reddish spines) KPVC 2490 San Antonio Tarija Bolivia	50s	57,00 Kč	
SSSA-165A	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2491 Cieneguillas Tarija Bolivia	20s	30,00 Kč	
SSSA-165B	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2491 Cieneguillas Tarija Bolivia	50s	57,00 Kč	
SSSA-166A	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2492 Tupiza Tarija Bolivia	20s	30,00 Kč	
SSSA-166B	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2492 Tupiza Tarija Bolivia	50s	57,00 Kč	
SSSA-167A	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2493 Escayachi Tarija Bolivia	20s	30,00 Kč	
SSSA-167B	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2493 Escayachi Tarija Bolivia	50s	57,00 Kč	
SSSA-168A	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2494 Tomayapo Tarija Bolivia	20s	30,00 Kč	
SSSA-168B	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2494 Tomayapo Tarija Bolivia	50s	57,00 Kč	
SSSA-169A	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2495 Curque Tarija Bolivia	20s	30,00 Kč	
SSSA-169B	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2495 Curque Tarija Bolivia	50s	57,00 Kč	
SSSA-170A	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2496 Cana Cruz Tarija Bolivia	20s	30,00 Kč	
SSSA-170B	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2496 Cana Cruz Tarija Bolivia	50s	57,00 Kč	
SSSA-171A	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2497 Tojo Tarija Bolivia	20s	30,00 Kč	
SSSA-171B	OREOCEREUS	<i>celsiusianus</i> f. <i>maximus</i> (white silky hairs densely spiny, long yellowish reddish brown centrals) KPVC 2497 Tojo Tarija Bolivia	50s	57,00 Kč	
SSSA-172A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2498 Tomas Frías Uyuni Potosi Bolivia	20s	28,00 Kč	
SSSA-172B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2498 Tomas Frías Uyuni Potosi Bolivia	50s	53,00 Kč	
SSSA-173A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2499 Quijarro Uyuni Potosi Bolivia	20s	28,00 Kč	
SSSA-173B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2499 Quijarro Uyuni Potosi Bolivia	50s	53,00 Kč	
SSSA-174A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2500 Villazon Potosi Bolivia	20s	28,00 Kč	
SSSA-174B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2500 Villazon Potosi Bolivia	50s	53,00 Kč	
SSSA-175A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2501 Pampa Mochara Potosi Bolivia	20s	28,00 Kč	
SSSA-175B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2501 Pampa Mochara Potosi Bolivia	50s	53,00 Kč	
SSSA-176A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2502 Cuchu Ingenio Potosi Bolivia	20s	28,00 Kč	
SSSA-176B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2502 Cuchu Ingenio Potosi Bolivia	50s	53,00 Kč	
SSSA-177A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2503 Cotagaita Potosi Bolivia	20s	28,00 Kč	
SSSA-177B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2503 Cotagaita Potosi Bolivia	50s	53,00 Kč	
SSSA-178A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2504 Chagua Potosi Bolivia	20s	28,00 Kč	
SSSA-178B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2504 Chagua Potosi Bolivia	50s	53,00 Kč	
SSSA-179A	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2505 Berque Potosi Bolivia	20s	28,00 Kč	
SSSA-179B	OREOCEREUS	<i>celsiusianus</i> (covered in a downy white hairs with greatest density at the tips of stems) KPVC 2505 Berque Potosi Bolivia	50s	53,00 Kč	
SSSA-180A	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2506 Zudanez Padilla Chuquisaca Bolivia	20s	28,00 Kč	
SSSA-180B	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2506 Zudanez Padilla Chuquisaca Bolivia	50s	53,00 Kč	
SSSA-181A	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2507 Nuevo Mundo Chuquisaca Bolivia	20s	28,00 Kč	
SSSA-181B	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2507 Nuevo Mundo Chuquisaca Bolivia	50s	53,00 Kč	
SSSA-182A	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2508 Sucre Aiquile Chuquisaca Bolivia	20s	28,00 Kč	
SSSA-182B	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2508 Sucre Aiquile Chuquisaca Bolivia	50s	53,00 Kč	
SSSA-183A	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2509 Chuqui-Chuqui Chuquisaca Bolivia	20s	28,00 Kč	
SSSA-183B	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2509 Chuqui-Chuqui Chuquisaca Bolivia	50s	53,00 Kč	
SSSA-184A	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2510 Zurima Chuquisaca Bolivia	20s	28,00 Kč	
SSSA-184B	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2510 Zurima Chuquisaca Bolivia	50s	53,00 Kč	
SSSA-185A	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2511 Villa Redencion Pampa Chuquisaca Bolivia	20s	28,00 Kč	
SSSA-185B	NEORAIMONDIA	<i>herzogiana</i> (large brown felted areoles, especially long formidable spines when young) KPVC 2511 Villa Redencion Pampa Chuquisaca Bolivia	50s	53,00 Kč	
SSSA-186A	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2512 Pucara Santa Cruz Bolivia	20s	30,00 Kč	
SSSA-186B	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2512 Pucara Santa Cruz Bolivia	50s	57,00 Kč	
SSSA-187A	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2513 Buena Vista Cochabamba Bolivia	20s	30,00 Kč	
SSSA-187B	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2513 Buena Vista Cochabamba Bolivia	50s	57,00 Kč	
SSSA-188A	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2514 El Oro Belisario Boeto Chuquisaca Bolivia	20s	30,00 Kč	
SSSA-188B	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2514 El Oro Belisario Boeto Chuquisaca Bolivia	50s	57,00 Kč	
SSSA-189A	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2515 North of Nuevo Mundo Chuquisaca Bolivia	20s	30,00 Kč	
SSSA-189B	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2515 North of Nuevo Mundo Chuquisaca Bolivia	50s	57,00 Kč	
SSSA-190A	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2516 La Higuera Santa Cruz Bolivia	20s	30,00 Kč	
SSSA-190B	VATRICANIA	<i>guentheri</i> (Espositoa guentheri, golden spined stem, fox red lateral cephalia woolly hairs) KPVC 2516 La Higuera Santa Cruz Bolivia	50s	57,00 Kč	
SSSA-191A	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2517 Ruinas Chavin de Huantar Ancash Peru	20s	30,00 Kč	
SSSA-191B	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2517 Ruinas Chavin de Huantar Ancash Peru	50s	57,00 Kč	
SSSA-191C	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2517 Ruinas Chavin de Huantar Ancash Peru	100s	113,00 Kč	
SSSA-191D	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2517 Ruinas Chavin de Huantar Ancash Peru	500s	422,00 Kč	
SSSA-192A	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2518 Chavin de Huantar Conchucos Valley Ancash Peru	20s	30,00 Kč	
SSSA-192B	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2518 Chavin de Huantar Conchucos Valley Ancash Peru	50s	57,00 Kč	
SSSA-192C	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2518 Chavin de Huantar Conchucos Valley Ancash Peru	100s	113,00 Kč	
SSSA-192D	TRICHOEREUS	<i>peruvianus</i> v. <i>santaensis</i> (extremely long spines, white hairs on the large flowers) KPVC 2518 Chavin de Huantar Conchucos Valley Ancash Peru	500s	422,00 Kč	
SSSA-193A	TRICHOEREUS	<i>tarmaensis</i> (young areoles very fine brown wool, one very large downward pointing spine) KPVC 2519 Sector 2 Tarma Junin Lima Peru	20s	30,00 Kč	
SSSA-193B	TRICHOEREUS	<i>tarmaensis</i> (young areoles very fine brown wool, one very large downward pointing spine) KPVC 2519 Sector 2 Tarma Junin Lima Peru	50s	57,00 Kč	
SSSA-193C	TRICHOEREUS	<i>tarmaensis</i> (young areoles very fine brown wool, one very large downward pointing spine) KPVC 2519 Sector 2 Tarma Junin Lima Peru	100s	113,00 Kč	
SSSA-193D	TRICHOEREUS	<i>tarmaensis</i> (young areoles very fine brown wool, one very large downward pointing spine) KPVC 2519 Sector 2 Tarma Junin Lima Peru	500s	422,00 Kč	
SSSA-194A	TRICHOEREUS	<i>pachanoi</i> (light dark green glaucous body, whitish areoles produce yellow brown spines) KPVC 2520 Huigra Chanchan Peru (location KK 339)	20s	40,00 Kč	
SSSA-194B	TRICHOEREUS	<i>pachanoi</i> (light dark green glaucous body, whitish areoles produce yellow brown spines) KPVC 2520 Huigra Chanchan Peru (location KK 339)	50s	75,00 Kč	
SSSA-194C	TRICHOEREUS	<i>pachanoi</i> (light dark green glaucous body, whitish areoles produce yellow brown spines) KPVC 2520 Huigra Chanchan Peru (location KK 339)	100s	150,00 Kč	
SSSA-194D	TRICHOEREUS	<i>pachanoi</i> (light dark green glaucous body, whitish areoles produce yellow brown spines) KPVC 2520 Huigra Chanchan Peru (location KK 339)	500s	563,00 Kč	
SSSA-195A	TRICHOEREUS	<i>pachanoi</i> f. <i>nova</i> (silver green glaucous body, whitish areoles, brownish spines) KPVC 2521 Waulac (burial ground east of Huaraz) Ancash Peru	20s	40,00 Kč	
SSSA-195B	TRICHOEREUS	<i>pachanoi</i> f. <i>nova</i> (silver green glaucous body, whitish areoles, brownish spines) KPVC 2521 Waulac (burial ground east of Huaraz) Ancash Peru	50s	75,00 Kč	
SSSA-195C	TRICHOEREUS	<i>pachanoi</i> f. <i>nova</i> (silver green glaucous body, whitish areoles, brownish spines) KPVC 2521 Waulac (burial ground east of Huaraz) Ancash Peru	100s	150,00 Kč	
SSSA-195D	TRICHOEREUS	<i>pachanoi</i> f. <i>nova</i> (silver green glaucous body, whitish areoles, brownish spines) KPVC 2521 Waulac (burial ground east of Huaraz) Ancash Peru	500s	563,00 Kč	