

# Common cacti and succulents Seedlist Cactus Moravia International December 2023 January 2024

Version : 17.12.2023 4:00

The common seedlist is still valid until stocks of cactus and succulent seeds are sold out

E-mail: [order@cactus-moravia.eu](mailto:order@cactus-moravia.eu)

## Super Magical irresistible special winter discount on cactus and succulent seeds -50% for every ordering customer

Our special discount sale for our entire assortment of cactus and succulent seeds harvests of the 2022 and 2023 seasons is still valid for winter period 2023/2024 with applications free shipping

The original prices CZK are listed in the catalog still without deducting the -50% at present guaranteed discount, at present minimum order value is 600 CZK (equivalent 26 EUR or 30 USD)

| CODE       | GENUS           | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-----------------|--|-----------|-----------|-------|
| DHA-0001-A | ACACIA          | furcatispina (sparse sorting of green leaves) KAB 37 C Pachimoco San Juan Argentina  | 20s - 40s | 42,50 Kč  |       |
| DHA-0001-B | ACACIA          | furcatispina (sparse sorting of green leaves) KAB 37 C Pachimoco San Juan Argentina  | 42s - 60s | 80,00 Kč  |       |
| DHA-0001-C | ACACIA          | furcatispina (sparse sorting of green leaves) KAB 37 C Pachimoco San Juan Argentina  | 100s      | 160,00 Kč |       |
| DHA-0002-A | ACACIA          | furcatispina (sparse sorting of green leaves) KAB 39 A Embalse Cauquenes 1102 m San Juan Argentina   | 20s - 40s | 42,50 Kč  |       |
| DHA-0002-B | ACACIA          | furcatispina (sparse sorting of green leaves) KAB 39 A Embalse Cauquenes 1102 m San Juan Argentina   | 42s - 60s | 80,00 Kč  |       |
| DHA-0002-C | ACACIA          | furcatispina (sparse sorting of green leaves) KAB 39 A Embalse Cauquenes 1102 m San Juan Argentina   | 100s      | 160,00 Kč |       |
| DHA-0003-A | ACACIA          | species (tubiformed nice flowers) BKM 839 Las Adjuntas Nuevo Leon Mexico   | 20s - 40s | 42,50 Kč  |       |
| DHA-0003-B | ACACIA          | species (tubiformed nice flowers) BKM 839 Las Adjuntas Nuevo Leon Mexico   | 42s - 60s | 80,00 Kč  |       |
| DHA-0003-C | ACACIA          | species (tubiformed nice flowers) BKM 839 Las Adjuntas Nuevo Leon Mexico   | 100s      | 160,00 Kč |       |
| DHA-0010-A | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 A San Jose de la Dormida 493 m Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHA-0010-B | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 A San Jose de la Dormida 493 m Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHA-0010-C | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 A San Jose de la Dormida 493 m Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHA-0010-D | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 A San Jose de la Dormida 493 m Cordoba Argentina | 500s      | 335,00 Kč |       |
| DHA-0010-E | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 A San Jose de la Dormida 493 m Cordoba Argentina | 1000s     | 569,00 Kč |       |
| DHA-0009-A | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 San Jose de la Dormida 493 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHA-0009-B | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 San Jose de la Dormida 493 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHA-0009-C | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 San Jose de la Dormida 493 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHA-0009-D | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 San Jose de la Dormida 493 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHA-0009-E | ACANTHOCALYCIUM | peitscherianum f. nova (long straight slightly arched brownish directed downward spines) KP 323 San Jose de la Dormida 493 m Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHA-0011-A | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KBA 35 A Amaicha del Valle Tucuman Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHA-0011-B | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KBA 35 A Amaicha del Valle Tucuman Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHA-0011-C | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KBA 35 A Amaicha del Valle Tucuman Argentina                            | 100s      | 90,00 Kč  |       |
| DHA-0011-D | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KBA 35 A Amaicha del Valle Tucuman Argentina                            | 500s      | 335,00 Kč |       |
| DHA-0011-E | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KBA 35 A Amaicha del Valle Tucuman Argentina                            | 1000s     | 569,00 Kč |       |
| DHA-0012-A | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 47 B Amaicha del Valle (just up City) Tucuman Argentina             | 20s - 40s | 23,80 Kč  |       |
| DHA-0012-B | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 47 B Amaicha del Valle (just up City) Tucuman Argentina             | 42s - 60s | 45,00 Kč  |       |
| DHA-0012-C | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 47 B Amaicha del Valle (just up City) Tucuman Argentina             | 100s      | 90,00 Kč  |       |
| DHA-0012-D | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 47 B Amaicha del Valle (just up City) Tucuman Argentina             | 500s      | 335,00 Kč |       |
| DHA-0012-E | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 47 B Amaicha del Valle (just up City) Tucuman Argentina             | 1000s     | 569,00 Kč |       |
| DHA-0013-A | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 48 B Amaicha del Valle (exit to crossroad) Tucuman Argentina        | 20s - 40s | 23,80 Kč  |       |
| DHA-0013-B | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 48 B Amaicha del Valle (exit to crossroad) Tucuman Argentina        | 42s - 60s | 45,00 Kč  |       |
| DHA-0013-C | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 48 B Amaicha del Valle (exit to crossroad) Tucuman Argentina        | 100s      | 90,00 Kč  |       |
| DHA-0013-D | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 48 B Amaicha del Valle (exit to crossroad) Tucuman Argentina        | 500s      | 335,00 Kč |       |
| DHA-0013-E | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 48 B Amaicha del Valle (exit to crossroad) Tucuman Argentina        | 1000s     | 569,00 Kč |       |
| DHA-0015-A | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 49 B Ruinas del Quilmes (just near) Tucuman Argentina               | 20s - 40s | 23,80 Kč  |       |
| DHA-0015-B | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 49 B Ruinas del Quilmes (just near) Tucuman Argentina               | 42s - 60s | 45,00 Kč  |       |
| DHA-0015-C | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 49 B Ruinas del Quilmes (just near) Tucuman Argentina               | 100s      | 90,00 Kč  |       |
| DHA-0015-D | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 49 B Ruinas del Quilmes (just near) Tucuman Argentina               | 500s      | 335,00 Kč |       |
| DHA-0015-E | ACANTHOCALYCIUM | thionanthum (greyish green grey spines with darker tips, yellow flowers) KLA 49 B Ruinas del Quilmes (just near) Tucuman Argentina               | 1000s     | 569,00 Kč |       |
| DHA-0016-A | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 39 B Tolombon 2 (new location) Salta Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHA-0016-B | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 39 B Tolombon 2 (new location) Salta Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHA-0016-C | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 39 B Tolombon 2 (new location) Salta Argentina                      | 100s      | 90,00 Kč  |       |
| DHA-0016-D | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 39 B Tolombon 2 (new location) Salta Argentina                      | 500s      | 335,00 Kč |       |
| DHA-0016-E | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 39 B Tolombon 2 (new location) Salta Argentina                      | 1000s     | 569,00 Kč |       |
| DHA-0017-A | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 53 B Tolombon 3 (new location) Salta Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHA-0017-B | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 53 B Tolombon 3 (new location) Salta Argentina                      | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS           | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|-----------------|---|-----------|-----------|-------|
| DHA-0017-C | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 53 B Tolombon 3 (new location) Salta Argentina                       | 100s      | 90,00 Kč  |       |
| DHA-0017-D | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 53 B Tolombon 3 (new location) Salta Argentina                       | 500s      | 335,00 Kč |       |
| DHA-0017-E | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KBA 53 B Tolombon 3 (new location) Salta Argentina                       | 1000s     | 569,00 Kč |       |
| DHA-0018-A | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KLA 51 A Tolombon II. Salta Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHA-0018-B | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KLA 51 A Tolombon II. Salta Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHA-0018-C | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KLA 51 A Tolombon II. Salta Argentina                                    | 100s      | 90,00 Kč  |       |
| DHA-0018-D | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KLA 51 A Tolombon II. Salta Argentina                                    | 500s      | 335,00 Kč |       |
| DHA-0018-E | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KLA 51 A Tolombon II. Salta Argentina                                    | 1000s     | 569,00 Kč |       |
| DHA-0019-A | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 236 Santa Maria to Cafayate 1685 m Salta Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHA-0019-B | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 236 Santa Maria to Cafayate 1685 m Salta Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHA-0019-C | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 236 Santa Maria to Cafayate 1685 m Salta Argentina                    | 100s      | 90,00 Kč  |       |
| DHA-0019-D | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 236 Santa Maria to Cafayate 1685 m Salta Argentina                    | 500s      | 335,00 Kč |       |
| DHA-0019-E | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 236 Santa Maria to Cafayate 1685 m Salta Argentina                    | 1000s     | 569,00 Kč |       |
| DHA-0020-A | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 238 La Vinita 1685 m Salta Argentina                                  | 20s - 40s | 23,80 Kč  |       |
| DHA-0020-B | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 238 La Vinita 1685 m Salta Argentina                                  | 42s - 60s | 45,00 Kč  |       |
| DHA-0020-C | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 238 La Vinita 1685 m Salta Argentina                                  | 100s      | 90,00 Kč  |       |
| DHA-0020-D | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 238 La Vinita 1685 m Salta Argentina                                  | 500s      | 335,00 Kč |       |
| DHA-0020-E | ACANTHOCALYCIUM | thionanthum v. brevispinum (comparatively short and strong sharp spines) KP 238 La Vinita 1685 m Salta Argentina                                  | 1000s     | 569,00 Kč |       |
| DHA-0028-A | ACER            | shirasawanum (rounded leaves) KAB 8G San Rafael Garden (Rogupani) Mendoza Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHA-0028-B | ACER            | shirasawanum (rounded leaves) KAB 8G San Rafael Garden (Rogupani) Mendoza Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHA-0028-C | ACER            | shirasawanum (rounded leaves) KAB 8G San Rafael Garden (Rogupani) Mendoza Argentina   | 100s      | 90,00 Kč  |       |
| DHA-2696-A | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) BKLM 1088 West of Rayones 873 m Nuevo Leon Mexico                     | 20s - 40s | 59,50 Kč  |       |
| DHA-2696-B | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) BKLM 1088 West of Rayones 873 m Nuevo Leon Mexico                     | 42s - 60s | 112,00 Kč |       |
| DHA-2694-A | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) CZ 110 Entronque Hipolito Coahuila Mexico                             | 20s - 40s | 59,50 Kč  |       |
| DHA-2694-B | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) CZ 110 Entronque Hipolito Coahuila Mexico                             | 42s - 60s | 112,00 Kč |       |
| DHA-2695-A | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) CZ 117 Doctor Arroyo Nuevo Leon Mexico                                | 20s - 40s | 59,50 Kč  |       |
| DHA-2695-B | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) CZ 117 Doctor Arroyo Nuevo Leon Mexico                                | 42s - 60s | 112,00 Kč |       |
| DHA-2697-A | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) LH 12 La Rinconada Nuevo Leon Mexico                                  | 20s - 40s | 59,50 Kč  |       |
| DHA-2697-B | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) LH 12 La Rinconada Nuevo Leon Mexico                                  | 42s - 60s | 112,00 Kč |       |
| DHA-2698-A | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) LH 35 Tula Tamaulipas Mexico  | 20s - 40s | 59,50 Kč  |       |
| DHA-2698-B | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) LH 35 Tula Tamaulipas Mexico  | 42s - 60s | 112,00 Kč |       |
| DHA-2699-A | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) PAR 9 about 5 km North of San Luis Potosi City San Luis Potosi Mexico | 20s - 40s | 59,50 Kč  |       |
| DHA-2699-B | AGAVE           | striata ssp. falcata (dense beautiful suckering rosettes, blue gray leaves) PAR 9 about 5 km North of San Luis Potosi City San Luis Potosi Mexico | 42s - 60s | 112,00 Kč |       |
| DHA-0051-A | ASTROPHYTUM     | capricorne cv. Crassispinoides (white or clear pastel yellow spines, pure yellow flowers) Czech Nursery Benesov CZ                                | 20s - 40s | 42,50 Kč  |       |
| DHA-0051-B | ASTROPHYTUM     | capricorne cv. Crassispinoides (white or clear pastel yellow spines, pure yellow flowers) Czech Nursery Benesov CZ                                | 42s - 60s | 80,00 Kč  |       |
| DHA-0050-A | ASTROPHYTUM     | capricorne cv. Crassispinoides (white or clear pastel yellow spines, pure yellow flowers) Czech Nursery Breclav CZ                                | 20s - 40s | 42,50 Kč  |       |
| DHA-0050-B | ASTROPHYTUM     | capricorne cv. Crassispinoides (white or clear pastel yellow spines, pure yellow flowers) Czech Nursery Breclav CZ                                | 42s - 60s | 80,00 Kč  |       |
| DHA-0052-A | ASTROPHYTUM     | capricorne cv. Crassispinoides (white or clear pastel yellow spines, pure yellow flowers) Czech Nursery Trinec CZ                                 | 20s - 40s | 42,50 Kč  |       |
| DHA-0052-B | ASTROPHYTUM     | capricorne cv. Crassispinoides (white or clear pastel yellow spines, pure yellow flowers) Czech Nursery Trinec CZ                                 | 42s - 60s | 80,00 Kč  |       |
| DHA-0053-A | ASTROPHYTUM     | capricorne cv. Crassispinoides f. gold spines form (pure yellow flowers) Czech Nursery Kyjovice CZ  | 20s - 40s | 42,50 Kč  |       |
| DHA-0053-B | ASTROPHYTUM     | capricorne cv. Crassispinoides f. gold spines form (pure yellow flowers) Czech Nursery Kyjovice CZ  | 42s - 60s | 80,00 Kč  |       |
| DHA-2194-A | ASTROPHYTUM     | capricorne cv. Crassispinoides f. Milt version (darkly pastel yellow spines, pure yellow flowers) Czech Nursery Kyjovice CZ                       | 20s - 40s | 42,50 Kč  |       |
| DHA-2194-B | ASTROPHYTUM     | capricorne cv. Crassispinoides f. Milt version (darkly pastel yellow spines, pure yellow flowers) Czech Nursery Kyjovice CZ                       | 42s - 60s | 80,00 Kč  |       |
| DHA-2178-A | ASTROPHYTUM     | capricorne ssp. sanjuanense (often pure yellow flowers) PAR 232 San Vincente 710 m Coahuila Mexico  | 20s - 40s | 51,00 Kč  |       |
| DHA-2178-B | ASTROPHYTUM     | capricorne ssp. sanjuanense (often pure yellow flowers) PAR 232 San Vincente 710 m Coahuila Mexico  | 42s - 60s | 96,00 Kč  |       |
| DHA-2178-C | ASTROPHYTUM     | capricorne ssp. sanjuanense (often pure yellow flowers) PAR 232 San Vincente 710 m Coahuila Mexico  | 100s      | 192,00 Kč |       |
| DHA-0048-A | ASTROPHYTUM     | capricorne v. minor (small growing variety of the species, magnificent flowers) RS 369 La Rosa Coahuila Mexico                                    | 20s - 40s | 25,50 Kč  |       |
| DHA-0058-A | ASTROPHYTUM     | myriostigma (snowy white speckled epidermis) LAU 727 Las Tablas San Luis Potosi Mexico  | 20s - 40s | 25,50 Kč  |       |
| DHA-0058-B | ASTROPHYTUM     | myriostigma (snowy white speckled epidermis) LAU 727 Las Tablas San Luis Potosi Mexico  | 42s - 60s | 48,00 Kč  |       |
| DHA-0058-C | ASTROPHYTUM     | myriostigma (snowy white speckled epidermis) LAU 727 Las Tablas San Luis Potosi Mexico  | 100s      | 96,00 Kč  |       |
| DHA-0059-A | ASTROPHYTUM     | myriostigma f. old original type (snowy white speckled epidermis) Czech Nursery Trinec CZ   | 20s - 40s | 25,50 Kč  |       |
| DHA-2869-A | ASTROPHYTUM     | myriostigma v. columnare (shaped like stem a bishops headpiece or a star but slender) LAU 1024 Miquihuana 1900 m Tamaulipas Mexico                | 20s - 40s | 25,50 Kč  |       |
| DHA-2870-A | ASTROPHYTUM     | myriostigma v. columnare (shaped like stem a bishops headpiece or a star but slender) MZ 167 Miquihuana III. Tamaulipas Mexico                    | 20s - 40s | 25,50 Kč  |       |
| DHA-2871-A | ASTROPHYTUM     | myriostigma v. columnare (shaped like stem a bishops headpiece or a star but slender) MZ 264 Miquihuana III. Tamaulipas Mexico                    | 20s - 40s | 25,50 Kč  |       |
| DHA-2872-A | ASTROPHYTUM     | myriostigma v. columnare (shaped like stem a bishops headpiece or a star but slender) RS 872 Huizache San Luis Potosi Mexico                      | 20s - 40s | 25,50 Kč  |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|--|-----------|-----------|-------|
| DHA-2873-A | ASTROPHYTUM | myriostigma v. columnare (shaped like stem a bishops headpiece or a star but slender) SB 340 Huizache San Luis Potosi Mexico               | 20s - 40s | 25,50 Kč  |       |
| DHA-2868-A | ASTROPHYTUM | myriostigma v. potosinum (spineless solitary plant covered with many white dots) RS 148 Pressa de Guadalupe San Luis Potosi Mexico         | 20s - 40s | 25,50 Kč  |       |
| DHA-0064-A | ASTROPHYTUM | myriostigma v. stronglylogonum (rounded non angular ribs) Jan Riha Charcas San Luis Potosi Mexico  | 20s - 40s | 25,50 Kč  |       |
| DHA-2232-A | ASTROPHYTUM | myriostigma v. stronglylogonum (rounded non angular ribs) Jan Riha Charco Blanco San Luis Potosi Mexico                                    | 20s - 40s | 25,50 Kč  |       |
| DHA-2269-A | ASTROPHYTUM | myriostigma v. stronglylogonum (rounded non angular ribs) MZ 589 Villa Juarez San Luis Potosi Mexico                                       | 20s - 40s | 25,50 Kč  |       |
| DHA-2269-B | ASTROPHYTUM | myriostigma v. stronglylogonum (rounded non angular ribs) MZ 589 Villa Juarez San Luis Potosi Mexico                                       | 42s - 60s | 48,00 Kč  |       |
| DHA-0065-A | ASTROPHYTUM | niveum (striking rigid thorns and very more closely whiter flocking) GM 438 Cuatro Cienegas 920 m Coahuila Mexico                          | 20s - 40s | 51,00 Kč  |       |
| DHA-0066-A | ASTROPHYTUM | niveum (striking rigid thorns and very more closely whiter flocking) CH 563 Cuatro Cienegas 725 m Coahuila Mexico                          | 20s - 40s | 51,00 Kč  |       |
| DHA-2193-A | ASTROPHYTUM | niveum (striking rigid thorns and very more closely whiter flocking) Jan Riha Sierra Madre Occidental Mexico                               | 20s - 40s | 51,00 Kč  |       |
| DHA-0067-A | ASTROPHYTUM | niveum (striking rigid thorns and very more closely whiter flocking) MZ 131 Cuatro Cienegas Coahuila Mexico                                | 20s - 40s | 51,00 Kč  |       |
| DHA-2233-A | ASTROPHYTUM | niveum f. nova (striking rigid thorns and very more closely whiter flocking) PAR 246 Espinazo 879 m Nuevo Leon Mexico                      | 20s - 40s | 59,50 Kč  |       |
| DHA-2233-B | ASTROPHYTUM | niveum f. nova (striking rigid thorns and very more closely whiter flocking) PAR 246 Espinazo 879 m Nuevo Leon Mexico                      | 42s - 60s | 112,00 Kč |       |
| DHA-0068-A | ASTROPHYTUM | niveum v. nudum (arestriking strong long flat black spines, bright green stem, shiny yellow flowers) MZ 511 Gabino Vazquez Coahuila Mexico | 20s - 40s | 51,00 Kč  |       |
| DHA-0068-B | ASTROPHYTUM | niveum v. nudum (arestriking strong long flat black spines, bright green stem, shiny yellow flowers) MZ 511 Gabino Vazquez Coahuila Mexico | 42s - 60s | 96,00 Kč  |       |
| DHB-0081-A | BAUHINIA    | forficata (Brazilian orchid tree, best white flowers) KAB 21 A Vallecitos Valley Complejo Huinkulche Mendoza Argentina                     | 20s - 40s | 85,00 Kč  |       |
| DHB-0084-A | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 A Sierra Ambato 1200 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHB-0084-B | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 A Sierra Ambato 1200 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHB-0084-C | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 A Sierra Ambato 1200 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHB-0084-D | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 A Sierra Ambato 1200 m Catamarca Argentina   | 500s      | 335,00 Kč |       |
| DHB-0084-E | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 A Sierra Ambato 1200 m Catamarca Argentina   | 1000s     | 569,00 Kč |       |
| DHB-0083-A | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 Sierra Ambato 1200 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHB-0083-B | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 Sierra Ambato 1200 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHB-0083-C | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 Sierra Ambato 1200 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHB-0083-D | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 Sierra Ambato 1200 m Catamarca Argentina   | 500s      | 335,00 Kč |       |
| DHB-0083-E | BLOSSFELDIA | fechseri (robust form with olive green heads) P 244 Sierra Ambato 1200 m Catamarca Argentina   | 1000s     | 569,00 Kč |       |
| DHB-0086-A | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) FR 89 Humahuaca (bellow) Jujuy Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHB-0086-B | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) FR 89 Humahuaca (bellow) Jujuy Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHB-0086-C | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) FR 89 Humahuaca (bellow) Jujuy Argentina  | 100s      | 90,00 Kč  |       |
| DHB-0086-D | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) FR 89 Humahuaca (bellow) Jujuy Argentina  | 500s      | 335,00 Kč |       |
| DHB-0086-E | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) FR 89 Humahuaca (bellow) Jujuy Argentina  | 1000s     | 569,00 Kč |       |
| DHB-0089-A | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 A Estancia Cana Cruz 2840 m Tarija Bolivia                                | 20s - 40s | 23,80 Kč  |       |
| DHB-0089-B | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 A Estancia Cana Cruz 2840 m Tarija Bolivia                                | 42s - 60s | 45,00 Kč  |       |
| DHB-0089-C | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 A Estancia Cana Cruz 2840 m Tarija Bolivia                                | 100s      | 90,00 Kč  |       |
| DHB-0089-D | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 A Estancia Cana Cruz 2840 m Tarija Bolivia                                | 500s      | 335,00 Kč |       |
| DHB-0089-E | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 A Estancia Cana Cruz 2840 m Tarija Bolivia                                | 1000s     | 569,00 Kč |       |
| DHB-0088-A | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 Estancia Cana Cruz 2840 m Tarija Bolivia                                  | 20s - 40s | 23,80 Kč  |       |
| DHB-0088-B | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 Estancia Cana Cruz 2840 m Tarija Bolivia                                  | 42s - 60s | 45,00 Kč  |       |
| DHB-0088-C | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 Estancia Cana Cruz 2840 m Tarija Bolivia                                  | 100s      | 90,00 Kč  |       |
| DHB-0088-D | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 Estancia Cana Cruz 2840 m Tarija Bolivia                                  | 500s      | 335,00 Kč |       |
| DHB-0088-E | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 10 Estancia Cana Cruz 2840 m Tarija Bolivia                                  | 1000s     | 569,00 Kč |       |
| DHB-0091-A | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 A La Palca 2361 m Chuquisaca Bolivia                                     | 20s - 40s | 23,80 Kč  |       |
| DHB-0091-B | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 A La Palca 2361 m Chuquisaca Bolivia                                     | 42s - 60s | 45,00 Kč  |       |
| DHB-0091-C | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 A La Palca 2361 m Chuquisaca Bolivia                                     | 100s      | 90,00 Kč  |       |
| DHB-0091-D | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 A La Palca 2361 m Chuquisaca Bolivia                                     | 500s      | 335,00 Kč |       |
| DHB-0091-E | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 A La Palca 2361 m Chuquisaca Bolivia                                     | 1000s     | 569,00 Kč |       |
| DHB-0090-A | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 La Palca 2361 m Chuquisaca Bolivia                                       | 20s - 40s | 23,80 Kč  |       |
| DHB-0090-B | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 La Palca 2361 m Chuquisaca Bolivia                                       | 42s - 60s | 45,00 Kč  |       |
| DHB-0090-C | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 La Palca 2361 m Chuquisaca Bolivia                                       | 100s      | 90,00 Kč  |       |
| DHB-0090-D | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 La Palca 2361 m Chuquisaca Bolivia                                       | 500s      | 335,00 Kč |       |
| DHB-0090-E | BLOSSFELDIA | liliputana (little clusters of multiple disc shaped heads) KP 127 La Palca 2361 m Chuquisaca Bolivia                                       | 1000s     | 569,00 Kč |       |
| DHB-0085-A | BLOSSFELDIA | liliputana f. sucrensis (little clusters of multiple disc shaped heads) WR 471 Sucre Chuquisaca Bolivia                                    | 20s - 40s | 23,80 Kč  |       |
| DHB-0085-B | BLOSSFELDIA | liliputana f. sucrensis (little clusters of multiple disc shaped heads) WR 471 Sucre Chuquisaca Bolivia                                    | 42s - 60s | 45,00 Kč  |       |
| DHB-0085-C | BLOSSFELDIA | liliputana f. sucrensis (little clusters of multiple disc shaped heads) WR 471 Sucre Chuquisaca Bolivia                                    | 100s      | 90,00 Kč  |       |
| DHB-0085-D | BLOSSFELDIA | liliputana f. sucrensis (little clusters of multiple disc shaped heads) WR 471 Sucre Chuquisaca Bolivia                                    | 500s      | 335,00 Kč |       |
| DHB-0085-E | BLOSSFELDIA | liliputana f. sucrensis (little clusters of multiple disc shaped heads) WR 471 Sucre Chuquisaca Bolivia                                    | 1000s     | 569,00 Kč |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|--|-----------|-----------|-------|
| DHB-0087-A | BLOSSFELDIA | liliputana v. pedicellata (little clusters of multiple disc shaped heads) FR 749 Tomina Chuquisaca Bolivia | 20s - 40s | 23,80 Kč  |       |
| DHB-0087-B | BLOSSFELDIA | liliputana v. pedicellata (little clusters of multiple disc shaped heads) FR 749 Tomina Chuquisaca Bolivia | 42s - 60s | 45,00 Kč  |       |
| DHB-0087-C | BLOSSFELDIA | liliputana v. pedicellata (little clusters of multiple disc shaped heads) FR 749 Tomina Chuquisaca Bolivia | 100s      | 90,00 Kč  |       |
| DHB-0087-D | BLOSSFELDIA | liliputana v. pedicellata (little clusters of multiple disc shaped heads) FR 749 Tomina Chuquisaca Bolivia | 500s      | 335,00 Kč |       |
| DHB-0087-E | BLOSSFELDIA | liliputana v. pedicellata (little clusters of multiple disc shaped heads) FR 749 Tomina Chuquisaca Bolivia | 1000s     | 569,00 Kč |       |
| DHB-0092-A | BLOSSFELDIA | tominensis (little clusters of multiple disc shaped heads) KK 2135 Mina La Merced Betanzos Potosi Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHB-0092-B | BLOSSFELDIA | tominensis (little clusters of multiple disc shaped heads) KK 2135 Mina La Merced Betanzos Potosi Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHB-0092-C | BLOSSFELDIA | tominensis (little clusters of multiple disc shaped heads) KK 2135 Mina La Merced Betanzos Potosi Bolivia  | 100s      | 90,00 Kč  |       |
| DHB-0092-D | BLOSSFELDIA | tominensis (little clusters of multiple disc shaped heads) KK 2135 Mina La Merced Betanzos Potosi Bolivia  | 500s      | 335,00 Kč |       |
| DHB-0092-E | BLOSSFELDIA | tominensis (little clusters of multiple disc shaped heads) KK 2135 Mina La Merced Betanzos Potosi Bolivia  | 1000s     | 569,00 Kč |       |
| DHC-0093-A | CALANDRINIA | procumbens (best flowers, alpine plant) AT-9 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHC-0093-B | CALANDRINIA | procumbens (best flowers, alpine plant) AT-9 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHC-0094-A | CALLISTEMON | coccineus (Myrtaceae Australia) AT-10 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHC-0094-B | CALLISTEMON | coccineus (Myrtaceae Australia) AT-10 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHC-0095-A | CALLISTEMON | linearifolius (red flowers) AT-11 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHC-0095-B | CALLISTEMON | linearifolius (red flowers) AT-11 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHC-0096-A | CALLISTEMON | speciosus (purple flowers) AT-12 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHC-0096-B | CALLISTEMON | speciosus (purple flowers) AT-12 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHC-0097-A | CAMPANULA   | rhomboidalis (alpine plant Switzerland Valais alt 810 m) AT-13 Czech Nursery CZ                            | 20s - 40s | 23,80 Kč  |       |
| DHC-0097-B | CAMPANULA   | rhomboidalis (alpine plant Switzerland Valais alt 810 m) AT-13 Czech Nursery CZ                            | 42s - 60s | 45,00 Kč  |       |
| DHC-2430-A | CORYPHANTHA | calipensis (curved downwards to hooked spines) GM 520 Coxcatlan 900 m Puebla Mexico                        | 20s - 40s | 25,50 Kč  |       |
| DHC-2430-B | CORYPHANTHA | calipensis (curved downwards to hooked spines) GM 520 Coxcatlan 900 m Puebla Mexico                        | 42s - 60s | 48,00 Kč  |       |
| DHC-0127-A | CORYPHANTHA | calipensis (curved downwards to hooked spines) RCH 129 El Penales Puebla Mexico                            | 20s - 40s | 25,50 Kč  |       |
| DHC-0127-B | CORYPHANTHA | calipensis (curved downwards to hooked spines) RCH 129 El Penales Puebla Mexico                            | 42s - 60s | 48,00 Kč  |       |
| DHC-3019-A | CORYPHANTHA | calipensis (curved downwards to hooked spines) RS 886 Coxcatlan Puebla Mexico                              | 20s - 40s | 25,50 Kč  |       |
| DHC-3019-B | CORYPHANTHA | calipensis (curved downwards to hooked spines) RS 886 Coxcatlan Puebla Mexico                              | 42s - 60s | 48,00 Kč  |       |
| DHC-2244-A | CORYPHANTHA | compacta (pale grey green disc shaped body) MS 618 Penoles Durango Mexico                                  | 20s - 40s | 68,00 Kč  |       |
| DHC-0131-A | CORYPHANTHA | cornifera (centrals straight porrect curved downward) CH 88 Vista Hermosa Queretaro                        | 20s - 40s | 42,50 Kč  |       |
| DHC-0131-B | CORYPHANTHA | cornifera (centrals straight porrect curved downward) CH 88 Vista Hermosa Queretaro                        | 42s - 60s | 80,00 Kč  |       |
| DHC-0131-C | CORYPHANTHA | cornifera (centrals straight porrect curved downward) CH 88 Vista Hermosa Queretaro                        | 100s      | 160,00 Kč |       |
| DHC-2171-A | CORYPHANTHA | cornifera (centrals straight porrect curved downward) KMR 129 San Bartolo San Luis Potosi Mexico           | 20s - 40s | 42,50 Kč  |       |
| DHC-2171-B | CORYPHANTHA | cornifera (centrals straight porrect curved downward) KMR 129 San Bartolo San Luis Potosi Mexico           | 42s - 60s | 80,00 Kč  |       |
| DHC-2171-C | CORYPHANTHA | cornifera (centrals straight porrect curved downward) KMR 129 San Bartolo San Luis Potosi Mexico           | 100s      | 160,00 Kč |       |
| DHC-2173-A | CORYPHANTHA | cornifera (centrals straight porrect curved downward) MS 631 Gualteiro Hidalgo Mexico                      | 20s - 40s | 42,50 Kč  |       |
| DHC-2173-B | CORYPHANTHA | cornifera (centrals straight porrect curved downward) MS 631 Gualteiro Hidalgo Mexico                      | 42s - 60s | 80,00 Kč  |       |
| DHC-2173-C | CORYPHANTHA | cornifera (centrals straight porrect curved downward) MS 631 Gualteiro Hidalgo Mexico                      | 100s      | 160,00 Kč |       |
| DHC-2172-A | CORYPHANTHA | cornifera (centrals straight porrect curved downward) MZ 585 Pena Blanca Queretaro Mexico                  | 20s - 40s | 42,50 Kč  |       |
| DHC-2172-B | CORYPHANTHA | cornifera (centrals straight porrect curved downward) MZ 585 Pena Blanca Queretaro Mexico                  | 42s - 60s | 80,00 Kč  |       |
| DHC-2172-C | CORYPHANTHA | cornifera (centrals straight porrect curved downward) MZ 585 Pena Blanca Queretaro Mexico                  | 100s      | 160,00 Kč |       |
| DHC-2235-A | CORYPHANTHA | cornifera (centrals straight porrect curved downward) PAR 145 Higuierillas Queretaro Mexico                | 20s - 40s | 42,50 Kč  |       |
| DHC-2235-B | CORYPHANTHA | cornifera (centrals straight porrect curved downward) PAR 145 Higuierillas Queretaro Mexico                | 42s - 60s | 80,00 Kč  |       |
| DHC-2235-C | CORYPHANTHA | cornifera (centrals straight porrect curved downward) PAR 145 Higuierillas Queretaro Mexico                | 100s      | 160,00 Kč |       |
| DHC-2236-A | CORYPHANTHA | cornifera (centrals straight porrect curved downward) REPP 681 E West of Durangongo 1900 m Durango Mexico  | 20s - 40s | 42,50 Kč  |       |
| DHC-2236-B | CORYPHANTHA | cornifera (centrals straight porrect curved downward) REPP 681 E West of Durangongo 1900 m Durango Mexico  | 42s - 60s | 80,00 Kč  |       |
| DHC-2236-C | CORYPHANTHA | cornifera (centrals straight porrect curved downward) REPP 681 E West of Durangongo 1900 m Durango Mexico  | 100s      | 160,00 Kč |       |
| DHC-0132-A | CORYPHANTHA | cornifera (centrals straight porrect curved downward) RS 664 Pena Blanca Queretaro Mexico                  | 20s - 40s | 42,50 Kč  |       |
| DHC-0132-B | CORYPHANTHA | cornifera (centrals straight porrect curved downward) RS 664 Pena Blanca Queretaro Mexico                  | 42s - 60s | 80,00 Kč  |       |
| DHC-0132-C | CORYPHANTHA | cornifera (centrals straight porrect curved downward) RS 664 Pena Blanca Queretaro Mexico                  | 100s      | 160,00 Kč |       |
| DHC-2433-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) GM 701 San Fermin 1500 m Durango Mexico               | 20s - 40s | 23,80 Kč  |       |
| DHC-2433-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) GM 701 San Fermin 1500 m Durango Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHC-2433-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) GM 701 San Fermin 1500 m Durango Mexico               | 100s      | 90,00 Kč  |       |
| DHC-0134-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) KKR 497 Penon Blanco to Nazas km 71,5 Durango Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHC-0134-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) KKR 497 Penon Blanco to Nazas km 71,5 Durango Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHC-0134-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) KKR 497 Penon Blanco to Nazas km 71,5 Durango Mexico  | 100s      | 90,00 Kč  |       |
| DHC-2238-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) KKR 526 Puente Ojuella Durango Mexico                 | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|--|-----------|-----------|-------|
| DHC-2238-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) KKR 526 Puente Ojuella Durango Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHC-2238-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) KKR 526 Puente Ojuella Durango Mexico               | 100s      | 90,00 Kč  |       |
| DHC-2892-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) LAU 1230 East of Ceballos 1300 m Durango Mexico     | 20s - 40s | 23,80 Kč  |       |
| DHC-2892-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) LAU 1230 East of Ceballos 1300 m Durango Mexico     | 42s - 60s | 45,00 Kč  |       |
| DHC-2892-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) LAU 1230 East of Ceballos 1300 m Durango Mexico     | 100s      | 90,00 Kč  |       |
| DHC-2891-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) LAU 793 Nazas 1800 m Durango Mexico                 | 20s - 40s | 23,80 Kč  |       |
| DHC-2891-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) LAU 793 Nazas 1800 m Durango Mexico                 | 42s - 60s | 45,00 Kč  |       |
| DHC-2891-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) LAU 793 Nazas 1800 m Durango Mexico                 | 100s      | 90,00 Kč  |       |
| DHC-2435-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) LM 234 Cuatro de Marzo Coahuila Mexico              | 20s - 40s | 23,80 Kč  |       |
| DHC-2435-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) LM 234 Cuatro de Marzo Coahuila Mexico              | 42s - 60s | 45,00 Kč  |       |
| DHC-2435-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) LM 234 Cuatro de Marzo Coahuila Mexico              | 100s      | 90,00 Kč  |       |
| DHC-2436-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) LM 252 La Flor Durango Mexico                       | 20s - 40s | 23,80 Kč  |       |
| DHC-2436-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) LM 252 La Flor Durango Mexico                       | 42s - 60s | 45,00 Kč  |       |
| DHC-2436-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) LM 252 La Flor Durango Mexico                       | 100s      | 90,00 Kč  |       |
| DHC-2893-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) MMR 46 San Fermin Durango Mexico                    | 20s - 40s | 23,80 Kč  |       |
| DHC-2893-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) MMR 46 San Fermin Durango Mexico                    | 42s - 60s | 45,00 Kč  |       |
| DHC-2893-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) MMR 46 San Fermin Durango Mexico                    | 100s      | 90,00 Kč  |       |
| DHC-2894-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) MMR 46.2 El Portento Durango Mexico                 | 20s - 40s | 23,80 Kč  |       |
| DHC-2894-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) MMR 46.2 El Portento Durango Mexico                 | 42s - 60s | 45,00 Kč  |       |
| DHC-2894-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) MMR 46.2 El Portento Durango Mexico                 | 100s      | 90,00 Kč  |       |
| DHC-2895-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) PAR 202 Zona del Silencio 1207 m Durango Mexico     | 20s - 40s | 23,80 Kč  |       |
| DHC-2895-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) PAR 202 Zona del Silencio 1207 m Durango Mexico     | 42s - 60s | 45,00 Kč  |       |
| DHC-2895-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) PAR 202 Zona del Silencio 1207 m Durango Mexico     | 100s      | 90,00 Kč  |       |
| DHC-2237-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) PAR 203 Zona del Silencio 1157 m Durango Mexico     | 20s - 40s | 23,80 Kč  |       |
| DHC-2237-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) PAR 203 Zona del Silencio 1157 m Durango Mexico     | 42s - 60s | 45,00 Kč  |       |
| DHC-2237-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) PAR 203 Zona del Silencio 1157 m Durango Mexico     | 100s      | 90,00 Kč  |       |
| DHC-0135-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1074 Penon Blanco Durango Mexico                 | 20s - 40s | 23,80 Kč  |       |
| DHC-0135-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1074 Penon Blanco Durango Mexico                 | 42s - 60s | 45,00 Kč  |       |
| DHC-0135-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1074 Penon Blanco Durango Mexico                 | 100s      | 90,00 Kč  |       |
| DHC-2245-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1099 San Pedro de Gallo Durango Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHC-2245-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1099 San Pedro de Gallo Durango Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHC-2245-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1099 San Pedro de Gallo Durango Mexico           | 100s      | 90,00 Kč  |       |
| DHC-2434-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1101 San Fermin 1500 m Durango Mexico            | 20s - 40s | 23,80 Kč  |       |
| DHC-2434-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1101 San Fermin 1500 m Durango Mexico            | 42s - 60s | 45,00 Kč  |       |
| DHC-2434-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) RS 1101 San Fermin 1500 m Durango Mexico            | 100s      | 90,00 Kč  |       |
| DHC-0136-A | CORYPHANTHA | delaetiana (slightly curved downward central spines) SB 339 Saltillo area Coahuila Mexico                | 20s - 40s | 23,80 Kč  |       |
| DHC-0136-B | CORYPHANTHA | delaetiana (slightly curved downward central spines) SB 339 Saltillo area Coahuila Mexico                | 42s - 60s | 45,00 Kč  |       |
| DHC-0136-C | CORYPHANTHA | delaetiana (slightly curved downward central spines) SB 339 Saltillo area Coahuila Mexico                | 100s      | 90,00 Kč  |       |
| DHC-2888-A | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) LM 75 El Encinal Zacatecas Mexico          | 20s - 40s | 59,50 Kč  |       |
| DHC-2888-B | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) LM 75 El Encinal Zacatecas Mexico          | 42s - 60s | 112,00 Kč |       |
| DHC-2889-A | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) MMR 206 Presa Verde San Luis Potosi Mexico | 20s - 40s | 59,50 Kč  |       |
| DHC-2889-B | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) MMR 206 Presa Verde San Luis Potosi Mexico | 42s - 60s | 112,00 Kč |       |
| DHC-2890-A | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) MMR 92 Cedral San Luis Potosi Mexico       | 20s - 40s | 59,50 Kč  |       |
| DHC-2890-B | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) MMR 92 Cedral San Luis Potosi Mexico       | 42s - 60s | 112,00 Kč |       |
| DHC-2887-A | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) PAR 269 Cedros Zacatecas Mexico            | 20s - 40s | 59,50 Kč  |       |
| DHC-2887-B | CORYPHANTHA | delicata (smaller tubercles making for a more densely spines) PAR 269 Cedros Zacatecas Mexico            | 42s - 60s | 112,00 Kč |       |
| DHC-2431-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) GM 613 El Amparo 1150 m Coahuila Mexico              | 20s - 40s | 76,50 Kč  |       |
| DHC-2431-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) GM 613 El Amparo 1150 m Coahuila Mexico              | 42s - 60s | 144,00 Kč |       |
| DHC-2432-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) GM 626 Estancia Madero 1100 m Coahuila Mexico        | 20s - 40s | 76,50 Kč  |       |
| DHC-2432-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) GM 626 Estancia Madero 1100 m Coahuila Mexico        | 42s - 60s | 144,00 Kč |       |
| DHC-0181-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) GM 643 Ciudad Cerralvo 165 m Nuevo Leon Mexico       | 20s - 40s | 76,50 Kč  |       |
| DHC-0181-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) GM 643 Ciudad Cerralvo 165 m Nuevo Leon Mexico       | 42s - 60s | 144,00 Kč |       |
| DHC-0137-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) KKR 319 Hippolito Coahuila Mexico                    | 20s - 40s | 76,50 Kč  |       |
| DHC-0137-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) KKR 319 Hippolito Coahuila Mexico                    | 42s - 60s | 144,00 Kč |       |
| DHC-0138-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) LM 510 Cerro Bola Coahuila Mexico                    | 20s - 40s | 76,50 Kč  |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|---|-----------|-----------|-------|
| DHC-0138-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) LM 510 Cerro Bola Coahuila Mexico                                   | 42s - 60s | 144,00 Kč |       |
| DHC-3017-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) MK 72.218 El Pilar Coahuila Mexico                                  | 20s - 40s | 76,50 Kč  |       |
| DHC-3017-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) MK 72.218 El Pilar Coahuila Mexico                                  | 42s - 60s | 144,00 Kč |       |
| DHC-0139-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) MK 73.222 South of Hippolito Coahuila Mexico                        | 20s - 40s | 76,50 Kč  |       |
| DHC-0139-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) MK 73.222 South of Hippolito Coahuila Mexico                        | 42s - 60s | 144,00 Kč |       |
| DHC-0182-A | CORYPHANTHA | difficilis (porrect curved downwards strong spines) RS 1115 terrace just behind Estacion Marte Coahuila Mexico          | 20s - 40s | 76,50 Kč  |       |
| DHC-0182-B | CORYPHANTHA | difficilis (porrect curved downwards strong spines) RS 1115 terrace just behind Estacion Marte Coahuila Mexico          | 42s - 60s | 144,00 Kč |       |
| DHC-2246-A | CORYPHANTHA | echinoidea (porrect central spines) MK 20.43 La Mesa North of Matehuala San Luis Potosi Mexico                          | 20s - 40s | 68,00 Kč  |       |
| DHC-2246-B | CORYPHANTHA | echinoidea (porrect central spines) MK 20.43 La Mesa North of Matehuala San Luis Potosi Mexico                          | 42s - 60s | 128,00 Kč |       |
| DHC-3016-A | CORYPHANTHA | echinoidea (porrect central spines) MK 49.156 San Isidro San Luis Potosi Mexico   | 20s - 40s | 68,00 Kč  |       |
| DHC-3016-B | CORYPHANTHA | echinoidea (porrect central spines) MK 49.156 San Isidro San Luis Potosi Mexico   | 42s - 60s | 128,00 Kč |       |
| DHC-0142-A | CORYPHANTHA | echinoidea (porrect central spines) PAR 32 La Soledad Nuevo Leon Mexico   | 20s - 40s | 68,00 Kč  |       |
| DHC-0142-B | CORYPHANTHA | echinoidea (porrect central spines) PAR 32 La Soledad Nuevo Leon Mexico   | 42s - 60s | 128,00 Kč |       |
| DHC-0143-A | CORYPHANTHA | echinoidea (porrect central spines) SB 26 Salinas San Luis Potosi Mexico  | 20s - 40s | 68,00 Kč  |       |
| DHC-0143-B | CORYPHANTHA | echinoidea (porrect central spines) SB 26 Salinas San Luis Potosi Mexico  | 42s - 60s | 128,00 Kč |       |
| DHC-2886-A | CORYPHANTHA | echinus (lacking central spines, large wide bright yellow flowers) CZ 66 Castanos Coahuila Mexico                       | 20s - 40s | 59,50 Kč  |       |
| DHC-2886-B | CORYPHANTHA | echinus (lacking central spines, large wide bright yellow flowers) CZ 66 Castanos Coahuila Mexico                       | 42s - 60s | 112,00 Kč |       |
| DHC-2438-A | CORYPHANTHA | echinus (lacking central spines, large wide bright yellow flowers) MK 29.1 Cuatro Cienegas Coahuila Mexico              | 20s - 40s | 59,50 Kč  |       |
| DHC-2438-B | CORYPHANTHA | echinus (lacking central spines, large wide bright yellow flowers) MK 29.1 Cuatro Cienegas Coahuila Mexico              | 42s - 60s | 112,00 Kč |       |
| DHC-2458-A | CORYPHANTHA | echinus (lacking central spines, large wide bright yellow flowers) PAR 194 Licorillas Durango Mexico                    | 20s - 40s | 59,50 Kč  |       |
| DHC-2458-B | CORYPHANTHA | echinus (lacking central spines, large wide bright yellow flowers) PAR 194 Licorillas Durango Mexico                    | 42s - 60s | 112,00 Kč |       |
| DHC-2248-A | CORYPHANTHA | maiz-tablasensis (tap root, very willing to flowers) CH 643 San Domingo San Luis Potosi Mexico                          | 20s - 40s | 51,00 Kč  |       |
| DHC-2169-A | CORYPHANTHA | maiz-tablasensis (tap root, very willing to flowers) KKR 280 La Muraya San Luis Potosi Mexico                           | 20s - 40s | 51,00 Kč  |       |
| DHC-0159-A | CORYPHANTHA | nickelsiae (densely fine spines) CZ 19 Casa Blanca motorest north side Nuevo Leon Mexico                                | 20s - 40s | 51,00 Kč  |       |
| DHC-0158-A | CORYPHANTHA | nickelsiae (densely fine spines) GM 645 Bustamante Nuevo Leon Mexico  | 20s - 40s | 51,00 Kč  |       |
| DHC-2249-A | CORYPHANTHA | nickelsiae (densely fine spines) RS 88 Huasteca Canon Nuevo Leon Mexico   | 20s - 40s | 51,00 Kč  |       |
| DHC-0161-A | CORYPHANTHA | octacantha (olive green body, white yellow spines) PAR 368 Zimapan to Caranza Sierra Zimapan Hidalgo (Queretaro) Mexico | 20s - 40s | 51,00 Kč  |       |
| DHC-0163-A | CORYPHANTHA | ottonis f. durangensis (news, white yellow pale pink large flowers) VZD 1447 Basoco Durango Mexico                      | 20s - 40s | 59,50 Kč  |       |
| DHC-0163-B | CORYPHANTHA | ottonis f. durangensis (news, white yellow pale pink large flowers) VZD 1447 Basoco Durango Mexico                      | 42s - 60s | 112,00 Kč |       |
| DHC-0163-C | CORYPHANTHA | ottonis f. durangensis (news, white yellow pale pink large flowers) VZD 1447 Basoco Durango Mexico                      | 100s      | 224,00 Kč |       |
| DHC-3048-A | CORYPHANTHA | ottonis ssp. boehmei (bluntly conical tubercles, red flowers) KS 1119 Santa Catarina Guanajuato Mexico                  | 20s - 40s | 76,50 Kč  |       |
| DHC-3048-B | CORYPHANTHA | ottonis ssp. boehmei (bluntly conical tubercles, red flowers) KS 1119 Santa Catarina Guanajuato Mexico                  | 42s - 60s | 144,00 Kč |       |
| DHC-3018-A | CORYPHANTHA | pallida (darker hooked central spine) MK 102.355 Pachuca Hidalgo Mexico   | 20s - 40s | 34,00 Kč  |       |
| DHC-0164-A | CORYPHANTHA | palmeri (stout hooked central spines) MK 80.243 Tula Tamaulipas Mexico  | 20s - 40s | 59,50 Kč  |       |
| DHC-0164-B | CORYPHANTHA | palmeri (stout hooked central spines) MK 80.243 Tula Tamaulipas Mexico  | 42s - 60s | 112,00 Kč |       |
| DHC-2250-A | CORYPHANTHA | palmeri (stout hooked central spines) RS 1030 Cruces San Luis Potosi Mexico   | 20s - 40s | 59,50 Kč  |       |
| DHC-2250-B | CORYPHANTHA | palmeri (stout hooked central spines) RS 1030 Cruces San Luis Potosi Mexico   | 42s - 60s | 112,00 Kč |       |
| DHC-0165-A | CORYPHANTHA | palmeri (stout hooked central spines) SB 984 San Luis Potosi City San Luis Potosi Mexico                                | 20s - 40s | 59,50 Kč  |       |
| DHC-0165-B | CORYPHANTHA | palmeri (stout hooked central spines) SB 984 San Luis Potosi City San Luis Potosi Mexico                                | 42s - 60s | 112,00 Kč |       |
| DHC-0167-A | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) PAR 15 EL Pedernal San Luis Potosi Mexico   | 20s - 40s | 25,50 Kč  |       |
| DHC-0167-B | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) PAR 15 EL Pedernal San Luis Potosi Mexico   | 42s - 60s | 48,00 Kč  |       |
| DHC-0167-C | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) PAR 15 EL Pedernal San Luis Potosi Mexico   | 100s      | 96,00 Kč  |       |
| DHC-0168-A | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) VZD 2 Rancho Palmas San Luis Potosi Mexico  | 20s - 40s | 25,50 Kč  |       |
| DHC-0168-B | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) VZD 2 Rancho Palmas San Luis Potosi Mexico  | 42s - 60s | 48,00 Kč  |       |
| DHC-0168-C | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) VZD 2 Rancho Palmas San Luis Potosi Mexico  | 100s      | 96,00 Kč  |       |
| DHC-0169-A | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) VZD 4 EL Pedernal San Luis Potosi Mexico    | 20s - 40s | 25,50 Kč  |       |
| DHC-0169-B | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) VZD 4 EL Pedernal San Luis Potosi Mexico    | 42s - 60s | 48,00 Kč  |       |
| DHC-0169-C | CORYPHANTHA | potosina (vaupeliana, large white yellow flowers, sharp yellow thin spines) VZD 4 EL Pedernal San Luis Potosi Mexico    | 100s      | 96,00 Kč  |       |
| DHC-2251-A | CORYPHANTHA | pseudoechinus (violet-pink flowers) MMR 169 Sierra de la Paila Coahuila Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHC-2251-B | CORYPHANTHA | pseudoechinus (violet-pink flowers) MMR 169 Sierra de la Paila Coahuila Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHC-2437-A | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 1117 La Paila Sierra de la Paila Coahuila Mexico                                 | 20s - 40s | 23,80 Kč  |       |
| DHC-2437-B | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 1117 La Paila Sierra de la Paila Coahuila Mexico                                 | 42s - 60s | 45,00 Kč  |       |
| DHC-2167-A | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 1147 Cuatro Cienegas Coahuila Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHC-2167-B | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 1147 Cuatro Cienegas Coahuila Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHC-0170-A | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 386 A Hippolito Coahuila Mexico  | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|--|-----------|-----------|-------|
| DHC-0170-B | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 386 A Hippolito Coahuila Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHC-0172-A | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 386 Hippolito Coahuila Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHC-0172-B | CORYPHANTHA | pseudoechinus (violet-pink flowers) RS 386 Hippolito Coahuila Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHC-0171-A | CORYPHANTHA | pseudoechinus PAR 250 General Francisco Coss 960 m Coahuila Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHC-0171-B | CORYPHANTHA | pseudoechinus PAR 250 General Francisco Coss 960 m Coahuila Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHC-2242-A | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) CZ 66 Castanos Coahuila Mexico  | 20s - 40s | 51,00 Kč  |       |
| DHC-2242-B | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) CZ 66 Castanos Coahuila Mexico  | 42s - 60s | 96,00 Kč  |       |
| DHC-2242-C | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) CZ 66 Castanos Coahuila Mexico  | 100s      | 192,00 Kč |       |
| DHC-2241-A | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 243 Rancho La Campana 1011 m Coahuila Mexico                        | 20s - 40s | 51,00 Kč  |       |
| DHC-2241-B | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 243 Rancho La Campana 1011 m Coahuila Mexico                        | 42s - 60s | 96,00 Kč  |       |
| DHC-2241-C | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 243 Rancho La Campana 1011 m Coahuila Mexico                        | 100s      | 192,00 Kč |       |
| DHC-0173-A | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 244 Santa Tereza Coahuila Mexico                                    | 20s - 40s | 51,00 Kč  |       |
| DHC-0173-B | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 244 Santa Tereza Coahuila Mexico                                    | 42s - 60s | 96,00 Kč  |       |
| DHC-0173-C | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 244 Santa Tereza Coahuila Mexico                                    | 100s      | 192,00 Kč |       |
| DHC-2163-A | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 249 Rancho la Campana Coahuila Mexico                               | 20s - 40s | 51,00 Kč  |       |
| DHC-2163-B | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 249 Rancho la Campana Coahuila Mexico                               | 42s - 60s | 96,00 Kč  |       |
| DHC-2163-C | CORYPHANTHA | pseudoechinus ssp. laui (yellowish horn coloured spines) PAR 249 Rancho la Campana Coahuila Mexico                               | 100s      | 192,00 Kč |       |
| DHC-0178-A | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 A Vizarron 2000 m Queretaro Mexico                                    | 20s - 40s | 23,80 Kč  |       |
| DHC-0178-B | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 A Vizarron 2000 m Queretaro Mexico                                    | 42s - 60s | 45,00 Kč  |       |
| DHC-0178-C | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 A Vizarron 2000 m Queretaro Mexico                                    | 100s      | 90,00 Kč  |       |
| DHC-0178-D | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 A Vizarron 2000 m Queretaro Mexico                                    | 500s      | 335,00 Kč |       |
| DHC-0179-A | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 Vizarron 2000 m Queretaro Mexico                                      | 20s - 40s | 23,80 Kč  |       |
| DHC-0179-B | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 Vizarron 2000 m Queretaro Mexico                                      | 42s - 60s | 45,00 Kč  |       |
| DHC-0179-C | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 Vizarron 2000 m Queretaro Mexico                                      | 100s      | 90,00 Kč  |       |
| DHC-0179-D | CORYPHANTHA | radians (straight porrect curved downward spines) REPP 607 Vizarron 2000 m Queretaro Mexico                                      | 500s      | 335,00 Kč |       |
| DHC-0183-A | CORYPHANTHA | salm-dyckiana (straight partially recurving spines) Jiri Krechovsky Penon Blanco Durango Mexico                                  | 20s - 40s | 51,00 Kč  |       |
| DHC-0183-B | CORYPHANTHA | salm-dyckiana (straight partially recurving spines) Jiri Krechovsky Penon Blanco Durango Mexico                                  | 42s - 60s | 96,00 Kč  |       |
| DHC-0183-C | CORYPHANTHA | salm-dyckiana (straight partially recurving spines) Jiri Krechovsky Penon Blanco Durango Mexico                                  | 100s      | 192,00 Kč |       |
| DHC-2880-A | CORYPHANTHA | salm-dyckiana (straight partially recurving spines) PAR 107 San Fermin Durango Mexico  | 20s - 40s | 51,00 Kč  |       |
| DHC-2880-B | CORYPHANTHA | salm-dyckiana (straight partially recurving spines) PAR 107 San Fermin Durango Mexico  | 42s - 60s | 96,00 Kč  |       |
| DHC-2880-C | CORYPHANTHA | salm-dyckiana (straight partially recurving spines) PAR 107 San Fermin Durango Mexico  | 100s      | 192,00 Kč |       |
| DHC-0184-A | CORYPHANTHA | scolymoides (porrect curved downwards strong spines) RS 567 Hippolito Coahuila Mexico  | 20s - 40s | 76,50 Kč  |       |
| DHC-0184-B | CORYPHANTHA | scolymoides (porrect curved downwards strong spines) RS 567 Hippolito Coahuila Mexico  | 42s - 60s | 144,00 Kč |       |
| DHC-0188-A | CORYPHANTHA | vaskoana (gold spines, nice new species) PAR 118 Tanque de Guadalupe San Luis Potosi Mexico                                      | 20s - 40s | 76,50 Kč  |       |
| DHC-0188-B | CORYPHANTHA | vaskoana (gold spines, nice new species) PAR 118 Tanque de Guadalupe San Luis Potosi Mexico                                      | 42s - 60s | 144,00 Kč |       |
| DHC-0188-C | CORYPHANTHA | vaskoana (gold spines, nice new species) PAR 118 Tanque de Guadalupe San Luis Potosi Mexico                                      | 100s      | 287,00 Kč |       |
| DHC-0189-A | CORYPHANTHA | vaskoana (gold spines, nice new species) VZD 86 San Tiburcio Zacatecas Mexico  | 20s - 40s | 76,50 Kč  |       |
| DHC-0189-B | CORYPHANTHA | vaskoana (gold spines, nice new species) VZD 86 San Tiburcio Zacatecas Mexico  | 42s - 60s | 144,00 Kč |       |
| DHC-0189-C | CORYPHANTHA | vaskoana (gold spines, nice new species) VZD 86 San Tiburcio Zacatecas Mexico  | 100s      | 287,00 Kč |       |
| DHC-0197-A | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 129 Manzano Mountains New Mexico USA       | 20s - 40s | 25,50 Kč  |       |
| DHC-0197-B | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 129 Manzano Mountains New Mexico USA       | 42s - 60s | 48,00 Kč  |       |
| DHC-0197-C | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 129 Manzano Mountains New Mexico USA       | 100s      | 96,00 Kč  |       |
| DHC-0199-A | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 701 A Barnalillo County New Mexico USA     | 20s - 40s | 25,50 Kč  |       |
| DHC-0199-B | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 701 A Barnalillo County New Mexico USA     | 42s - 60s | 48,00 Kč  |       |
| DHC-0199-C | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 701 A Barnalillo County New Mexico USA     | 100s      | 96,00 Kč  |       |
| DHC-0198-A | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 701 Barnalillo County New Mexico USA       | 20s - 40s | 25,50 Kč  |       |
| DHC-0198-B | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 701 Barnalillo County New Mexico USA       | 42s - 60s | 48,00 Kč  |       |
| DHC-0198-C | CORYPHANTHA | vivipara v. neomexicana (densely covered in a mat of star shaped arrays of spines) SB 701 Barnalillo County New Mexico USA       | 100s      | 96,00 Kč  |       |
| DHC-0200-A | CORYPHANTHA | vivipara v. radiosa (densely covered in a mat of star shaped arrays of spines) SB 388 Kimble County Texas USA                    | 20s - 40s | 25,50 Kč  |       |
| DHC-2882-A | CORYPHANTHA | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) GM 727 Monte Caldera San Luis Potosi Mexico  | 20s - 40s | 59,50 Kč  |       |
| DHC-2882-B | CORYPHANTHA | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) GM 727 Monte Caldera San Luis Potosi Mexico  | 42s - 60s | 112,00 Kč |       |
| DHC-0201-A | CORYPHANTHA | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) HK 1249 Monte Caldera San Luis Potosi Mexico | 20s - 40s | 59,50 Kč  |       |
| DHC-0201-B | CORYPHANTHA | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) HK 1249 Monte Caldera San Luis Potosi Mexico | 42s - 60s | 112,00 Kč |       |
| DHC-2883-A | CORYPHANTHA | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) KKR 371 Monte Caldera San Luis Potosi Mexico | 20s - 40s | 59,50 Kč  |       |
| DHC-2883-B | CORYPHANTHA | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) KKR 371 Monte Caldera San Luis Potosi Mexico | 42s - 60s | 112,00 Kč |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|---|-----------|-----------|-------|
| DHC-0202-A | CORYPHANTHA  | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) PAR 3 above 5 km North of San Luis Potosi City San Luis Potosi Mexico | 20s - 40s | 59,50 Kč  |       |
| DHC-0202-B | CORYPHANTHA  | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) PAR 3 above 5 km North of San Luis Potosi City San Luis Potosi Mexico | 42s - 60s | 112,00 Kč |       |
| DHC-2884-A | CORYPHANTHA  | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) VZD 3 Monte de Calderon San Luis Potosi Mexico                        | 20s - 40s | 59,50 Kč  |       |
| DHC-2884-B | CORYPHANTHA  | vogtherriana (edged flattened tubercles, descending rarely hooked thickened spines) VZD 3 Monte de Calderon San Luis Potosi Mexico                        | 42s - 60s | 112,00 Kč |       |
| DHD-0211-A | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) KAB 14 A Pressa Agua del Toro 1400 m Mendoza Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHD-0211-B | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) KAB 14 A Pressa Agua del Toro 1400 m Mendoza Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHD-0211-C | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) KAB 14 A Pressa Agua del Toro 1400 m Mendoza Argentina                            | 100s      | 90,00 Kč  |       |
| DHD-0211-D | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) KAB 14 A Pressa Agua del Toro 1400 m Mendoza Argentina                            | 500s      | 335,00 Kč |       |
| DHD-0211-E | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) KAB 14 A Pressa Agua del Toro 1400 m Mendoza Argentina                            | 1000s     | 569,00 Kč |       |
| DHD-0212-A | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) TK 203 Pressa Agua del Toro 1400 m Mendoza Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHD-0212-B | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) TK 203 Pressa Agua del Toro 1400 m Mendoza Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHD-0212-C | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) TK 203 Pressa Agua del Toro 1400 m Mendoza Argentina                              | 100s      | 90,00 Kč  |       |
| DHD-0212-D | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) TK 203 Pressa Agua del Toro 1400 m Mendoza Argentina                              | 500s      | 335,00 Kč |       |
| DHD-0212-E | DENMOZA      | rhodacantha v. diamantina (nice mostly white hairy spined large plants) TK 203 Pressa Agua del Toro 1400 m Mendoza Argentina                              | 1000s     | 569,00 Kč |       |
| DHD-3014-A | DYCKIA       | floribunda (bromeliad silver starfish) KL 387 Caspi Chucuna cruce 688 m Cordoba Argentina   | 20s - 40s | 68,00 Kč  |       |
| DHD-3014-B | DYCKIA       | floribunda (bromeliad silver starfish) KL 387 Caspi Chucuna cruce 688 m Cordoba Argentina   | 42s - 60s | 128,00 Kč |       |
| DHE-0219-A | ECHINOCACTUS | grusonii (famous golden sphere, original type location) KPP 1668 near Zimapan Queretaro Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0219-B | ECHINOCACTUS | grusonii (famous golden sphere, original type location) KPP 1668 near Zimapan Queretaro Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0219-C | ECHINOCACTUS | grusonii (famous golden sphere, original type location) KPP 1668 near Zimapan Queretaro Mexico  | 100s      | 90,00 Kč  |       |
| DHE-0219-D | ECHINOCACTUS | grusonii (famous golden sphere, original type location) KPP 1668 near Zimapan Queretaro Mexico  | 500s      | 335,00 Kč |       |
| DHE-0219-E | ECHINOCACTUS | grusonii (famous golden sphere, original type location) KPP 1668 near Zimapan Queretaro Mexico  | 1000s     | 569,00 Kč |       |
| DHE-2162-A | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 633 Presa de Rio Tula Queretaro Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHE-2162-B | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 633 Presa de Rio Tula Queretaro Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHE-2162-C | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 633 Presa de Rio Tula Queretaro Mexico   | 100s      | 90,00 Kč  |       |
| DHE-2162-D | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 633 Presa de Rio Tula Queretaro Mexico   | 500s      | 335,00 Kč |       |
| DHE-2162-E | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 633 Presa de Rio Tula Queretaro Mexico   | 1000s     | 569,00 Kč |       |
| DHE-0220-A | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 885 Vista Hermosa Queretaro Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHE-0220-B | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 885 Vista Hermosa Queretaro Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHE-0220-C | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 885 Vista Hermosa Queretaro Mexico   | 100s      | 90,00 Kč  |       |
| DHE-0220-D | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 885 Vista Hermosa Queretaro Mexico   | 500s      | 335,00 Kč |       |
| DHE-0220-E | ECHINOCACTUS | grusonii (famous golden sphere, original type location) MZ 885 Vista Hermosa Queretaro Mexico   | 1000s     | 569,00 Kč |       |
| DHE-2161-A | ECHINOCACTUS | grusonii (famous golden sphere, original type location) RS 163 A Rio Tula Canyon old road through Vista Hermosa Queretaro Mexico                          | 20s - 40s | 23,80 Kč  |       |
| DHE-2161-B | ECHINOCACTUS | grusonii (famous golden sphere, original type location) RS 163 A Rio Tula Canyon old road through Vista Hermosa Queretaro Mexico                          | 42s - 60s | 45,00 Kč  |       |
| DHE-2161-C | ECHINOCACTUS | grusonii (famous golden sphere, original type location) RS 163 A Rio Tula Canyon old road through Vista Hermosa Queretaro Mexico                          | 100s      | 90,00 Kč  |       |
| DHE-2161-D | ECHINOCACTUS | grusonii (famous golden sphere, original type location) RS 163 A Rio Tula Canyon old road through Vista Hermosa Queretaro Mexico                          | 500s      | 335,00 Kč |       |
| DHE-2161-E | ECHINOCACTUS | grusonii (famous golden sphere, original type location) RS 163 A Rio Tula Canyon old road through Vista Hermosa Queretaro Mexico                          | 1000s     | 569,00 Kč |       |
| DHE-2617-A | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) KPP 1603 San Juan de Capistrano Zacatecas Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHE-2617-B | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) KPP 1603 San Juan de Capistrano Zacatecas Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHE-2617-C | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) KPP 1603 San Juan de Capistrano Zacatecas Mexico           | 100s      | 90,00 Kč  |       |
| DHE-2617-D | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) KPP 1603 San Juan de Capistrano Zacatecas Mexico           | 500s      | 335,00 Kč |       |
| DHE-2619-A | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) VZD 1153 Tulillo Zacatecas Mexico                          | 20s - 40s | 23,80 Kč  |       |
| DHE-2619-B | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) VZD 1153 Tulillo Zacatecas Mexico                          | 42s - 60s | 45,00 Kč  |       |
| DHE-2619-C | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) VZD 1153 Tulillo Zacatecas Mexico                          | 100s      | 90,00 Kč  |       |
| DHE-2619-D | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) VZD 1153 Tulillo Zacatecas Mexico                          | 500s      | 335,00 Kč |       |
| DHE-2618-A | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) ZRI 300/10 San Juan de Capistrano Zacatecas Mexico         | 20s - 40s | 23,80 Kč  |       |
| DHE-2618-B | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) ZRI 300/10 San Juan de Capistrano Zacatecas Mexico         | 42s - 60s | 45,00 Kč  |       |
| DHE-2618-C | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) ZRI 300/10 San Juan de Capistrano Zacatecas Mexico         | 100s      | 90,00 Kč  |       |
| DHE-2618-D | ECHINOCACTUS | grusonii ssp. zacatecasensis (different population Zacatecas, seedlings different long spines) ZRI 300/10 San Juan de Capistrano Zacatecas Mexico         | 500s      | 335,00 Kč |       |
| DHE-0221-A | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) BKM 776 Motoshi 1410 m Queretaro Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0221-B | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) BKM 776 Motoshi 1410 m Queretaro Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0221-C | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) BKM 776 Motoshi 1410 m Queretaro Mexico  | 100s      | 90,00 Kč  |       |
| DHE-0221-D | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) BKM 776 Motoshi 1410 m Queretaro Mexico  | 500s      | 335,00 Kč |       |
| DHE-2158-A | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) MM 450 Guadalcazar San Luis Potosi Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-2158-B | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) MM 450 Guadalcazar San Luis Potosi Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-2158-C | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) MM 450 Guadalcazar San Luis Potosi Mexico  | 100s      | 90,00 Kč  |       |



| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|---|-----------|-----------|-------|
| DHE-2158-D | ECHINOCACTUS | platyacanthus f. grandis (small plants with long centrals) MM 450 Guadalcazar San Luis Potosi Mexico                  | 500s      | 335,00 Kč |       |
| DHE-0222-A | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Aramberri Nuevo Leon Mexico                                | 20s - 40s | 23,80 Kč  |       |
| DHE-0222-B | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Aramberri Nuevo Leon Mexico                                | 42s - 60s | 45,00 Kč  |       |
| DHE-0222-C | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Aramberri Nuevo Leon Mexico                                | 100s      | 90,00 Kč  |       |
| DHE-0222-D | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Aramberri Nuevo Leon Mexico                                | 500s      | 335,00 Kč |       |
| DHE-0223-A | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Doctor Arroyo (behind) Nuevo Leon Mexico                   | 20s - 40s | 23,80 Kč  |       |
| DHE-0223-B | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Doctor Arroyo (behind) Nuevo Leon Mexico                   | 42s - 60s | 45,00 Kč  |       |
| DHE-0223-C | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Doctor Arroyo (behind) Nuevo Leon Mexico                   | 100s      | 90,00 Kč  |       |
| DHE-0223-D | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Doctor Arroyo (behind) Nuevo Leon Mexico                   | 500s      | 335,00 Kč |       |
| DHE-2160-A | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Marmolejo Nuevo Leon Mexico                                | 20s - 40s | 23,80 Kč  |       |
| DHE-2160-B | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Marmolejo Nuevo Leon Mexico                                | 42s - 60s | 45,00 Kč  |       |
| DHE-2160-C | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Marmolejo Nuevo Leon Mexico                                | 100s      | 90,00 Kč  |       |
| DHE-2160-D | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Marmolejo Nuevo Leon Mexico                                | 500s      | 335,00 Kč |       |
| DHE-2159-A | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Rayones Nuevo Leon Mexico                                  | 20s - 40s | 23,80 Kč  |       |
| DHE-2159-B | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Rayones Nuevo Leon Mexico                                  | 42s - 60s | 45,00 Kč  |       |
| DHE-2159-C | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Rayones Nuevo Leon Mexico                                  | 100s      | 90,00 Kč  |       |
| DHE-2159-D | ECHINOCACTUS | platyacanthus f. ingens (reddish epidermis) Miroslav Marek Rayones Nuevo Leon Mexico                                  | 500s      | 335,00 Kč |       |
| DHE-0224-A | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) GL 534 Cosihuiriachi Chihuahua Mexico | 20s - 40s | 23,80 Kč  |       |
| DHE-0224-B | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) GL 534 Cosihuiriachi Chihuahua Mexico | 42s - 60s | 45,00 Kč  |       |
| DHE-0224-C | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) GL 534 Cosihuiriachi Chihuahua Mexico | 100s      | 90,00 Kč  |       |
| DHE-0224-D | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) GL 534 Cosihuiriachi Chihuahua Mexico | 500s      | 335,00 Kč |       |
| DHE-0225-A | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) SB 72 Cosihuiriachi Chihuahua Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0225-B | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) SB 72 Cosihuiriachi Chihuahua Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0225-C | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) SB 72 Cosihuiriachi Chihuahua Mexico  | 100s      | 90,00 Kč  |       |
| DHE-0225-D | ECHINOCEREUS | adustus (very nice frilly purple pink flowers, somes plant with black centrals) SB 72 Cosihuiriachi Chihuahua Mexico  | 500s      | 335,00 Kč |       |
| DHE-0228-A | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 128 Sandia Mountains Bernalillo County New Mexico USA   | 20s - 40s | 23,80 Kč  |       |
| DHE-0228-B | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 128 Sandia Mountains Bernalillo County New Mexico USA   | 42s - 60s | 45,00 Kč  |       |
| DHE-0228-C | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 128 Sandia Mountains Bernalillo County New Mexico USA   | 100s      | 90,00 Kč  |       |
| DHE-2441-A | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 243 Sacramento Mountains Otero County New Mexico USA    | 20s - 40s | 23,80 Kč  |       |
| DHE-2441-B | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 243 Sacramento Mountains Otero County New Mexico USA    | 42s - 60s | 45,00 Kč  |       |
| DHE-2441-C | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 243 Sacramento Mountains Otero County New Mexico USA    | 100s      | 90,00 Kč  |       |
| DHE-3011-A | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 850 Ladrone Mountain Socorro County New Mexico USA      | 20s - 40s | 23,80 Kč  |       |
| DHE-3011-B | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 850 Ladrone Mountain Socorro County New Mexico USA      | 42s - 60s | 45,00 Kč  |       |
| DHE-3011-C | ECHINOCEREUS | coccineus (birdie flowers are red with rounded petal tips) SB 850 Ladrone Mountain Socorro County New Mexico USA      | 100s      | 90,00 Kč  |       |
| DHE-3012-A | ECHINOCEREUS | coccineus ssp. rosei (scarlet orange pink coloured flowers) SB 236 Jarilla Mountains Otero County New Mexico USA      | 20s - 40s | 23,80 Kč  |       |
| DHE-2442-A | ECHINOCEREUS | enneacanthus (porrect flattened stout and slightly curved massive spines) DJF 1004.27 Candelaria Texas USA            | 20s - 40s | 23,80 Kč  |       |
| DHE-2442-B | ECHINOCEREUS | enneacanthus (porrect flattened stout and slightly curved massive spines) DJF 1004.27 Candelaria Texas USA            | 42s - 60s | 45,00 Kč  |       |
| DHE-2442-C | ECHINOCEREUS | enneacanthus (porrect flattened stout and slightly curved massive spines) DJF 1004.27 Candelaria Texas USA            | 100s      | 90,00 Kč  |       |
| DHE-2442-D | ECHINOCEREUS | enneacanthus (porrect flattened stout and slightly curved massive spines) DJF 1004.27 Candelaria Texas USA            | 500s      | 335,00 Kč |       |
| DHE-0251-A | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) BW 56 Del Rio Texas USA   | 20s - 40s | 23,80 Kč  |       |
| DHE-0251-B | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) BW 56 Del Rio Texas USA   | 42s - 60s | 45,00 Kč  |       |
| DHE-0251-C | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) BW 56 Del Rio Texas USA   | 100s      | 90,00 Kč  |       |
| DHE-0251-D | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) BW 56 Del Rio Texas USA   | 500s      | 335,00 Kč |       |
| DHE-0252-A | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) PP 699 Rio Grande City Starr County Texas USA                       | 20s - 40s | 23,80 Kč  |       |
| DHE-0252-B | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) PP 699 Rio Grande City Starr County Texas USA                       | 42s - 60s | 45,00 Kč  |       |
| DHE-0252-C | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) PP 699 Rio Grande City Starr County Texas USA                       | 100s      | 90,00 Kč  |       |
| DHE-0252-D | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) PP 699 Rio Grande City Starr County Texas USA                       | 500s      | 335,00 Kč |       |
| DHE-2255-A | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 407 Kimble County Texas USA                                      | 20s - 40s | 23,80 Kč  |       |
| DHE-2255-B | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 407 Kimble County Texas USA                                      | 42s - 60s | 45,00 Kč  |       |
| DHE-2255-C | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 407 Kimble County Texas USA                                      | 100s      | 90,00 Kč  |       |
| DHE-2255-D | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 407 Kimble County Texas USA                                      | 500s      | 335,00 Kč |       |
| DHE-0250-A | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 921 Kerr County Texas USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0250-B | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 921 Kerr County Texas USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-0250-C | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 921 Kerr County Texas USA  | 100s      | 90,00 Kč  |       |
| DHE-0250-D | ECHINOCEREUS | enneacanthus v. brevispinus (many purple flowers) SB 921 Kerr County Texas USA  | 500s      | 335,00 Kč |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|--|-----------|-----------|-------|
| DHE-0253-A | ECHINOCEREUS | fendleri (large brilliant magenta pink flowers with darker centers) RS 1999 Ajo Mountain Drive Organ Pipe Arizona USA                              | 20s - 40s | 23,80 Kč  |       |
| DHE-0256-A | ECHINOCEREUS | fendleri (large brilliant magenta pink flowers with darker centers) VVZ 191 Tres Hermanas Mountains Luna County New Mexico USA                     | 20s - 40s | 23,80 Kč  |       |
| DHE-0272-A | ECHINOCEREUS | knippelianus ssp. kruegeri (dark green body with slightly lighter ridges) SB 939 La Ascension Nuevo Leon Mexico                                    | 20s - 40s | 25,50 Kč  |       |
| DHE-0272-B | ECHINOCEREUS | knippelianus ssp. kruegeri (dark green body with slightly lighter ridges) SB 939 La Ascension Nuevo Leon Mexico                                    | 42s - 60s | 48,00 Kč  |       |
| DHE-0272-C | ECHINOCEREUS | knippelianus ssp. kruegeri (dark green body with slightly lighter ridges) SB 939 La Ascension Nuevo Leon Mexico                                    | 100s      | 96,00 Kč  |       |
| DHE-0273-A | ECHINOCEREUS | knippelianus v. kruegeri (dark green body with slightly lighter ridges) GL 513 San Juanita Nuevo Leon Mexico                                       | 20s - 40s | 25,50 Kč  |       |
| DHE-0273-B | ECHINOCEREUS | knippelianus v. kruegeri (dark green body with slightly lighter ridges) GL 513 San Juanita Nuevo Leon Mexico                                       | 42s - 60s | 48,00 Kč  |       |
| DHE-0273-C | ECHINOCEREUS | knippelianus v. kruegeri (dark green body with slightly lighter ridges) GL 513 San Juanita Nuevo Leon Mexico                                       | 100s      | 96,00 Kč  |       |
| DHE-0274-A | ECHINOCEREUS | knippelianus v. kruegeri (dark green body with slightly lighter ridges) RS 714 Las Crucitas Nuevo Leon Mexico                                      | 20s - 40s | 25,50 Kč  |       |
| DHE-0274-B | ECHINOCEREUS | knippelianus v. kruegeri (dark green body with slightly lighter ridges) RS 714 Las Crucitas Nuevo Leon Mexico                                      | 42s - 60s | 48,00 Kč  |       |
| DHE-0274-C | ECHINOCEREUS | knippelianus v. kruegeri (dark green body with slightly lighter ridges) RS 714 Las Crucitas Nuevo Leon Mexico                                      | 100s      | 96,00 Kč  |       |
| DHE-0277-A | ECHINOCEREUS | koehresii (koehresianus) LAU 1143 between El Carrizo to Loberas km 210 Durango Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0277-B | ECHINOCEREUS | koehresii (koehresianus) LAU 1143 between El Carrizo to Loberas km 210 Durango Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0277-C | ECHINOCEREUS | koehresii (koehresianus) LAU 1143 between El Carrizo to Loberas km 210 Durango Mexico  | 100s      | 90,00 Kč  |       |
| DHE-0287-A | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) CSD 89 Charco Blanco San Luis Potosi Mexico     | 20s - 40s | 23,80 Kč  |       |
| DHE-0287-B | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) CSD 89 Charco Blanco San Luis Potosi Mexico     | 42s - 60s | 45,00 Kč  |       |
| DHE-0287-C | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) CSD 89 Charco Blanco San Luis Potosi Mexico     | 100s      | 90,00 Kč  |       |
| DHE-0287-D | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) CSD 89 Charco Blanco San Luis Potosi Mexico     | 500s      | 335,00 Kč |       |
| DHE-0283-A | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sierra Ocampo Coahuila Mexico    | 20s - 40s | 23,80 Kč  |       |
| DHE-0283-B | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sierra Ocampo Coahuila Mexico    | 42s - 60s | 45,00 Kč  |       |
| DHE-0283-C | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sierra Ocampo Coahuila Mexico    | 100s      | 90,00 Kč  |       |
| DHE-0283-D | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sierra Ocampo Coahuila Mexico    | 500s      | 335,00 Kč |       |
| DHE-0284-A | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sombrometerette Zacatecas Mexico | 20s - 40s | 23,80 Kč  |       |
| DHE-0284-B | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sombrometerette Zacatecas Mexico | 42s - 60s | 45,00 Kč  |       |
| DHE-0284-C | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sombrometerette Zacatecas Mexico | 100s      | 90,00 Kč  |       |
| DHE-0284-D | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Sombrometerette Zacatecas Mexico | 500s      | 335,00 Kč |       |
| DHE-0285-A | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Viesca Coahuila Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHE-0285-B | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Viesca Coahuila Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHE-0285-C | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Viesca Coahuila Mexico           | 100s      | 90,00 Kč  |       |
| DHE-0285-D | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) Miroslav Marek Viesca Coahuila Mexico           | 500s      | 335,00 Kč |       |
| DHE-0286-A | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) VZD 210 San Fermin Durango Mexico               | 20s - 40s | 23,80 Kč  |       |
| DHE-0286-B | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) VZD 210 San Fermin Durango Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHE-0286-C | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) VZD 210 San Fermin Durango Mexico               | 100s      | 90,00 Kč  |       |
| DHE-0286-D | ECHINOCEREUS | pectinatus (loosely pressed spreading widely pectinate spines, funnel shaped intense pink flowers) VZD 210 San Fermin Durango Mexico               | 500s      | 335,00 Kč |       |
| DHE-0289-A | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 A Salinas San Luis Potosi Mexico         | 20s - 40s | 23,80 Kč  |       |
| DHE-0289-B | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 A Salinas San Luis Potosi Mexico         | 42s - 60s | 45,00 Kč  |       |
| DHE-0289-C | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 A Salinas San Luis Potosi Mexico         | 100s      | 90,00 Kč  |       |
| DHE-0289-D | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 A Salinas San Luis Potosi Mexico         | 500s      | 335,00 Kč |       |
| DHE-0288-A | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 Salinas San Luis Potosi Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHE-0288-B | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 Salinas San Luis Potosi Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHE-0288-C | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 Salinas San Luis Potosi Mexico           | 100s      | 90,00 Kč  |       |
| DHE-0288-D | ECHINOCEREUS | pectinatus v. castaneus (reichenbachii, gigantic intense hot pink purple abundant scented flowers) SB 553 Salinas San Luis Potosi Mexico           | 500s      | 335,00 Kč |       |
| DHE-0291-A | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 600 Sombrometerette 2275 m Zacatecas Mexico                                   | 20s - 40s | 23,80 Kč  |       |
| DHE-0291-B | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 600 Sombrometerette 2275 m Zacatecas Mexico                                   | 42s - 60s | 45,00 Kč  |       |
| DHE-0291-C | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 600 Sombrometerette 2275 m Zacatecas Mexico                                   | 100s      | 90,00 Kč  |       |
| DHE-0291-D | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 600 Sombrometerette 2275 m Zacatecas Mexico                                   | 500s      | 335,00 Kč |       |
| DHE-0290-A | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 605 B Fresnillo 2145 m Zacatecas Mexico                                       | 20s - 40s | 23,80 Kč  |       |
| DHE-0290-B | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 605 B Fresnillo 2145 m Zacatecas Mexico                                       | 42s - 60s | 45,00 Kč  |       |
| DHE-0290-C | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 605 B Fresnillo 2145 m Zacatecas Mexico                                       | 100s      | 90,00 Kč  |       |
| DHE-0290-D | ECHINOCEREUS | polyacanthus (brilliant pinkish orange to deep red large flowers) CH 605 B Fresnillo 2145 m Zacatecas Mexico                                       | 500s      | 335,00 Kč |       |
| DHE-0292-A | ECHINOCEREUS | pulchellus (very beautiful bright pink blooms) FO 263 Tolantongo to Ixmiquilpan Hidalgo Mexico   | 20s - 40s | 51,00 Kč  |       |
| DHE-0292-B | ECHINOCEREUS | pulchellus (very beautiful bright pink blooms) FO 263 Tolantongo to Ixmiquilpan Hidalgo Mexico   | 42s - 60s | 96,00 Kč  |       |
| DHE-0293-A | ECHINOCEREUS | pulchellus (very beautiful bright pink blooms) MZ 314 Tolantongo Hidalgo Mexico  | 20s - 40s | 51,00 Kč  |       |
| DHE-0293-B | ECHINOCEREUS | pulchellus (very beautiful bright pink blooms) MZ 314 Tolantongo Hidalgo Mexico  | 42s - 60s | 96,00 Kč  |       |
| DHE-0294-A | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) BW 30 La Ascension Nuevo Leon Mexico                             | 20s - 40s | 42,50 Kč  |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|---|-----------|-----------|-------|
| DHE-0294-B | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) BW 30 La Ascension Nuevo Leon Mexico                                      | 42s - 60s | 80,00 Kč  |       |
| DHE-0294-C | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) BW 30 La Ascension Nuevo Leon Mexico                                      | 100s      | 160,00 Kč |       |
| DHE-0302-A | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) LH 440 Entronque San Roberto Nuevo Leon Mexico                            | 20s - 40s | 42,50 Kč  |       |
| DHE-0302-B | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) LH 440 Entronque San Roberto Nuevo Leon Mexico                            | 42s - 60s | 80,00 Kč  |       |
| DHE-0302-C | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) LH 440 Entronque San Roberto Nuevo Leon Mexico                            | 100s      | 160,00 Kč |       |
| DHE-0295-A | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) MK 38.273 La Ascension Nuevo Leon Mexico                                  | 20s - 40s | 42,50 Kč  |       |
| DHE-0295-B | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) MK 38.273 La Ascension Nuevo Leon Mexico                                  | 42s - 60s | 80,00 Kč  |       |
| DHE-0295-C | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) MK 38.273 La Ascension Nuevo Leon Mexico                                  | 100s      | 160,00 Kč |       |
| DHE-0296-A | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) PP 407 La Ascension Nuevo Leon Mexico                                     | 20s - 40s | 42,50 Kč  |       |
| DHE-0296-B | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) PP 407 La Ascension Nuevo Leon Mexico                                     | 42s - 60s | 80,00 Kč  |       |
| DHE-0296-C | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) PP 407 La Ascension Nuevo Leon Mexico                                     | 100s      | 160,00 Kč |       |
| DHE-0297-A | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) SB 1569 La Ascension Nuevo Leon Mexico                                    | 20s - 40s | 42,50 Kč  |       |
| DHE-0297-B | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) SB 1569 La Ascension Nuevo Leon Mexico                                    | 42s - 60s | 80,00 Kč  |       |
| DHE-0297-C | ECHINOCEREUS | pulchellus ssp. sharpii (darker coloured stem, showy magenta often white flowers) SB 1569 La Ascension Nuevo Leon Mexico                                    | 100s      | 160,00 Kč |       |
| DHE-0298-A | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) LAU 691 Sombrerette 2000 m Zacatecas Mexico                      | 20s - 40s | 51,00 Kč  |       |
| DHE-0298-B | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) LAU 691 Sombrerette 2000 m Zacatecas Mexico                      | 42s - 60s | 96,00 Kč  |       |
| DHE-0303-A | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) MH 72 A Sombrerete Zacatecas Mexico                              | 20s - 40s | 51,00 Kč  |       |
| DHE-0303-B | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) MH 72 A Sombrerete Zacatecas Mexico                              | 42s - 60s | 96,00 Kč  |       |
| DHE-0299-A | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) MH 72 Sombrerette Zacatecas Mexico                               | 20s - 40s | 51,00 Kč  |       |
| DHE-0299-B | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) MH 72 Sombrerette Zacatecas Mexico                               | 42s - 60s | 96,00 Kč  |       |
| DHE-0304-A | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) RS 806 km 140 Route 45 Sombrerette to Fresnillo Zacatecas Mexico | 20s - 40s | 51,00 Kč  |       |
| DHE-0304-B | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) RS 806 km 140 Route 45 Sombrerette to Fresnillo Zacatecas Mexico | 42s - 60s | 96,00 Kč  |       |
| DHE-0305-A | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) SB 442 Sombrerete Zacatecas Mexico                               | 20s - 40s | 51,00 Kč  |       |
| DHE-0305-B | ECHINOCEREUS | pulchellus ssp. weinbergii (inconspicuous spines, bears many spectacular big pink flowers) SB 442 Sombrerete Zacatecas Mexico                               | 42s - 60s | 96,00 Kč  |       |
| DHE-0301-A | ECHINOCEREUS | pulchellus v. amoenus (spectacular big pink purple red flowers) LAU 1030 Providencia 1500 m to 2200 m Nuevo Leon Mexico                                     | 20s - 40s | 59,50 Kč  |       |
| DHE-0301-B | ECHINOCEREUS | pulchellus v. amoenus (spectacular big pink purple red flowers) LAU 1030 Providencia 1500 m to 2200 m Nuevo Leon Mexico                                     | 42s - 60s | 112,00 Kč |       |
| DHE-0307-A | ECHINOCEREUS | reichenbachii (gigantic intense hot pink purple abundant scented flowers) SB 387 Kimble County Texas USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0307-B | ECHINOCEREUS | reichenbachii (gigantic intense hot pink purple abundant scented flowers) SB 387 Kimble County Texas USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-0307-C | ECHINOCEREUS | reichenbachii (gigantic intense hot pink purple abundant scented flowers) SB 387 Kimble County Texas USA  | 100s      | 90,00 Kč  |       |
| DHE-0306-A | ECHINOCEREUS | reichenbachii (gigantic intense hot pink purple abundant scented flowers) SB 941 Kerr County Texas USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0306-B | ECHINOCEREUS | reichenbachii (gigantic intense hot pink purple abundant scented flowers) SB 941 Kerr County Texas USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-0306-C | ECHINOCEREUS | reichenbachii (gigantic intense hot pink purple abundant scented flowers) SB 941 Kerr County Texas USA  | 100s      | 90,00 Kč  |       |
| DHE-0308-A | ECHINOCEREUS | reichenbachii ssp. baileyi (magenta-pink bigger flowers) DJF 1327 Medicine Park Oklahoma USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0308-B | ECHINOCEREUS | reichenbachii ssp. baileyi (magenta-pink bigger flowers) DJF 1327 Medicine Park Oklahoma USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-0309-A | ECHINOCEREUS | reichenbachii ssp. baileyi (magenta-pink bigger flowers) HK 1448 Indianoma Comanche County Oklahoma USA   | 20s - 40s | 23,80 Kč  |       |
| DHE-0309-B | ECHINOCEREUS | reichenbachii ssp. baileyi (magenta-pink bigger flowers) HK 1448 Indianoma Comanche County Oklahoma USA   | 42s - 60s | 45,00 Kč  |       |
| DHE-0310-A | ECHINOCEREUS | reichenbachii ssp. baileyi (magenta-pink bigger flowers) SB 211 Quartz Mountains Kiowa County Oklahoma USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0310-B | ECHINOCEREUS | reichenbachii ssp. baileyi (magenta-pink bigger flowers) SB 211 Quartz Mountains Kiowa County Oklahoma USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-2157-A | ECHINOCEREUS | reichenbachii ssp. fitchii (brown central spines) DJF 1035.29 Starr County Texas USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-2157-B | ECHINOCEREUS | reichenbachii ssp. fitchii (brown central spines) DJF 1035.29 Starr County Texas USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-2157-C | ECHINOCEREUS | reichenbachii ssp. fitchii (brown central spines) DJF 1035.29 Starr County Texas USA  | 100s      | 90,00 Kč  |       |
| DHE-0311-A | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1777 Dos Cabezas Mountains Cochise County Arizona USA  | 20s - 40s | 25,50 Kč  |       |
| DHE-0311-B | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1777 Dos Cabezas Mountains Cochise County Arizona USA  | 42s - 60s | 48,00 Kč  |       |
| DHE-0311-C | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1777 Dos Cabezas Mountains Cochise County Arizona USA  | 100s      | 96,00 Kč  |       |
| DHE-0311-D | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1777 Dos Cabezas Mountains Cochise County Arizona USA  | 500s      | 359,00 Kč |       |
| DHE-0312-A | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1783 Santa Rita Mountains Arizona USA  | 20s - 40s | 25,50 Kč  |       |
| DHE-0312-B | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1783 Santa Rita Mountains Arizona USA  | 42s - 60s | 48,00 Kč  |       |
| DHE-0312-C | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1783 Santa Rita Mountains Arizona USA  | 100s      | 96,00 Kč  |       |
| DHE-0312-D | ECHINOCEREUS | rigidissimus (tight lattice of tiny spines) SB 1783 Santa Rita Mountains Arizona USA  | 500s      | 359,00 Kč |       |
| DHE-0316-A | ECHINOCEREUS | sanpedroensis (bigger orange reddish blooms) BW 405 Alamos (Sierra Canel as) Sonora Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0316-B | ECHINOCEREUS | sanpedroensis (bigger orange reddish blooms) BW 405 Alamos (Sierra Canel as) Sonora Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0316-C | ECHINOCEREUS | sanpedroensis (bigger orange reddish blooms) BW 405 Alamos (Sierra Canel as) Sonora Mexico  | 100s      | 90,00 Kč  |       |
| DHE-0316-D | ECHINOCEREUS | sanpedroensis (bigger orange reddish blooms) BW 405 Alamos (Sierra Canel as) Sonora Mexico  | 500s      | 335,00 Kč |       |
| DHE-2447-A | ECHINOCEREUS | scheeri v. obscuriensis (long sturdy orange red flowers) LAU 91 Sierra Obscura 2100 m Chihuahua Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-2447-B | ECHINOCEREUS | scheeri v. obscuriensis (long sturdy orange red flowers) LAU 91 Sierra Obscura 2100 m Chihuahua Mexico  | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS               | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------------|---|-----------|-----------|-------|
| DHE-2447-C | ECHINOCEREUS        | scheeri v. obscuriensis (long sturdy orange red flowers) LAU 91 Sierra Obscura 2100 m Chihuahua Mexico                          | 100s      | 90,00 Kč  |       |
| DHE-2447-D | ECHINOCEREUS        | scheeri v. obscuriensis (long sturdy orange red flowers) LAU 91 Sierra Obscura 2100 m Chihuahua Mexico                          | 500s      | 335,00 Kč |       |
| DHE-0324-A | ECHINOCEREUS        | stramineus (strong shining pink spines) DJF 757 Estacion Marte Coahuila Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0324-B | ECHINOCEREUS        | stramineus (strong shining pink spines) DJF 757 Estacion Marte Coahuila Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0324-C | ECHINOCEREUS        | stramineus (strong shining pink spines) DJF 757 Estacion Marte Coahuila Mexico  | 100s      | 90,00 Kč  |       |
| DHE-0324-D | ECHINOCEREUS        | stramineus (strong shining pink spines) DJF 757 Estacion Marte Coahuila Mexico  | 500s      | 335,00 Kč |       |
| DHE-0325-A | ECHINOCEREUS        | stramineus (very dense white spines) LM 434 El Diamante Chihuahua Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0325-B | ECHINOCEREUS        | stramineus (very dense white spines) LM 434 El Diamante Chihuahua Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0325-C | ECHINOCEREUS        | stramineus (very dense white spines) LM 434 El Diamante Chihuahua Mexico  | 100s      | 90,00 Kč  |       |
| DHE-0325-D | ECHINOCEREUS        | stramineus (very dense white spines) LM 434 El Diamante Chihuahua Mexico  | 500s      | 335,00 Kč |       |
| DHE-0323-A | ECHINOCEREUS        | stramineus (very dense white spines) PP 21 Viesca Coahuila Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHE-0323-B | ECHINOCEREUS        | stramineus (very dense white spines) PP 21 Viesca Coahuila Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHE-0323-C | ECHINOCEREUS        | stramineus (very dense white spines) PP 21 Viesca Coahuila Mexico   | 100s      | 90,00 Kč  |       |
| DHE-0323-D | ECHINOCEREUS        | stramineus (very dense white spines) PP 21 Viesca Coahuila Mexico   | 500s      | 335,00 Kč |       |
| DHE-2258-A | ECHINOCEREUS        | stramineus (very dense white spines) RS 565 El Plan de Ayala Coahuila Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-2258-B | ECHINOCEREUS        | stramineus (very dense white spines) RS 565 El Plan de Ayala Coahuila Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-2258-C | ECHINOCEREUS        | stramineus (very dense white spines) RS 565 El Plan de Ayala Coahuila Mexico  | 100s      | 90,00 Kč  |       |
| DHE-2258-D | ECHINOCEREUS        | stramineus (very dense white spines) RS 565 El Plan de Ayala Coahuila Mexico  | 500s      | 335,00 Kč |       |
| DHE-0330-A | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 127 La Luz Otero County New Mexico USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0330-B | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 127 La Luz Otero County New Mexico USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-0330-C | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 127 La Luz Otero County New Mexico USA  | 100s      | 90,00 Kč  |       |
| DHE-0330-D | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 127 La Luz Otero County New Mexico USA  | 500s      | 335,00 Kč |       |
| DHE-0329-A | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 151 Navajo Dam San Juan County New Mexico USA                                   | 20s - 40s | 23,80 Kč  |       |
| DHE-0329-B | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 151 Navajo Dam San Juan County New Mexico USA                                   | 42s - 60s | 45,00 Kč  |       |
| DHE-0329-C | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 151 Navajo Dam San Juan County New Mexico USA                                   | 100s      | 90,00 Kč  |       |
| DHE-0329-D | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) BW 151 Navajo Dam San Juan County New Mexico USA                                   | 500s      | 335,00 Kč |       |
| DHE-0327-A | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) KS Albuquerque New Mexico USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0327-B | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) KS Albuquerque New Mexico USA  | 42s - 60s | 45,00 Kč  |       |
| DHE-0327-C | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) KS Albuquerque New Mexico USA  | 100s      | 90,00 Kč  |       |
| DHE-0327-D | ECHINOCEREUS        | triglochidiatus (beautiful deep red flowers) KS Albuquerque New Mexico USA  | 500s      | 335,00 Kč |       |
| DHE-0331-A | ECHINOCEREUS        | triglochidiatus v. gonacanthus (heavy curved centrals, deep red flowers) SB 223 Sandoval County New Mexico USA                  | 20s - 40s | 23,80 Kč  |       |
| DHE-0335-A | ECHINOCEREUS        | viridiflorus FH 1106 Buena Vista 2400 m Colorado USA  | 20s - 40s | 23,80 Kč  |       |
| DHE-0336-A | ECHINOCEREUS        | viridiflorus JO 549 Cibola National Forest New Mexico USA   | 20s - 40s | 23,80 Kč  |       |
| DHE-2150-A | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) Miroslav Marek Fresnillo Zacatecas Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-2151-A | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) Miroslav Marek Zampoala San Luis Potosi Mexico                                     | 20s - 40s | 23,80 Kč  |       |
| DHE-2151-B | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) Miroslav Marek Zampoala San Luis Potosi Mexico                                     | 42s - 60s | 45,00 Kč  |       |
| DHE-0343-A | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) PM 387 Santa Terezita San Luis Potosi Mexico                                       | 20s - 40s | 23,80 Kč  |       |
| DHE-0343-B | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) PM 387 Santa Terezita San Luis Potosi Mexico                                       | 42s - 60s | 45,00 Kč  |       |
| DHE-0343-C | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) PM 387 Santa Terezita San Luis Potosi Mexico                                       | 100s      | 90,00 Kč  |       |
| DHE-0344-A | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) RS 20/97 Santo Domingo San Luis Potosi (Guanajuato) Mexico                         | 20s - 40s | 23,80 Kč  |       |
| DHE-0345-A | ECHINOFOSSULOCACTUS | crispatus (densely black very flat centrals) RS 668 nearly km 125 border Guanajuato and San Luis Potosi Mexico                  | 20s - 40s | 23,80 Kč  |       |
| DHE-2903-A | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) collector Ladislav Vacek Cerritos San Luis Potosi Mexico | 20s - 40s | 23,80 Kč  |       |
| DHE-2903-B | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) collector Ladislav Vacek Cerritos San Luis Potosi Mexico | 42s - 60s | 45,00 Kč  |       |
| DHE-2906-A | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) LH 295 Ixmiquilpan Hidalgo Mexico                        | 20s - 40s | 23,80 Kč  |       |
| DHE-2906-B | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) LH 295 Ixmiquilpan Hidalgo Mexico                        | 42s - 60s | 45,00 Kč  |       |
| DHE-2907-A | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) MK 56.176 Vista Hermosa Queretaro Mexico                 | 20s - 40s | 23,80 Kč  |       |
| DHE-2907-B | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) MK 56.176 Vista Hermosa Queretaro Mexico                 | 42s - 60s | 45,00 Kč  |       |
| DHE-2904-A | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) REPP 1875 Cerritos 1500 m F 57 San Luis Potosi Mexico    | 20s - 40s | 23,80 Kč  |       |
| DHE-2904-B | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) REPP 1875 Cerritos 1500 m F 57 San Luis Potosi Mexico    | 42s - 60s | 45,00 Kč  |       |
| DHE-2905-A | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) Z 89 Vista Hermosa Queretaro Mexico                      | 20s - 40s | 23,80 Kč  |       |
| DHE-2905-B | ECHINOFOSSULOCACTUS | dichroacanthus (lamellosus, typically strong flattened central spines) Z 89 Vista Hermosa Queretaro Mexico                      | 42s - 60s | 45,00 Kč  |       |
| DHE-2261-A | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) CSD 320 Cadereyta Queretaro Mexico                                   | 20s - 40s | 23,80 Kč  |       |
| DHE-2261-B | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) CSD 320 Cadereyta Queretaro Mexico                                   | 42s - 60s | 45,00 Kč  |       |
| DHE-2260-A | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) CH 410 Hualua 1570 m Hidalgo Mexico                                  | 20s - 40s | 23,80 Kč  |       |
| DHE-2260-B | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) CH 410 Hualua 1570 m Hidalgo Mexico                                  | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS               | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------------|--|-----------|-----------|-------|
| DHE-2897-A | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) MZ 321 Cadereyta Queretaro Mexico                                 | 20s - 40s | 23,80 Kč  |       |
| DHE-2897-B | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) MZ 321 Cadereyta Queretaro Mexico                                 | 42s - 60s | 45,00 Kč  |       |
| DHE-2896-A | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) RS 190 km 49 behind Pachuca Patria Nueva Hidalgo Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHE-2896-B | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) RS 190 km 49 behind Pachuca Patria Nueva Hidalgo Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHE-2898-A | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) RS 192 before Ixmiquilpan Hidalgo Mexico                          | 20s - 40s | 23,80 Kč  |       |
| DHE-2898-B | ECHINOFOSSULOCACTUS | dichroacanthus (typically strong flattened central spines) RS 192 before Ixmiquilpan Hidalgo Mexico                          | 42s - 60s | 45,00 Kč  |       |
| DHE-2610-A | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PC 13 La Soledad Nuevo Leon Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHE-2610-B | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PC 13 La Soledad Nuevo Leon Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHE-2610-C | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PC 13 La Soledad Nuevo Leon Mexico   | 100s      | 90,00 Kč  |       |
| DHE-2610-D | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PC 13 La Soledad Nuevo Leon Mexico   | 500s      | 335,00 Kč |       |
| DHE-2611-A | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 1081 Ejido La Soledad Nuevo Leon Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHE-2611-B | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 1081 Ejido La Soledad Nuevo Leon Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHE-2611-C | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 1081 Ejido La Soledad Nuevo Leon Mexico   | 100s      | 90,00 Kč  |       |
| DHE-2611-D | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 1081 Ejido La Soledad Nuevo Leon Mexico   | 500s      | 335,00 Kč |       |
| DHE-2612-A | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 822 La Soledad Nuevo Leon Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-2612-B | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 822 La Soledad Nuevo Leon Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-2612-C | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 822 La Soledad Nuevo Leon Mexico  | 100s      | 90,00 Kč  |       |
| DHE-2612-D | ECHINOFOSSULOCACTUS | erectocentrus (best long papery spines) PP 822 La Soledad Nuevo Leon Mexico  | 500s      | 335,00 Kč |       |
| DHE-0351-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CSD 125 Doctor Arroyo Mier y Noriega Nuevo Leon Mexico | 20s - 40s | 23,80 Kč  |       |
| DHE-0351-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CSD 125 Doctor Arroyo Mier y Noriega Nuevo Leon Mexico | 42s - 60s | 45,00 Kč  |       |
| DHE-0351-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CSD 125 Doctor Arroyo Mier y Noriega Nuevo Leon Mexico | 100s      | 90,00 Kč  |       |
| DHE-0351-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CSD 125 Doctor Arroyo Mier y Noriega Nuevo Leon Mexico | 500s      | 335,00 Kč |       |
| DHE-2149-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CH 484 East of La Soledad 1520 m Nuevo Leon Mexico     | 20s - 40s | 23,80 Kč  |       |
| DHE-2149-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CH 484 East of La Soledad 1520 m Nuevo Leon Mexico     | 42s - 60s | 45,00 Kč  |       |
| DHE-2149-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CH 484 East of La Soledad 1520 m Nuevo Leon Mexico     | 100s      | 90,00 Kč  |       |
| DHE-2149-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) CH 484 East of La Soledad 1520 m Nuevo Leon Mexico     | 500s      | 335,00 Kč |       |
| DHE-0352-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) JS 41 Sandia y Victoria Nuevo Leon Mexico              | 20s - 40s | 23,80 Kč  |       |
| DHE-0352-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) JS 41 Sandia y Victoria Nuevo Leon Mexico              | 42s - 60s | 45,00 Kč  |       |
| DHE-0352-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) JS 41 Sandia y Victoria Nuevo Leon Mexico              | 100s      | 90,00 Kč  |       |
| DHE-0352-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) JS 41 Sandia y Victoria Nuevo Leon Mexico              | 500s      | 335,00 Kč |       |
| DHE-2145-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 463 San Francisco Zacatecas Mexico                 | 20s - 40s | 23,80 Kč  |       |
| DHE-2145-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 463 San Francisco Zacatecas Mexico                 | 42s - 60s | 45,00 Kč  |       |
| DHE-2145-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 463 San Francisco Zacatecas Mexico                 | 100s      | 90,00 Kč  |       |
| DHE-2145-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 463 San Francisco Zacatecas Mexico                 | 500s      | 335,00 Kč |       |
| DHE-0354-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 47 Doctor Arroyo North East Nuevo Leon Mexico      | 20s - 40s | 23,80 Kč  |       |
| DHE-0354-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 47 Doctor Arroyo North East Nuevo Leon Mexico      | 42s - 60s | 45,00 Kč  |       |
| DHE-0354-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 47 Doctor Arroyo North East Nuevo Leon Mexico      | 100s      | 90,00 Kč  |       |
| DHE-0354-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) KMR 47 Doctor Arroyo North East Nuevo Leon Mexico      | 500s      | 335,00 Kč |       |
| DHE-0353-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) LH 841 Sandia y Victoria Nuevo Leon Mexico             | 20s - 40s | 23,80 Kč  |       |
| DHE-0353-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) LH 841 Sandia y Victoria Nuevo Leon Mexico             | 42s - 60s | 45,00 Kč  |       |
| DHE-0353-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) LH 841 Sandia y Victoria Nuevo Leon Mexico             | 100s      | 90,00 Kč  |       |
| DHE-0353-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) LH 841 Sandia y Victoria Nuevo Leon Mexico             | 500s      | 335,00 Kč |       |
| DHE-2148-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) MK 121.391 Los Tecolotes Zacatecas Mexico              | 20s - 40s | 23,80 Kč  |       |
| DHE-2148-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) MK 121.391 Los Tecolotes Zacatecas Mexico              | 42s - 60s | 45,00 Kč  |       |
| DHE-2148-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) MK 121.391 Los Tecolotes Zacatecas Mexico              | 100s      | 90,00 Kč  |       |
| DHE-2148-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) MK 121.391 Los Tecolotes Zacatecas Mexico              | 500s      | 335,00 Kč |       |
| DHE-2141-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 1041 Matehuala San Luis Potosi Mexico               | 20s - 40s | 23,80 Kč  |       |
| DHE-2141-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 1041 Matehuala San Luis Potosi Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHE-2141-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 1041 Matehuala San Luis Potosi Mexico               | 100s      | 90,00 Kč  |       |
| DHE-2141-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 1041 Matehuala San Luis Potosi Mexico               | 500s      | 335,00 Kč |       |
| DHE-0355-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 309 Galeana Nuevo Leon Mexico                       | 20s - 40s | 23,80 Kč  |       |
| DHE-0355-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 309 Galeana Nuevo Leon Mexico                       | 42s - 60s | 45,00 Kč  |       |
| DHE-0355-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 309 Galeana Nuevo Leon Mexico                       | 100s      | 90,00 Kč  |       |
| DHE-0355-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) SB 309 Galeana Nuevo Leon Mexico                       | 500s      | 335,00 Kč |       |
| DHE-2265-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 158 La Tapona San Luis Potosi Mexico               | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS               | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------------|---|-----------|-----------|-------|
| DHE-2265-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 158 La Tapona San Luis Potosi Mexico                    | 42s - 60s | 45,00 Kč  |       |
| DHE-2265-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 158 La Tapona San Luis Potosi Mexico                    | 100s      | 90,00 Kč  |       |
| DHE-2265-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 158 La Tapona San Luis Potosi Mexico                    | 500s      | 335,00 Kč |       |
| DHE-2143-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 167 Clavellinas San Luis Potosi Mexico                  | 20s - 40s | 23,80 Kč  |       |
| DHE-2143-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 167 Clavellinas San Luis Potosi Mexico                  | 42s - 60s | 45,00 Kč  |       |
| DHE-2143-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 167 Clavellinas San Luis Potosi Mexico                  | 100s      | 90,00 Kč  |       |
| DHE-2143-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 167 Clavellinas San Luis Potosi Mexico                  | 500s      | 335,00 Kč |       |
| DHE-0387-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 180 Garambullo Coahuila Mexico                          | 20s - 40s | 23,80 Kč  |       |
| DHE-0387-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 180 Garambullo Coahuila Mexico                          | 42s - 60s | 45,00 Kč  |       |
| DHE-0387-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 180 Garambullo Coahuila Mexico                          | 100s      | 90,00 Kč  |       |
| DHE-0387-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards long papery spines) VZD 180 Garambullo Coahuila Mexico                          | 500s      | 335,00 Kč |       |
| DHE-0356-A | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards very long papery spines) PP 578 Aramberri Municipio Aramberri Nuevo Leon Mexico | 20s - 40s | 23,80 Kč  |       |
| DHE-0356-B | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards very long papery spines) PP 578 Aramberri Municipio Aramberri Nuevo Leon Mexico | 42s - 60s | 45,00 Kč  |       |
| DHE-0356-C | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards very long papery spines) PP 578 Aramberri Municipio Aramberri Nuevo Leon Mexico | 100s      | 90,00 Kč  |       |
| DHE-0356-D | ECHINOFOSSULOCACTUS | erectocentrus (upper stout flat erected downwards very long papery spines) PP 578 Aramberri Municipio Aramberri Nuevo Leon Mexico | 500s      | 335,00 Kč |       |
| DHE-0362-A | ECHINOFOSSULOCACTUS | mixture of beautiful long spined very variable species (north, central and south Mexico)  | 20s - 40s | 23,80 Kč  |       |
| DHE-0362-B | ECHINOFOSSULOCACTUS | mixture of beautiful long spined very variable species (north, central and south Mexico)  | 42s - 60s | 45,00 Kč  |       |
| DHE-0362-C | ECHINOFOSSULOCACTUS | mixture of beautiful long spined very variable species (north, central and south Mexico)  | 100s      | 90,00 Kč  |       |
| DHE-0362-D | ECHINOFOSSULOCACTUS | mixture of beautiful long spined very variable species (north, central and south Mexico)  | 500s      | 335,00 Kč |       |
| DHE-0362-E | ECHINOFOSSULOCACTUS | mixture of beautiful long spined very variable species (north, central and south Mexico)  | 1000s     | 569,00 Kč |       |
| DHE-0365-A | ECHINOFOSSULOCACTUS | multicostatus (characteristic multiple very tight thin wavy ribs) VZD 846 La Encantada Coahuila Mexico                            | 20s - 40s | 25,50 Kč  |       |
| DHE-0365-B | ECHINOFOSSULOCACTUS | multicostatus (characteristic multiple very tight thin wavy ribs) VZD 846 La Encantada Coahuila Mexico                            | 42s - 60s | 48,00 Kč  |       |
| DHE-0364-A | ECHINOFOSSULOCACTUS | multicostatus f. zacatecasensis (smaller flat plants with many ribs) BJ 716 Seis de Enero Zacatecas Mexico                        | 20s - 40s | 34,00 Kč  |       |
| DHE-2144-A | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) Josef Odehnal Sombrerette Zacatecas Mexico                                    | 20s - 40s | 23,80 Kč  |       |
| DHE-2144-B | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) Josef Odehnal Sombrerette Zacatecas Mexico                                    | 42s - 60s | 45,00 Kč  |       |
| DHE-0370-A | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) PAR (VZD 468) Ojuelos de Jalisco Guanajuato Mexico                            | 20s - 40s | 23,80 Kč  |       |
| DHE-0370-B | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) PAR (VZD 468) Ojuelos de Jalisco Guanajuato Mexico                            | 42s - 60s | 45,00 Kč  |       |
| DHE-0372-A | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) PAR 287 El Sauz 35 km along Aguascaliente to Cavillo Aguascalientes Mexico    | 20s - 40s | 23,80 Kč  |       |
| DHE-0372-B | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) PAR 287 El Sauz 35 km along Aguascaliente to Cavillo Aguascalientes Mexico    | 42s - 60s | 45,00 Kč  |       |
| DHE-0368-A | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) RS 816 El Maguey Aguascalientes Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0368-B | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) RS 816 El Maguey Aguascalientes Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0394-A | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) VZD 146 A Victoria Guanajuato Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0394-B | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) VZD 146 A Victoria Guanajuato Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-0369-A | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) VZD 146 Victoria Guanajuato Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHE-0369-B | ECHINOFOSSULOCACTUS | ochoterenaus (darkly glassy long very dense spines) VZD 146 Victoria Guanajuato Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHE-2901-A | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) GM 208 Charco Blanco 1500 m San Luis Potosi Mexico                  | 20s - 40s | 23,80 Kč  |       |
| DHE-2901-B | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) GM 208 Charco Blanco 1500 m San Luis Potosi Mexico                  | 42s - 60s | 45,00 Kč  |       |
| DHE-2900-A | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) CH 233 Charco Blanco San Luis Potosi Mexico                         | 20s - 40s | 23,80 Kč  |       |
| DHE-2900-B | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) CH 233 Charco Blanco San Luis Potosi Mexico                         | 42s - 60s | 45,00 Kč  |       |
| DHE-2899-A | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) REPP 1482 Charco Blanco 1800 m San Luis Potosi Mexico               | 20s - 40s | 23,80 Kč  |       |
| DHE-2899-B | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) REPP 1482 Charco Blanco 1800 m San Luis Potosi Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHE-2902-A | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) RS 672 Charco Blanco San Luis Potosi Mexico                         | 20s - 40s | 23,80 Kč  |       |
| DHE-2902-B | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) RS 672 Charco Blanco San Luis Potosi Mexico                         | 42s - 60s | 45,00 Kč  |       |
| DHE-2262-A | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) STK 13/97 Charco Blanco San Luis Potosi Mexico                      | 20s - 40s | 23,80 Kč  |       |
| DHE-2262-B | ECHINOFOSSULOCACTUS | pentacanthus (conical curved upward flattened central spines) STK 13/97 Charco Blanco San Luis Potosi Mexico                      | 42s - 60s | 45,00 Kč  |       |
| DHE-0376-A | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) CSD 66 Tula North Tamaulipas Mexico    | 20s - 40s | 25,50 Kč  |       |
| DHE-0376-B | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) CSD 66 Tula North Tamaulipas Mexico    | 42s - 60s | 48,00 Kč  |       |
| DHE-0376-C | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) CSD 66 Tula North Tamaulipas Mexico    | 100s      | 96,00 Kč  |       |
| DHE-0376-D | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) CSD 66 Tula North Tamaulipas Mexico    | 500s      | 359,00 Kč |       |
| DHE-0375-A | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) PP 408 Tula Tamaulipas Mexico          | 20s - 40s | 25,50 Kč  |       |
| DHE-0375-B | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) PP 408 Tula Tamaulipas Mexico          | 42s - 60s | 48,00 Kč  |       |
| DHE-0375-C | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) PP 408 Tula Tamaulipas Mexico          | 100s      | 96,00 Kč  |       |
| DHE-0375-D | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (conical curved upward flattened central spines, white flowers) PP 408 Tula Tamaulipas Mexico          | 500s      | 359,00 Kč |       |
| DHE-2607-A | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CSD 64 Tula Tamaulipas Mexico                               | 20s - 40s | 25,50 Kč  |       |
| DHE-2607-B | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CSD 64 Tula Tamaulipas Mexico                               | 42s - 60s | 48,00 Kč  |       |

| CODE       | GENUS               | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------------|---|-----------|-----------|-------|
| DHE-2607-C | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CSD 64 Tula Tamaulipas Mexico                               | 100s      | 96,00 Kč  |       |
| DHE-2607-D | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CSD 64 Tula Tamaulipas Mexico                               | 500s      | 359,00 Kč |       |
| DHE-2606-A | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CH 238 Tula Tamaulipas Mexico                               | 20s - 40s | 25,50 Kč  |       |
| DHE-2606-B | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CH 238 Tula Tamaulipas Mexico                               | 42s - 60s | 48,00 Kč  |       |
| DHE-2606-C | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CH 238 Tula Tamaulipas Mexico                               | 100s      | 96,00 Kč  |       |
| DHE-2606-D | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) CH 238 Tula Tamaulipas Mexico                               | 500s      | 359,00 Kč |       |
| DHE-2608-A | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) MK 80.245 Tula Tamaulipas Mexico                            | 20s - 40s | 25,50 Kč  |       |
| DHE-2608-B | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) MK 80.245 Tula Tamaulipas Mexico                            | 42s - 60s | 48,00 Kč  |       |
| DHE-2608-C | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) MK 80.245 Tula Tamaulipas Mexico                            | 100s      | 96,00 Kč  |       |
| DHE-2608-D | ECHINOFOSSULOCACTUS | pentacanthus ssp. tulensis (very flat centrals, white yellow flowers) MK 80.245 Tula Tamaulipas Mexico                            | 500s      | 359,00 Kč |       |
| DHE-0378-A | ECHINOFOSSULOCACTUS | phyllacanthus (upper three pronged long flattened central spines) VZD 476 El Cherlin San Luis Potosi Mexico                       | 20s - 40s | 25,50 Kč  |       |
| DHE-0378-B | ECHINOFOSSULOCACTUS | phyllacanthus (upper three pronged long flattened central spines) VZD 476 El Cherlin San Luis Potosi Mexico                       | 42s - 60s | 48,00 Kč  |       |
| DHE-0378-C | ECHINOFOSSULOCACTUS | phyllacanthus (upper three pronged long flattened central spines) VZD 476 El Cherlin San Luis Potosi Mexico                       | 100s      | 96,00 Kč  |       |
| DHE-0383-A | ECHINOFOSSULOCACTUS | phyllacanthus v. violaciflorus (slightly larger pink violet flowers) SB 107 Salinas San Luis Potosi Mexico                        | 20s - 40s | 23,80 Kč  |       |
| DHE-0383-B | ECHINOFOSSULOCACTUS | phyllacanthus v. violaciflorus (slightly larger pink violet flowers) SB 107 Salinas San Luis Potosi Mexico                        | 42s - 60s | 45,00 Kč  |       |
| DHE-0383-C | ECHINOFOSSULOCACTUS | phyllacanthus v. violaciflorus (slightly larger pink violet flowers) SB 107 Salinas San Luis Potosi Mexico                        | 100s      | 90,00 Kč  |       |
| DHE-0384-A | ECHINOFOSSULOCACTUS | phyllacanthus v. violaciflorus (slightly larger pink violet flowers) SB 112 San Juan del Rio Queretaro Mexico                     | 20s - 40s | 23,80 Kč  |       |
| DHE-0401-A | ECHINOPSIS          | ancistrophora (nice white to dark red large flowers) HUN 717 Quebrada del Toro 2010 m Salta Argentina                             | 20s - 40s | 23,80 Kč  |       |
| DHE-0401-B | ECHINOPSIS          | ancistrophora (nice white to dark red large flowers) HUN 717 Quebrada del Toro 2010 m Salta Argentina                             | 42s - 60s | 45,00 Kč  |       |
| DHE-0401-C | ECHINOPSIS          | ancistrophora (nice white to dark red large flowers) HUN 717 Quebrada del Toro 2010 m Salta Argentina                             | 100s      | 90,00 Kč  |       |
| DHE-0400-A | ECHINOPSIS          | ancistrophora (nice white to dark red large flowers) WR 237 Alemania Salta Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHE-0400-B | ECHINOPSIS          | ancistrophora (nice white to dark red large flowers) WR 237 Alemania Salta Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHE-0400-C | ECHINOPSIS          | ancistrophora (nice white to dark red large flowers) WR 237 Alemania Salta Argentina  | 100s      | 90,00 Kč  |       |
| DHE-2111-A | ECHINOPSIS          | ancistrophora ssp. arachnacantha (spider web shaped spines, yellow orange large flowers) MS 423 Mataral 2044 m Santa Cruz Bolivia | 20s - 40s | 23,80 Kč  |       |
| DHE-2111-B | ECHINOPSIS          | ancistrophora ssp. arachnacantha (spider web shaped spines, yellow orange large flowers) MS 423 Mataral 2044 m Santa Cruz Bolivia | 42s - 60s | 45,00 Kč  |       |
| DHE-2111-C | ECHINOPSIS          | ancistrophora ssp. arachnacantha (spider web shaped spines, yellow orange large flowers) MS 423 Mataral 2044 m Santa Cruz Bolivia | 100s      | 90,00 Kč  |       |
| DHE-0407-A | ECHINOPSIS          | aurea (nice spines large flowers) KL 39 San Jose from side of La Toma 990 m San Luis Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHE-0407-B | ECHINOPSIS          | aurea (nice spines large flowers) KL 39 San Jose from side of La Toma 990 m San Luis Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHE-0407-C | ECHINOPSIS          | aurea (nice spines large flowers) KL 39 San Jose from side of La Toma 990 m San Luis Argentina                                    | 100s      | 90,00 Kč  |       |
| DHE-0403-A | ECHINOPSIS          | aurea (nice spines large yellow flowers) RF 361 Alta Gracia La Falda km 60 Cordoba Argentina                                      | 20s - 40s | 23,80 Kč  |       |
| DHE-0403-B | ECHINOPSIS          | aurea (nice spines large yellow flowers) RF 361 Alta Gracia La Falda km 60 Cordoba Argentina                                      | 42s - 60s | 45,00 Kč  |       |
| DHE-0403-C | ECHINOPSIS          | aurea (nice spines large yellow flowers) RF 361 Alta Gracia La Falda km 60 Cordoba Argentina                                      | 100s      | 90,00 Kč  |       |
| DHE-0404-A | ECHINOPSIS          | aurea f. caespitosa (nice spines large flowers) KP 211 South of Yocan 615 m Catamarca Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHE-0404-B | ECHINOPSIS          | aurea f. caespitosa (nice spines large flowers) KP 211 South of Yocan 615 m Catamarca Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHE-0404-C | ECHINOPSIS          | aurea f. caespitosa (nice spines large flowers) KP 211 South of Yocan 615 m Catamarca Argentina                                   | 100s      | 90,00 Kč  |       |
| DHE-0405-A | ECHINOPSIS          | aurea f. longispina (dark orange flowers) KP 307 Los Cadillos (Villa Quilino II.) 447 m Cordoba Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHE-0405-B | ECHINOPSIS          | aurea f. longispina (dark orange flowers) KP 307 Los Cadillos (Villa Quilino II.) 447 m Cordoba Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHE-0405-C | ECHINOPSIS          | aurea f. longispina (dark orange flowers) KP 307 Los Cadillos (Villa Quilino II.) 447 m Cordoba Argentina                         | 100s      | 90,00 Kč  |       |
| DHE-0406-A | ECHINOPSIS          | aurea f. longispina sbf. albispina (white long central spines) KFF 1155 Suyuque Nuevo 1182 m San Luis Argentina                   | 20s - 40s | 25,50 Kč  |       |
| DHE-0406-B | ECHINOPSIS          | aurea f. longispina sbf. albispina (white long central spines) KFF 1155 Suyuque Nuevo 1182 m San Luis Argentina                   | 42s - 60s | 48,00 Kč  |       |
| DHE-0406-C | ECHINOPSIS          | aurea f. longispina sbf. albispina (white long central spines) KFF 1155 Suyuque Nuevo 1182 m San Luis Argentina                   | 100s      | 96,00 Kč  |       |
| DHE-0410-A | ECHINOPSIS          | aurea v. dobeana (very showy bright red flowers) JO 135 Sierra Ancasti Catamarca Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHE-0410-B | ECHINOPSIS          | aurea v. dobeana (very showy bright red flowers) JO 135 Sierra Ancasti Catamarca Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHE-0410-C | ECHINOPSIS          | aurea v. dobeana (very showy bright red flowers) JO 135 Sierra Ancasti Catamarca Argentina  | 100s      | 96,00 Kč  |       |
| DHE-0412-A | ECHINOPSIS          | aurea v. fallax (dense heavy spines) MS 290 Villa Mazan Chumbicha Route 60 altitude 600 m La Rioja Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHE-0412-B | ECHINOPSIS          | aurea v. fallax (dense heavy spines) MS 290 Villa Mazan Chumbicha Route 60 altitude 600 m La Rioja Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHE-0412-C | ECHINOPSIS          | aurea v. fallax (dense heavy spines) MS 290 Villa Mazan Chumbicha Route 60 altitude 600 m La Rioja Argentina                      | 100s      | 90,00 Kč  |       |
| DHE-0414-A | ECHINOPSIS          | aurea v. tortuosa (strongly best curved centrals) KP 313 South West of Inti Huasi I. 875 m Cordoba Argentina                      | 20s - 40s | 25,50 Kč  |       |
| DHE-0414-B | ECHINOPSIS          | aurea v. tortuosa (strongly best curved centrals) KP 313 South West of Inti Huasi I. 875 m Cordoba Argentina                      | 42s - 60s | 48,00 Kč  |       |
| DHE-0414-C | ECHINOPSIS          | aurea v. tortuosa (strongly best curved centrals) KP 313 South West of Inti Huasi I. 875 m Cordoba Argentina                      | 100s      | 96,00 Kč  |       |
| DHE-0416-A | ECHINOPSIS          | cardenasiana (very showy long tubed bright magenta flowers) WR 498 East of Tarija Tarija Bolivia                                  | 20s - 40s | 23,80 Kč  |       |
| DHE-0416-B | ECHINOPSIS          | cardenasiana (very showy long tubed bright magenta flowers) WR 498 East of Tarija Tarija Bolivia                                  | 42s - 60s | 45,00 Kč  |       |
| DHE-0416-C | ECHINOPSIS          | cardenasiana (very showy long tubed bright magenta flowers) WR 498 East of Tarija Tarija Bolivia                                  | 100s      | 90,00 Kč  |       |
| DHE-0416-D | ECHINOPSIS          | cardenasiana (very showy long tubed bright magenta flowers) WR 498 East of Tarija Tarija Bolivia                                  | 500s      | 335,00 Kč |       |
| DHE-0416-E | ECHINOPSIS          | cardenasiana (very showy long tubed bright magenta flowers) WR 498 East of Tarija Tarija Bolivia                                  | 1000s     | 569,00 Kč |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHE-2267-A | ECHINOPSIS | eyriesii hybrid form (white to pink reddish large flowers) Czech Nursery Trinec CZ                              | 20s - 40s | 23,80 Kč  |       |
| DHE-2267-B | ECHINOPSIS | eyriesii hybrid form (white to pink reddish large flowers) Czech Nursery Trinec CZ                              | 42s - 60s | 45,00 Kč  |       |
| DHE-0419-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 18 B Sierra Massa 1 altitude 720 m Cordoba Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHE-0419-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 18 B Sierra Massa 1 altitude 720 m Cordoba Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHE-0419-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 18 B Sierra Massa 1 altitude 720 m Cordoba Argentina         | 100s      | 90,00 Kč  |       |
| DHE-0419-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 18 B Sierra Massa 1 altitude 720 m Cordoba Argentina         | 500s      | 335,00 Kč |       |
| DHE-0419-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 18 B Sierra Massa 1 altitude 720 m Cordoba Argentina         | 1000s     | 569,00 Kč |       |
| DHE-0420-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 36 D Ruinas del Quilmes (bellow Ruinas) Tucuman Argentina    | 20s - 40s | 23,80 Kč  |       |
| DHE-0420-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 36 D Ruinas del Quilmes (bellow Ruinas) Tucuman Argentina    | 42s - 60s | 45,00 Kč  |       |
| DHE-0420-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 36 D Ruinas del Quilmes (bellow Ruinas) Tucuman Argentina    | 100s      | 90,00 Kč  |       |
| DHE-0420-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 36 D Ruinas del Quilmes (bellow Ruinas) Tucuman Argentina    | 500s      | 335,00 Kč |       |
| DHE-0420-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 36 D Ruinas del Quilmes (bellow Ruinas) Tucuman Argentina    | 1000s     | 569,00 Kč |       |
| DHE-0421-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 57 C Cordobita to Tinogasta Ruta 60 La Rioja Argentina       | 20s - 40s | 23,80 Kč  |       |
| DHE-0421-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 57 C Cordobita to Tinogasta Ruta 60 La Rioja Argentina       | 42s - 60s | 45,00 Kč  |       |
| DHE-0421-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 57 C Cordobita to Tinogasta Ruta 60 La Rioja Argentina       | 100s      | 90,00 Kč  |       |
| DHE-0421-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 57 C Cordobita to Tinogasta Ruta 60 La Rioja Argentina       | 500s      | 335,00 Kč |       |
| DHE-0421-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KBA 57 C Cordobita to Tinogasta Ruta 60 La Rioja Argentina       | 1000s     | 569,00 Kč |       |
| DHE-0422-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 105 B Chilecito (4 km before City) La Rioja Argentina        | 20s - 40s | 23,80 Kč  |       |
| DHE-0422-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 105 B Chilecito (4 km before City) La Rioja Argentina        | 42s - 60s | 45,00 Kč  |       |
| DHE-0422-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 105 B Chilecito (4 km before City) La Rioja Argentina        | 100s      | 90,00 Kč  |       |
| DHE-0422-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 105 B Chilecito (4 km before City) La Rioja Argentina        | 500s      | 335,00 Kč |       |
| DHE-0422-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 105 B Chilecito (4 km before City) La Rioja Argentina        | 1000s     | 569,00 Kč |       |
| DHE-0423-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 32 B Cuesta de Sebilla (Alto) p La Rioja Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHE-0423-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 32 B Cuesta de Sebilla (Alto) p La Rioja Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHE-0423-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 32 B Cuesta de Sebilla (Alto) p La Rioja Argentina           | 100s      | 90,00 Kč  |       |
| DHE-0423-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 32 B Cuesta de Sebilla (Alto) p La Rioja Argentina           | 500s      | 335,00 Kč |       |
| DHE-0423-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 32 B Cuesta de Sebilla (Alto) p La Rioja Argentina           | 1000s     | 569,00 Kč |       |
| DHE-0424-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 48 C Amaicha del Valle (exit to crossroad) Tucuman Argentina | 20s - 40s | 23,80 Kč  |       |
| DHE-0424-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 48 C Amaicha del Valle (exit to crossroad) Tucuman Argentina | 42s - 60s | 45,00 Kč  |       |
| DHE-0424-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 48 C Amaicha del Valle (exit to crossroad) Tucuman Argentina | 100s      | 90,00 Kč  |       |
| DHE-0424-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 48 C Amaicha del Valle (exit to crossroad) Tucuman Argentina | 500s      | 335,00 Kč |       |
| DHE-0424-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 48 C Amaicha del Valle (exit to crossroad) Tucuman Argentina | 1000s     | 569,00 Kč |       |
| DHE-0425-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 50 C Gruta San Cayetano Tucuman Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHE-0425-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 50 C Gruta San Cayetano Tucuman Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHE-0425-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 50 C Gruta San Cayetano Tucuman Argentina                    | 100s      | 90,00 Kč  |       |
| DHE-0425-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 50 C Gruta San Cayetano Tucuman Argentina                    | 500s      | 335,00 Kč |       |
| DHE-0425-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 50 C Gruta San Cayetano Tucuman Argentina                    | 1000s     | 569,00 Kč |       |
| DHE-0426-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 53 B El Corralito II. (San Carlos) Salta Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHE-0426-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 53 B El Corralito II. (San Carlos) Salta Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHE-0426-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 53 B El Corralito II. (San Carlos) Salta Argentina           | 100s      | 90,00 Kč  |       |
| DHE-0426-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 53 B El Corralito II. (San Carlos) Salta Argentina           | 500s      | 335,00 Kč |       |
| DHE-0426-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 53 B El Corralito II. (San Carlos) Salta Argentina           | 1000s     | 569,00 Kč |       |
| DHE-0427-A | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 54 C La Punilla (puente) Salta Argentina                     | 20s - 40s | 23,80 Kč  |       |
| DHE-0427-B | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 54 C La Punilla (puente) Salta Argentina                     | 42s - 60s | 45,00 Kč  |       |
| DHE-0427-C | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 54 C La Punilla (puente) Salta Argentina                     | 100s      | 90,00 Kč  |       |
| DHE-0427-D | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 54 C La Punilla (puente) Salta Argentina                     | 500s      | 335,00 Kč |       |
| DHE-0427-E | ECHINOPSIS | leucantha (grey stem long curved black spines) KLA 54 C La Punilla (puente) Salta Argentina                     | 1000s     | 569,00 Kč |       |
| DHE-0428-A | ECHINOPSIS | leucantha (typical long spined form) KAB 43 B Vista a La Mina Gualcamayo II. altitude 1130 m La Rioja Argentina | 20s - 40s | 23,80 Kč  |       |
| DHE-0428-B | ECHINOPSIS | leucantha (typical long spined form) KAB 43 B Vista a La Mina Gualcamayo II. altitude 1130 m La Rioja Argentina | 42s - 60s | 45,00 Kč  |       |
| DHE-0428-C | ECHINOPSIS | leucantha (typical long spined form) KAB 43 B Vista a La Mina Gualcamayo II. altitude 1130 m La Rioja Argentina | 100s      | 90,00 Kč  |       |
| DHE-0428-D | ECHINOPSIS | leucantha (typical long spined form) KAB 43 B Vista a La Mina Gualcamayo II. altitude 1130 m La Rioja Argentina | 500s      | 335,00 Kč |       |
| DHE-0428-E | ECHINOPSIS | leucantha (typical long spined form) KAB 43 B Vista a La Mina Gualcamayo II. altitude 1130 m La Rioja Argentina | 1000s     | 569,00 Kč |       |
| DHE-0429-A | ECHINOPSIS | leucantha f. best curvispina (spination like Astrophytum senile) KAB 59 B Loro Huasi Catamarca Argentina        | 20s - 40s | 23,80 Kč  |       |
| DHE-0429-B | ECHINOPSIS | leucantha f. best curvispina (spination like Astrophytum senile) KAB 59 B Loro Huasi Catamarca Argentina        | 42s - 60s | 45,00 Kč  |       |
| DHE-0429-C | ECHINOPSIS | leucantha f. best curvispina (spination like Astrophytum senile) KAB 59 B Loro Huasi Catamarca Argentina        | 100s      | 90,00 Kč  |       |



| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|--|-----------|-----------|-------|
| DHE-0429-D | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KAB 59 B Loro Huasi Catamarca Argentina             | 500s      | 335,00 Kč |       |
| DHE-0429-E | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KAB 59 B Loro Huasi Catamarca Argentina             | 1000s     | 569,00 Kč |       |
| DHE-0430-A | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 58 B Therma La Aguadita Catamarca Argentina     | 20s - 40s | 23,80 Kč  |       |
| DHE-0430-B | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 58 B Therma La Aguadita Catamarca Argentina     | 42s - 60s | 45,00 Kč  |       |
| DHE-0430-C | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 58 B Therma La Aguadita Catamarca Argentina     | 100s      | 90,00 Kč  |       |
| DHE-0430-D | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 58 B Therma La Aguadita Catamarca Argentina     | 500s      | 335,00 Kč |       |
| DHE-0430-E | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 58 B Therma La Aguadita Catamarca Argentina     | 1000s     | 569,00 Kč |       |
| DHE-0431-A | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 61 B Loro Huasi to Guanchin Catamarca Argentina | 20s - 40s | 23,80 Kč  |       |
| DHE-0431-B | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 61 B Loro Huasi to Guanchin Catamarca Argentina | 42s - 60s | 45,00 Kč  |       |
| DHE-0431-C | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 61 B Loro Huasi to Guanchin Catamarca Argentina | 100s      | 90,00 Kč  |       |
| DHE-0431-D | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 61 B Loro Huasi to Guanchin Catamarca Argentina | 500s      | 335,00 Kč |       |
| DHE-0431-E | ECHINOPSIS | leucantha f. best curvispina (spination like <i>Astrophytum senile</i> ) KBA 61 B Loro Huasi to Guanchin Catamarca Argentina | 1000s     | 569,00 Kč |       |
| DHE-0432-A | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 31 B Sorocayense 1604 m San Juan Argentina       | 20s - 40s | 23,80 Kč  |       |
| DHE-0432-B | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 31 B Sorocayense 1604 m San Juan Argentina       | 42s - 60s | 45,00 Kč  |       |
| DHE-0432-C | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 31 B Sorocayense 1604 m San Juan Argentina       | 100s      | 90,00 Kč  |       |
| DHE-0432-D | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 31 B Sorocayense 1604 m San Juan Argentina       | 500s      | 335,00 Kč |       |
| DHE-0432-E | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 31 B Sorocayense 1604 m San Juan Argentina       | 1000s     | 569,00 Kč |       |
| DHE-0433-A | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 33 C Mina Azufre 1252 m San Juan Argentina       | 20s - 40s | 23,80 Kč  |       |
| DHE-0433-B | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 33 C Mina Azufre 1252 m San Juan Argentina       | 42s - 60s | 45,00 Kč  |       |
| DHE-0433-C | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 33 C Mina Azufre 1252 m San Juan Argentina       | 100s      | 90,00 Kč  |       |
| DHE-0433-D | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 33 C Mina Azufre 1252 m San Juan Argentina       | 500s      | 335,00 Kč |       |
| DHE-0433-E | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 33 C Mina Azufre 1252 m San Juan Argentina       | 1000s     | 569,00 Kč |       |
| DHE-0434-A | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 37 D Pachimoco 1279 m San Juan Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHE-0434-B | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 37 D Pachimoco 1279 m San Juan Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHE-0434-C | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 37 D Pachimoco 1279 m San Juan Argentina         | 100s      | 90,00 Kč  |       |
| DHE-0434-D | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 37 D Pachimoco 1279 m San Juan Argentina         | 500s      | 335,00 Kč |       |
| DHE-0434-E | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 37 D Pachimoco 1279 m San Juan Argentina         | 1000s     | 569,00 Kč |       |
| DHE-0435-A | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 40 B Pampa Vieja 1105 m San Juan Argentina       | 20s - 40s | 23,80 Kč  |       |
| DHE-0435-B | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 40 B Pampa Vieja 1105 m San Juan Argentina       | 42s - 60s | 45,00 Kč  |       |
| DHE-0435-C | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 40 B Pampa Vieja 1105 m San Juan Argentina       | 100s      | 90,00 Kč  |       |
| DHE-0435-D | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 40 B Pampa Vieja 1105 m San Juan Argentina       | 500s      | 335,00 Kč |       |
| DHE-0435-E | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KAB 40 B Pampa Vieja 1105 m San Juan Argentina       | 1000s     | 569,00 Kč |       |
| DHE-0436-A | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 75 B El Mirador San Juan Argentina               | 20s - 40s | 23,80 Kč  |       |
| DHE-0436-B | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 75 B El Mirador San Juan Argentina               | 42s - 60s | 45,00 Kč  |       |
| DHE-0436-C | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 75 B El Mirador San Juan Argentina               | 100s      | 90,00 Kč  |       |
| DHE-0436-D | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 75 B El Mirador San Juan Argentina               | 500s      | 335,00 Kč |       |
| DHE-0436-E | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 75 B El Mirador San Juan Argentina               | 1000s     | 569,00 Kč |       |
| DHE-0437-A | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 77 B El Huaco 831 m San Juan Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHE-0437-B | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 77 B El Huaco 831 m San Juan Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHE-0437-C | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 77 B El Huaco 831 m San Juan Argentina           | 100s      | 90,00 Kč  |       |
| DHE-0437-D | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 77 B El Huaco 831 m San Juan Argentina           | 500s      | 335,00 Kč |       |
| DHE-0437-E | ECHINOPSIS | leucantha f. trichocereoides (taller stems with long downward centrals) KBA 77 B El Huaco 831 m San Juan Argentina           | 1000s     | 569,00 Kč |       |
| DHE-0439-A | ECHINOPSIS | species (hooked centrals, large white flowers) LAU 400 Entre Rios O Connor Tarija Bolivia                                    | 20s - 40s | 23,80 Kč  |       |
| DHE-0439-B | ECHINOPSIS | species (hooked centrals, large white flowers) LAU 400 Entre Rios O Connor Tarija Bolivia                                    | 42s - 60s | 45,00 Kč  |       |
| DHE-0439-C | ECHINOPSIS | species (hooked centrals, large white flowers) LAU 400 Entre Rios O Connor Tarija Bolivia                                    | 100s      | 90,00 Kč  |       |
| DHE-0439-D | ECHINOPSIS | species (hooked centrals, large white flowers) LAU 400 Entre Rios O Connor Tarija Bolivia                                    | 500s      | 335,00 Kč |       |
| DHE-0439-E | ECHINOPSIS | species (hooked centrals, large white flowers) LAU 400 Entre Rios O Connor Tarija Bolivia                                    | 1000s     | 569,00 Kč |       |
| DHE-0443-A | ECHINOPSIS | sucrensis (bigger white pink flowers) MS 709 Corso 2097 m Chuquisaca Bolivia   | 20s - 40s | 23,80 Kč  |       |
| DHE-0443-B | ECHINOPSIS | sucrensis (bigger white pink flowers) MS 709 Corso 2097 m Chuquisaca Bolivia   | 42s - 60s | 45,00 Kč  |       |
| DHE-0443-C | ECHINOPSIS | sucrensis (bigger white pink flowers) MS 709 Corso 2097 m Chuquisaca Bolivia   | 100s      | 90,00 Kč  |       |
| DHE-0443-D | ECHINOPSIS | sucrensis (bigger white pink flowers) MS 709 Corso 2097 m Chuquisaca Bolivia   | 500s      | 335,00 Kč |       |
| DHE-0443-E | ECHINOPSIS | sucrensis (bigger white pink flowers) MS 709 Corso 2097 m Chuquisaca Bolivia   | 1000s     | 569,00 Kč |       |
| DHE-2605-A | ECHINOPSIS | werdermannii f. inermis (nudal plants mostly, bigger huge red violet flowers) Czech Nursery Velke Pavlovice CZ               | 20s - 40s | 23,80 Kč  |       |
| DHE-2605-B | ECHINOPSIS | werdermannii f. inermis (nudal plants mostly, bigger huge red violet flowers) Czech Nursery Velke Pavlovice CZ               | 42s - 60s | 45,00 Kč  |       |
| DHE-2605-C | ECHINOPSIS | werdermannii f. inermis (nudal plants mostly, bigger huge red violet flowers) Czech Nursery Velke Pavlovice CZ               | 100s      | 90,00 Kč  |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)    | ORDER |
|------------|--------------|--|-----------|-------------|-------|
| DHE-2605-D | ECHINOPSIS   | werdermannii f. inermis (nudal plants mostly, bigger huge red violet flowers) Czech Nursery Velke Pavlovice CZ   | 500s      | 335,00 Kč   |       |
| DHE-2605-E | ECHINOPSIS   | werdermannii f. inermis (nudal plants mostly, bigger huge red violet flowers) Czech Nursery Velke Pavlovice CZ   | 1000s     | 569,00 Kč   |       |
| DHE-0444-A | ECHIUM       | pininana (1 m high inflorescence) AT-15 Czech Nursery CZ   | 20s - 40s | 51,00 Kč    |       |
| DHE-0445-A | ECHIUM       | wildpretii (silver leaves) AT-16 Czech Nursery CZ  | 20s - 40s | 51,00 Kč    |       |
| DHE-0446-A | EPITHELANTHA | densispina (densely black tipped spines) Bravo 1951 Sierra de la Paila Coahuila Mexico   | 20s - 40s | 76,50 Kč    |       |
| DHE-0446-B | EPITHELANTHA | densispina (densely black tipped spines) Bravo 1951 Sierra de la Paila Coahuila Mexico   | 42s - 60s | 144,00 Kč   |       |
| DHE-0446-C | EPITHELANTHA | densispina (densely black tipped spines) Bravo 1951 Sierra de la Paila Coahuila Mexico   | 100s      | 287,00 Kč   |       |
| DHE-0447-A | EPITHELANTHA | mexicensis (combed thin white to ashen gray spines) BP 1252 Paolo Panarotto Nursery Italy  | 20s - 40s | 76,50 Kč    |       |
| DHE-0447-B | EPITHELANTHA | mexicensis (combed thin white to ashen gray spines) BP 1252 Paolo Panarotto Nursery Italy  | 42s - 60s | 144,00 Kč   |       |
| DHE-0447-C | EPITHELANTHA | mexicensis (combed thin white to ashen gray spines) BP 1252 Paolo Panarotto Nursery Italy  | 100s      | 287,00 Kč   |       |
| DHE-2223-A | EPITHELANTHA | micromeris (pure white spines) MK 141.430 North of Melchor Muzquiz Coahuila Mexico   | 20s - 40s | 76,50 Kč    |       |
| DHE-2223-B | EPITHELANTHA | micromeris (pure white spines) MK 141.430 North of Melchor Muzquiz Coahuila Mexico   | 42s - 60s | 144,00 Kč   |       |
| DHE-2223-C | EPITHELANTHA | micromeris (pure white spines) MK 141.430 North of Melchor Muzquiz Coahuila Mexico   | 100s      | 287,00 Kč   |       |
| DHE-0451-A | EPITHELANTHA | micromeris (white to ashy grey spines) JM 119 Guadalupe Mountains Eddy County New Mexico USA   | 20s - 40s | 76,50 Kč    |       |
| DHE-0451-B | EPITHELANTHA | micromeris (white to ashy grey spines) JM 119 Guadalupe Mountains Eddy County New Mexico USA   | 42s - 60s | 144,00 Kč   |       |
| DHE-0451-C | EPITHELANTHA | micromeris (white to ashy grey spines) JM 119 Guadalupe Mountains Eddy County New Mexico USA   | 100s      | 287,00 Kč   |       |
| DHE-2779-A | EPITHELANTHA | micromeris (white to ashy grey spines) JM 194 Guadalupe Mountains Eddy County New Mexico USA   | 20s - 40s | 76,50 Kč    |       |
| DHE-2779-B | EPITHELANTHA | micromeris (white to ashy grey spines) JM 194 Guadalupe Mountains Eddy County New Mexico USA   | 42s - 60s | 144,00 Kč   |       |
| DHE-2779-C | EPITHELANTHA | micromeris (white to ashy grey spines) JM 194 Guadalupe Mountains Eddy County New Mexico USA   | 100s      | 287,00 Kč   |       |
| DHE-0452-A | EPITHELANTHA | micromeris (white to ashy grey spines) LAU 749 Parras 1100 m Coahuila Mexico   | 20s - 40s | 76,50 Kč    |       |
| DHE-0452-B | EPITHELANTHA | micromeris (white to ashy grey spines) LAU 749 Parras 1100 m Coahuila Mexico   | 42s - 60s | 144,00 Kč   |       |
| DHE-0452-C | EPITHELANTHA | micromeris (white to ashy grey spines) LAU 749 Parras 1100 m Coahuila Mexico   | 100s      | 287,00 Kč   |       |
| DHE-2867-A | EPITHELANTHA | micromeris (white to ashy grey spines) SB 256 Eddy County New Mexico USA   | 20s - 40s | 76,50 Kč    |       |
| DHE-2780-A | EPITHELANTHA | micromeris De Herdt (white to ashy grey spines) Rostislav Pavlosek Czech Nursery Trinec CZ   | 20s - 40s | 76,50 Kč    |       |
| DHE-2780-B | EPITHELANTHA | micromeris De Herdt (white to ashy grey spines) Rostislav Pavlosek Czech Nursery Trinec CZ   | 42s - 60s | 144,00 Kč   |       |
| DHE-2780-C | EPITHELANTHA | micromeris De Herdt (white to ashy grey spines) Rostislav Pavlosek Czech Nursery Trinec CZ   | 100s      | 287,00 Kč   |       |
| DHE-0449-A | EPITHELANTHA | micromeris f. neomexicana (white to ashy grey spines) Uhlig Germany nursery New Mexico USA   | 20s - 40s | 76,50 Kč    |       |
| DHE-0449-B | EPITHELANTHA | micromeris f. neomexicana (white to ashy grey spines) Uhlig Germany nursery New Mexico USA   | 42s - 60s | 144,00 Kč   |       |
| DHE-0449-C | EPITHELANTHA | micromeris f. neomexicana (white to ashy grey spines) Uhlig Germany nursery New Mexico USA   | 100s      | 287,00 Kč   |       |
| DHE-2781-A | EPITHELANTHA | micromeris v. rufispina (greyish white spines in young, grey reddish brownish tinge in adult plants crown) Czech Nursery Trinec CZ                       | 20s - 40s | 85,00 Kč    |       |
| DHE-2781-B | EPITHELANTHA | micromeris v. rufispina (greyish white spines in young, grey reddish brownish tinge in adult plants crown) Czech Nursery Trinec CZ                       | 42s - 60s | 159,00 Kč   |       |
| DHE-2781-C | EPITHELANTHA | micromeris v. rufispina (greyish white spines in young, grey reddish brownish tinge in adult plants crown) Czech Nursery Trinec CZ                       | 100s      | 319,00 Kč   |       |
| DHE-2787-A | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BJ 559 about 12 km West of Ocampo 1479 m Coahuila Mexico         | 20s - 40s | 102,00 Kč   |       |
| DHE-2787-B | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BJ 559 about 12 km West of Ocampo 1479 m Coahuila Mexico         | 42s - 60s | 191,00 Kč   |       |
| DHE-2787-C | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BJ 559 about 12 km West of Ocampo 1479 m Coahuila Mexico         | 100s      | 383,00 Kč   |       |
| DHE-2787-D | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BJ 559 about 12 km West of Ocampo 1479 m Coahuila Mexico         | 500s      | 1 435,00 Kč |       |
| DHE-0458-A | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BKM 853 West of Ocampo km 12 alt. 1479 m Coahuila Mexico         | 20s - 40s | 102,00 Kč   |       |
| DHE-0458-B | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BKM 853 West of Ocampo km 12 alt. 1479 m Coahuila Mexico         | 42s - 60s | 191,00 Kč   |       |
| DHE-0458-C | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BKM 853 West of Ocampo km 12 alt. 1479 m Coahuila Mexico         | 100s      | 383,00 Kč   |       |
| DHE-0458-D | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) BKM 853 West of Ocampo km 12 alt. 1479 m Coahuila Mexico         | 500s      | 1 435,00 Kč |       |
| DHE-2788-A | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 49 about 8 km West of Ocampo 1495 m Coahuila Mexico          | 20s - 40s | 102,00 Kč   |       |
| DHE-2788-B | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 49 about 8 km West of Ocampo 1495 m Coahuila Mexico          | 42s - 60s | 191,00 Kč   |       |
| DHE-2788-C | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 49 about 8 km West of Ocampo 1495 m Coahuila Mexico          | 100s      | 383,00 Kč   |       |
| DHE-2788-D | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 49 about 8 km West of Ocampo 1495 m Coahuila Mexico          | 500s      | 1 435,00 Kč |       |
| DHE-2789-A | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 50 about 8,2 km West of Ocampo 1495 m Coahuila Mexico        | 20s - 40s | 102,00 Kč   |       |
| DHE-2789-B | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 50 about 8,2 km West of Ocampo 1495 m Coahuila Mexico        | 42s - 60s | 191,00 Kč   |       |
| DHE-2789-C | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 50 about 8,2 km West of Ocampo 1495 m Coahuila Mexico        | 100s      | 383,00 Kč   |       |
| DHE-2789-D | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 50 about 8,2 km West of Ocampo 1495 m Coahuila Mexico        | 500s      | 1 435,00 Kč |       |
| DHE-2790-A | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 51 about 13 km West Ocampo 1485 m Coahuila Mexico            | 20s - 40s | 102,00 Kč   |       |
| DHE-2790-B | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 51 about 13 km West Ocampo 1485 m Coahuila Mexico            | 42s - 60s | 191,00 Kč   |       |
| DHE-2790-C | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 51 about 13 km West Ocampo 1485 m Coahuila Mexico            | 100s      | 383,00 Kč   |       |
| DHE-2790-D | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KMS 51 about 13 km West Ocampo 1485 m Coahuila Mexico            | 500s      | 1 435,00 Kč |       |
| DHE-0459-A | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KSM 735 A about 23 km West of Ocampo alt. 1620 m Coahuila Mexico | 20s - 40s | 102,00 Kč   |       |
| DHE-0459-B | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KSM 735 A about 23 km West of Ocampo alt. 1620 m Coahuila Mexico | 42s - 60s | 191,00 Kč   |       |
| DHE-0459-C | EPITHELANTHA | ocampensis (wild mixed population between bokei and micromeris, halfbokei special form) KSM 735 A about 23 km West of Ocampo alt. 1620 m Coahuila Mexico | 100s      | 383,00 Kč   |       |



| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHE-2844-C | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.5 Rio Santa Eulalia Valley 1433 m Ancash Peru | 100s      | 96,00 Kč  |       |
| DHE-2844-D | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.5 Rio Santa Eulalia Valley 1433 m Ancash Peru | 500s      | 359,00 Kč |       |
| DHE-2845-A | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.6 Churin 2172 m Ancash Peru                   | 20s - 40s | 25,50 Kč  |       |
| DHE-2845-B | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.6 Churin 2172 m Ancash Peru                   | 42s - 60s | 48,00 Kč  |       |
| DHE-2845-C | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.6 Churin 2172 m Ancash Peru                   | 100s      | 96,00 Kč  |       |
| DHE-2845-D | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.6 Churin 2172 m Ancash Peru                   | 500s      | 359,00 Kč |       |
| DHE-2846-A | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.7 Casma 1527 m Ancash Peru                    | 20s - 40s | 25,50 Kč  |       |
| DHE-2846-B | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.7 Casma 1527 m Ancash Peru                    | 42s - 60s | 48,00 Kč  |       |
| DHE-2846-C | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.7 Casma 1527 m Ancash Peru                    | 100s      | 96,00 Kč  |       |
| DHE-2846-D | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.7 Casma 1527 m Ancash Peru                    | 500s      | 359,00 Kč |       |
| DHE-2847-A | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.8 Rio Santa Eulalia Valley 1460 m Ancash Peru | 20s - 40s | 25,50 Kč  |       |
| DHE-2847-B | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.8 Rio Santa Eulalia Valley 1460 m Ancash Peru | 42s - 60s | 48,00 Kč  |       |
| DHE-2847-C | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.8 Rio Santa Eulalia Valley 1460 m Ancash Peru | 100s      | 96,00 Kč  |       |
| DHE-2847-D | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.8 Rio Santa Eulalia Valley 1460 m Ancash Peru | 500s      | 359,00 Kč |       |
| DHE-2848-A | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.9 Coayllo 1460 m Ancash Peru                  | 20s - 40s | 25,50 Kč  |       |
| DHE-2848-B | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.9 Coayllo 1460 m Ancash Peru                  | 42s - 60s | 48,00 Kč  |       |
| DHE-2848-C | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.9 Coayllo 1460 m Ancash Peru                  | 100s      | 96,00 Kč  |       |
| DHE-2848-D | ESPOSTOA   | melanostele (greyish green columnar body, dense white brownish hairs clothing the whole stem) KP-PE 5.9 Coayllo 1460 m Ancash Peru                  | 500s      | 359,00 Kč |       |
| DHE-2852-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.1 Chachapoyas East of Balsas 863 m Amazonas Peru                     | 20s - 40s | 25,50 Kč  |       |
| DHE-2852-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.1 Chachapoyas East of Balsas 863 m Amazonas Peru                     | 42s - 60s | 48,00 Kč  |       |
| DHE-2852-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.1 Chachapoyas East of Balsas 863 m Amazonas Peru                     | 100s      | 96,00 Kč  |       |
| DHE-2852-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.1 Chachapoyas East of Balsas 863 m Amazonas Peru                     | 500s      | 359,00 Kč |       |
| DHE-2853-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.2 Chachapoyas East of Balsas 885 m Amazonas Peru                     | 20s - 40s | 25,50 Kč  |       |
| DHE-2853-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.2 Chachapoyas East of Balsas 885 m Amazonas Peru                     | 42s - 60s | 48,00 Kč  |       |
| DHE-2853-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.2 Chachapoyas East of Balsas 885 m Amazonas Peru                     | 100s      | 96,00 Kč  |       |
| DHE-2853-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.2 Chachapoyas East of Balsas 885 m Amazonas Peru                     | 500s      | 359,00 Kč |       |
| DHE-2854-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.3 Utco 925 m Cajamarca Peru  | 20s - 40s | 25,50 Kč  |       |
| DHE-2854-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.3 Utco 925 m Cajamarca Peru  | 42s - 60s | 48,00 Kč  |       |
| DHE-2854-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.3 Utco 925 m Cajamarca Peru  | 100s      | 96,00 Kč  |       |
| DHE-2854-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.3 Utco 925 m Cajamarca Peru  | 500s      | 359,00 Kč |       |
| DHE-2855-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.4 Sanchez Carrion Aricapampa 1580 m La Libertad Peru                 | 20s - 40s | 25,50 Kč  |       |
| DHE-2855-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.4 Sanchez Carrion Aricapampa 1580 m La Libertad Peru                 | 42s - 60s | 48,00 Kč  |       |
| DHE-2855-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.4 Sanchez Carrion Aricapampa 1580 m La Libertad Peru                 | 100s      | 96,00 Kč  |       |
| DHE-2855-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.4 Sanchez Carrion Aricapampa 1580 m La Libertad Peru                 | 500s      | 359,00 Kč |       |
| DHE-2856-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.5 Sanchez Carrion Aricapampa 1550 m La Libertad Peru                 | 20s - 40s | 25,50 Kč  |       |
| DHE-2856-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.5 Sanchez Carrion Aricapampa 1550 m La Libertad Peru                 | 42s - 60s | 48,00 Kč  |       |
| DHE-2856-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.5 Sanchez Carrion Aricapampa 1550 m La Libertad Peru                 | 100s      | 96,00 Kč  |       |
| DHE-2856-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.5 Sanchez Carrion Aricapampa 1550 m La Libertad Peru                 | 500s      | 359,00 Kč |       |
| DHE-2857-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.6 Balsas 1800 m Amazonas Peru  | 20s - 40s | 25,50 Kč  |       |
| DHE-2857-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.6 Balsas 1800 m Amazonas Peru  | 42s - 60s | 48,00 Kč  |       |
| DHE-2857-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.6 Balsas 1800 m Amazonas Peru  | 100s      | 96,00 Kč  |       |
| DHE-2857-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.6 Balsas 1800 m Amazonas Peru  | 500s      | 359,00 Kč |       |
| DHE-2858-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.7 Balsas to Bolivar 1500 m Amazonas Peru                             | 20s - 40s | 25,50 Kč  |       |
| DHE-2858-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.7 Balsas to Bolivar 1500 m Amazonas Peru                             | 42s - 60s | 48,00 Kč  |       |
| DHE-2858-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.7 Balsas to Bolivar 1500 m Amazonas Peru                             | 100s      | 96,00 Kč  |       |
| DHE-2858-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.7 Balsas to Bolivar 1500 m Amazonas Peru                             | 500s      | 359,00 Kč |       |
| DHE-2859-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.8 Chanchillo 1350 m Amazonas Peru                                    | 20s - 40s | 25,50 Kč  |       |
| DHE-2859-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.8 Chanchillo 1350 m Amazonas Peru                                    | 42s - 60s | 48,00 Kč  |       |
| DHE-2859-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.8 Chanchillo 1350 m Amazonas Peru                                    | 100s      | 96,00 Kč  |       |
| DHE-2859-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.8 Chanchillo 1350 m Amazonas Peru                                    | 500s      | 359,00 Kč |       |
| DHE-2860-A | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.9 San Vicente to Bolivar 1600 m La Libertad Peru                     | 20s - 40s | 25,50 Kč  |       |
| DHE-2860-B | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.9 San Vicente to Bolivar 1600 m La Libertad Peru                     | 42s - 60s | 48,00 Kč  |       |
| DHE-2860-C | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.9 San Vicente to Bolivar 1600 m La Libertad Peru                     | 100s      | 96,00 Kč  |       |
| DHE-2860-D | ESPOSTOA   | mirabilis (rougher hairy and creates distinctive woody central spines) KP-PE 6.9 San Vicente to Bolivar 1600 m La Libertad Peru                     | 500s      | 359,00 Kč |       |
| DHF-0558-A | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CH 249 Metztitlan Hidalgo Mexico   | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHF-0558-B | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CH 249 Metztitlan Hidalgo Mexico                     | 42s - 60s | 45,00 Kč  |       |
| DHF-0558-C | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CH 249 Metztitlan Hidalgo Mexico                     | 100s      | 90,00 Kč  |       |
| DHF-0558-D | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CH 249 Metztitlan Hidalgo Mexico                     | 500s      | 335,00 Kč |       |
| DHF-0562-A | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CHA 90 Vista Hermosa Quretaro Mexico                 | 20s - 40s | 23,80 Kč  |       |
| DHF-0562-B | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CHA 90 Vista Hermosa Quretaro Mexico                 | 42s - 60s | 45,00 Kč  |       |
| DHF-0562-C | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CHA 90 Vista Hermosa Quretaro Mexico                 | 100s      | 90,00 Kč  |       |
| DHF-0562-D | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) CHA 90 Vista Hermosa Quretaro Mexico                 | 500s      | 335,00 Kč |       |
| DHF-0559-A | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LAU 1240 Vista Hermosa 1800 m Queretaro Mexico       | 20s - 40s | 23,80 Kč  |       |
| DHF-0559-B | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LAU 1240 Vista Hermosa 1800 m Queretaro Mexico       | 42s - 60s | 45,00 Kč  |       |
| DHF-0559-C | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LAU 1240 Vista Hermosa 1800 m Queretaro Mexico       | 100s      | 90,00 Kč  |       |
| DHF-0559-D | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LAU 1240 Vista Hermosa 1800 m Queretaro Mexico       | 500s      | 335,00 Kč |       |
| DHF-0560-A | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LH 1044 Jalpan Queretaro Mexico                      | 20s - 40s | 23,80 Kč  |       |
| DHF-0560-B | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LH 1044 Jalpan Queretaro Mexico                      | 42s - 60s | 45,00 Kč  |       |
| DHF-0560-C | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LH 1044 Jalpan Queretaro Mexico                      | 100s      | 90,00 Kč  |       |
| DHF-0560-D | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) LH 1044 Jalpan Queretaro Mexico                      | 500s      | 335,00 Kč |       |
| DHF-0557-A | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) MZ 1202 Sierra del Doctor Queretaro Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHF-0557-B | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) MZ 1202 Sierra del Doctor Queretaro Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHF-0557-C | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) MZ 1202 Sierra del Doctor Queretaro Mexico           | 100s      | 90,00 Kč  |       |
| DHF-0557-D | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) MZ 1202 Sierra del Doctor Queretaro Mexico           | 500s      | 335,00 Kč |       |
| DHF-0561-A | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) PAR 154 Vizarron Puente Mezquito Queretaro Mexico    | 20s - 40s | 23,80 Kč  |       |
| DHF-0561-B | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) PAR 154 Vizarron Puente Mezquito Queretaro Mexico    | 42s - 60s | 45,00 Kč  |       |
| DHF-0561-C | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) PAR 154 Vizarron Puente Mezquito Queretaro Mexico    | 100s      | 90,00 Kč  |       |
| DHF-0561-D | FEROCACTUS | glaucescens (glaucous grey body, thick whitish gray yellow spines) PAR 154 Vizarron Puente Mezquito Queretaro Mexico    | 500s      | 335,00 Kč |       |
| DHF-0563-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1031 San Juan de la Boquilla 1455 m Durango Mexico | 20s - 40s | 23,80 Kč  |       |
| DHF-0563-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1031 San Juan de la Boquilla 1455 m Durango Mexico | 42s - 60s | 45,00 Kč  |       |
| DHF-0563-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1031 San Juan de la Boquilla 1455 m Durango Mexico | 100s      | 90,00 Kč  |       |
| DHF-0563-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1031 San Juan de la Boquilla 1455 m Durango Mexico | 500s      | 335,00 Kč |       |
| DHF-0563-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1031 San Juan de la Boquilla 1455 m Durango Mexico | 1000s     | 569,00 Kč |       |
| DHF-0564-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1032 Diez de Abril 1364 m Durango Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHF-0564-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1032 Diez de Abril 1364 m Durango Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHF-0564-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1032 Diez de Abril 1364 m Durango Mexico           | 100s      | 90,00 Kč  |       |
| DHF-0564-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1032 Diez de Abril 1364 m Durango Mexico           | 500s      | 335,00 Kč |       |
| DHF-0564-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1032 Diez de Abril 1364 m Durango Mexico           | 1000s     | 569,00 Kč |       |
| DHF-0565-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1035 Flechas 1960 m Durango Mexico                 | 20s - 40s | 23,80 Kč  |       |
| DHF-0565-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1035 Flechas 1960 m Durango Mexico                 | 42s - 60s | 45,00 Kč  |       |
| DHF-0565-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1035 Flechas 1960 m Durango Mexico                 | 100s      | 90,00 Kč  |       |
| DHF-0565-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1035 Flechas 1960 m Durango Mexico                 | 500s      | 335,00 Kč |       |
| DHF-0565-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1035 Flechas 1960 m Durango Mexico                 | 1000s     | 569,00 Kč |       |
| DHF-0566-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1045 Nueva Reforma 1622 m Durango Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHF-0566-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1045 Nueva Reforma 1622 m Durango Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHF-0566-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1045 Nueva Reforma 1622 m Durango Mexico           | 100s      | 90,00 Kč  |       |
| DHF-0566-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1045 Nueva Reforma 1622 m Durango Mexico           | 500s      | 335,00 Kč |       |
| DHF-0566-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1045 Nueva Reforma 1622 m Durango Mexico           | 1000s     | 569,00 Kč |       |
| DHF-0567-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1051 Nueva Reforma 1622 m Durango Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHF-0567-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1051 Nueva Reforma 1622 m Durango Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHF-0567-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1051 Nueva Reforma 1622 m Durango Mexico           | 100s      | 90,00 Kč  |       |
| DHF-0567-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1051 Nueva Reforma 1622 m Durango Mexico           | 500s      | 335,00 Kč |       |
| DHF-0567-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1051 Nueva Reforma 1622 m Durango Mexico           | 1000s     | 569,00 Kč |       |
| DHF-0568-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1053 Siete Zacates 1775 m Durango Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHF-0568-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1053 Siete Zacates 1775 m Durango Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHF-0568-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1053 Siete Zacates 1775 m Durango Mexico           | 100s      | 90,00 Kč  |       |
| DHF-0568-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1053 Siete Zacates 1775 m Durango Mexico           | 500s      | 335,00 Kč |       |
| DHF-0568-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1053 Siete Zacates 1775 m Durango Mexico           | 1000s     | 569,00 Kč |       |
| DHF-0569-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1055 Estacion de Simon 1596 m Durango Mexico       | 20s - 40s | 23,80 Kč  |       |
| DHF-0569-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1055 Estacion de Simon 1596 m Durango Mexico       | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHF-0569-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1055 Estacion de Simon 1596 m Durango Mexico | 100s      | 90,00 Kč  |       |
| DHF-0569-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1055 Estacion de Simon 1596 m Durango Mexico | 500s      | 335,00 Kč |       |
| DHF-0569-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1055 Estacion de Simon 1596 m Durango Mexico | 1000s     | 569,00 Kč |       |
| DHF-0570-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1059 Lagunilla Viejo 1660 m Zacatecas Mexico | 20s - 40s | 23,80 Kč  |       |
| DHF-0570-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1059 Lagunilla Viejo 1660 m Zacatecas Mexico | 42s - 60s | 45,00 Kč  |       |
| DHF-0570-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1059 Lagunilla Viejo 1660 m Zacatecas Mexico | 100s      | 90,00 Kč  |       |
| DHF-0570-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1059 Lagunilla Viejo 1660 m Zacatecas Mexico | 500s      | 335,00 Kč |       |
| DHF-0570-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1059 Lagunilla Viejo 1660 m Zacatecas Mexico | 1000s     | 569,00 Kč |       |
| DHF-0571-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1063 Cedros 1600 m Zacatecas Mexico          | 20s - 40s | 23,80 Kč  |       |
| DHF-0571-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1063 Cedros 1600 m Zacatecas Mexico          | 42s - 60s | 45,00 Kč  |       |
| DHF-0571-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1063 Cedros 1600 m Zacatecas Mexico          | 100s      | 90,00 Kč  |       |
| DHF-0571-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1063 Cedros 1600 m Zacatecas Mexico          | 500s      | 335,00 Kč |       |
| DHF-0571-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) BKLM 1063 Cedros 1600 m Zacatecas Mexico          | 1000s     | 569,00 Kč |       |
| DHF-2604-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LH 80 Arteaga Coahuila Mexico                     | 20s - 40s | 23,80 Kč  |       |
| DHF-2604-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LH 80 Arteaga Coahuila Mexico                     | 42s - 60s | 45,00 Kč  |       |
| DHF-2604-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LH 80 Arteaga Coahuila Mexico                     | 100s      | 90,00 Kč  |       |
| DHF-2604-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LH 80 Arteaga Coahuila Mexico                     | 500s      | 335,00 Kč |       |
| DHF-2604-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LH 80 Arteaga Coahuila Mexico                     | 1000s     | 569,00 Kč |       |
| DHF-0572-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 12 San Bajo Zacatecas Mexico                   | 20s - 40s | 23,80 Kč  |       |
| DHF-0572-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 12 San Bajo Zacatecas Mexico                   | 42s - 60s | 45,00 Kč  |       |
| DHF-0572-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 12 San Bajo Zacatecas Mexico                   | 100s      | 90,00 Kč  |       |
| DHF-0572-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 12 San Bajo Zacatecas Mexico                   | 500s      | 335,00 Kč |       |
| DHF-0572-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 12 San Bajo Zacatecas Mexico                   | 1000s     | 569,00 Kč |       |
| DHF-0573-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 25 Barrial de Guadalupe Coahuila Mexico        | 20s - 40s | 23,80 Kč  |       |
| DHF-0573-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 25 Barrial de Guadalupe Coahuila Mexico        | 42s - 60s | 45,00 Kč  |       |
| DHF-0573-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 25 Barrial de Guadalupe Coahuila Mexico        | 100s      | 90,00 Kč  |       |
| DHF-0573-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 25 Barrial de Guadalupe Coahuila Mexico        | 500s      | 335,00 Kč |       |
| DHF-0573-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 25 Barrial de Guadalupe Coahuila Mexico        | 1000s     | 569,00 Kč |       |
| DHF-0574-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 27 Las Piranas Durango Mexico                  | 20s - 40s | 23,80 Kč  |       |
| DHF-0574-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 27 Las Piranas Durango Mexico                  | 42s - 60s | 45,00 Kč  |       |
| DHF-0574-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 27 Las Piranas Durango Mexico                  | 100s      | 90,00 Kč  |       |
| DHF-0574-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 27 Las Piranas Durango Mexico                  | 500s      | 335,00 Kč |       |
| DHF-0574-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 27 Las Piranas Durango Mexico                  | 1000s     | 569,00 Kč |       |
| DHF-0575-A | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 44 Escalon to La Cruz Chihuahua Mexico         | 20s - 40s | 23,80 Kč  |       |
| DHF-0575-B | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 44 Escalon to La Cruz Chihuahua Mexico         | 42s - 60s | 45,00 Kč  |       |
| DHF-0575-C | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 44 Escalon to La Cruz Chihuahua Mexico         | 100s      | 90,00 Kč  |       |
| DHF-0575-D | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 44 Escalon to La Cruz Chihuahua Mexico         | 500s      | 335,00 Kč |       |
| DHF-0575-E | FEROCACTUS | hamatacanthus (curved backward hooked twisted very long spines) LM 44 Escalon to La Cruz Chihuahua Mexico         | 1000s     | 569,00 Kč |       |
| DHF-0590-A | FEROCACTUS | setispinus v. setaceus (thinner hooked central spines) SB 851 Jim Hogg County Texas USA                           | 20s - 40s | 23,80 Kč  |       |
| DHF-0590-B | FEROCACTUS | setispinus v. setaceus (thinner hooked central spines) SB 851 Jim Hogg County Texas USA                           | 42s - 60s | 45,00 Kč  |       |
| DHF-0590-C | FEROCACTUS | setispinus v. setaceus (thinner hooked central spines) SB 851 Jim Hogg County Texas USA                           | 100s      | 90,00 Kč  |       |
| DHF-0590-D | FEROCACTUS | setispinus v. setaceus (thinner hooked central spines) SB 851 Jim Hogg County Texas USA                           | 500s      | 335,00 Kč |       |
| DHF-0591-A | FEROCACTUS | schwarzii (gold coloured spines) LAU 620 Rancho del Padre Sinaloa Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHF-0591-B | FEROCACTUS | schwarzii (gold coloured spines) LAU 620 Rancho del Padre Sinaloa Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHF-0591-C | FEROCACTUS | schwarzii (gold coloured spines) LAU 620 Rancho del Padre Sinaloa Mexico  | 100s      | 90,00 Kč  |       |
| DHF-0591-D | FEROCACTUS | schwarzii (gold coloured spines) LAU 620 Rancho del Padre Sinaloa Mexico  | 500s      | 335,00 Kč |       |
| DHF-0591-E | FEROCACTUS | schwarzii (gold coloured spines) LAU 620 Rancho del Padre Sinaloa Mexico  | 1000s     | 569,00 Kč |       |
| DHF-0609-A | FOSTERELA  | penduliflora (Bromeliaceae) AT-19 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHF-0609-B | FOSTERELA  | penduliflora (Bromeliaceae) AT-19 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHF-0615-A | FRAILEA    | pygmaea f. brunneo-malispina (very special older cultivate form) Czech Nursery Breclav CZ                         | 20s - 40s | 34,00 Kč  |       |
| DHF-0618-A | FRAXINUS   | americana (Oleaceae fresno americano) KAB 8 F San Rafael (Rogupani) Mendoza Argentina                             | 20s - 40s | 25,50 Kč  |       |
| DHF-0618-B | FRAXINUS   | americana (Oleaceae fresno americano) KAB 8 F San Rafael (Rogupani) Mendoza Argentina                             | 42s - 60s | 48,00 Kč  |       |
| DHF-0618-C | FRAXINUS   | americana (Oleaceae fresno americano) KAB 8 F San Rafael (Rogupani) Mendoza Argentina                             | 100s      | 96,00 Kč  |       |
| DHF-0618-D | FRAXINUS   | americana (Oleaceae fresno americano) KAB 8 F San Rafael (Rogupani) Mendoza Argentina                             | 500s      | 359,00 Kč |       |
| DHF-0618-E | FRAXINUS   | americana (Oleaceae fresno americano) KAB 8 F San Rafael (Rogupani) Mendoza Argentina                             | 1000s     | 610,00 Kč |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0620-A | GENTIANA      | crassicaulis (alpine plant France Haute Savoie alt 1400 m) AT-20 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHG-0620-B | GENTIANA      | crassicaulis (alpine plant France Haute Savoie alt 1400 m) AT-20 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHG-0620-C | GENTIANA      | crassicaulis (alpine plant France Haute Savoie alt 1400 m) AT-20 Czech Nursery CZ   | 100s      | 90,00 Kč  |       |
| DHG-0651-A | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) LB 438 San Agustin de Valle Fertil 750 m San Juan Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-0651-B | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) LB 438 San Agustin de Valle Fertil 750 m San Juan Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-0649-A | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) VS 32 A Chucuma 850 m San Juan Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0649-B | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) VS 32 A Chucuma 850 m San Juan Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0650-A | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) VS 32 B Chucuma 850 m San Juan Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0650-B | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) VS 32 B Chucuma 850 m San Juan Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0648-A | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) VS 32 Chucuma 850 m San Juan Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0648-B | GYMNOCALYCIUM | accorugatum (dull green to teal body, curved intertwined sharp spines) VS 32 Chucuma 850 m San Juan Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2538-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 381 Chuna Huasi North 10 km before Caspi Chucuna Cordoba Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-2538-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 381 Chuna Huasi North 10 km before Caspi Chucuna Cordoba Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-2538-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 381 Chuna Huasi North 10 km before Caspi Chucuna Cordoba Argentina           | 100s      | 90,00 Kč  |       |
| DHG-2538-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 381 Chuna Huasi North 10 km before Caspi Chucuna Cordoba Argentina           | 500s      | 335,00 Kč |       |
| DHG-2276-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 384 Caspi Chucuna cruce 688 m Cordoba Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-2276-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 384 Caspi Chucuna cruce 688 m Cordoba Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-2276-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 384 Caspi Chucuna cruce 688 m Cordoba Argentina                              | 100s      | 90,00 Kč  |       |
| DHG-2276-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) KL 384 Caspi Chucuna cruce 688 m Cordoba Argentina                              | 500s      | 335,00 Kč |       |
| DHG-2537-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 535 Caspi Chucuna 0,9 km North West Cordoba Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-2537-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 535 Caspi Chucuna 0,9 km North West Cordoba Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-2537-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 535 Caspi Chucuna 0,9 km North West Cordoba Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-2537-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 535 Caspi Chucuna 0,9 km North West Cordoba Argentina                       | 500s      | 335,00 Kč |       |
| DHG-2539-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 538 San Francisco de Chanar 8,1 km North West Cordoba Argentina             | 20s - 40s | 23,80 Kč  |       |
| DHG-2539-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 538 San Francisco de Chanar 8,1 km North West Cordoba Argentina             | 42s - 60s | 45,00 Kč  |       |
| DHG-2539-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 538 San Francisco de Chanar 8,1 km North West Cordoba Argentina             | 100s      | 90,00 Kč  |       |
| DHG-2539-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 538 San Francisco de Chanar 8,1 km North West Cordoba Argentina             | 500s      | 335,00 Kč |       |
| DHG-2536-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 544 Pozo del Tigre 6,25 km North East of Caspi Yacu 539 m Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-2536-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 544 Pozo del Tigre 6,25 km North East of Caspi Yacu 539 m Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-2536-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 544 Pozo del Tigre 6,25 km North East of Caspi Yacu 539 m Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHG-2536-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 544 Pozo del Tigre 6,25 km North East of Caspi Yacu 539 m Cordoba Argentina | 500s      | 335,00 Kč |       |
| DHG-0654-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 545 Pozo del Tigre about 3,75 km North West Cordoba Argentina               | 20s - 40s | 23,80 Kč  |       |
| DHG-0654-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 545 Pozo del Tigre about 3,75 km North West Cordoba Argentina               | 42s - 60s | 45,00 Kč  |       |
| DHG-0654-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 545 Pozo del Tigre about 3,75 km North West Cordoba Argentina               | 100s      | 90,00 Kč  |       |
| DHG-0654-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 545 Pozo del Tigre about 3,75 km North West Cordoba Argentina               | 500s      | 335,00 Kč |       |
| DHG-2541-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 945 El Jume 1,42 km cross Los Telares Santiago del Estero Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHG-2541-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 945 El Jume 1,42 km cross Los Telares Santiago del Estero Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHG-2541-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 945 El Jume 1,42 km cross Los Telares Santiago del Estero Argentina         | 100s      | 90,00 Kč  |       |
| DHG-2541-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 945 El Jume 1,42 km cross Los Telares Santiago del Estero Argentina         | 500s      | 335,00 Kč |       |
| DHG-2542-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 1240 El Jume Ruta RN 9 altitude 482 m Santiago del Estero Argentina          | 20s - 40s | 23,80 Kč  |       |
| DHG-2542-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 1240 El Jume Ruta RN 9 altitude 482 m Santiago del Estero Argentina          | 42s - 60s | 45,00 Kč  |       |
| DHG-2542-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 1240 El Jume Ruta RN 9 altitude 482 m Santiago del Estero Argentina          | 100s      | 90,00 Kč  |       |
| DHG-2542-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 1240 El Jume Ruta RN 9 altitude 482 m Santiago del Estero Argentina          | 500s      | 335,00 Kč |       |
| DHG-0653-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 943 Ruta 9 San Francisco de Chanar Cordoba Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHG-0653-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 943 Ruta 9 San Francisco de Chanar Cordoba Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-0653-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 943 Ruta 9 San Francisco de Chanar Cordoba Argentina                         | 100s      | 90,00 Kč  |       |
| DHG-0653-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 943 Ruta 9 San Francisco de Chanar Cordoba Argentina                         | 500s      | 335,00 Kč |       |
| DHG-2540-A | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) STO 89-277 Ojo de Agua to Rio Sumampa Santiago de Estero Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHG-2540-B | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) STO 89-277 Ojo de Agua to Rio Sumampa Santiago de Estero Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHG-2540-C | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) STO 89-277 Ojo de Agua to Rio Sumampa Santiago de Estero Argentina              | 100s      | 90,00 Kč  |       |
| DHG-2540-D | GYMNOCALYCIUM | affine Repka (news, flat and freely body, round tubercles, pale pink flowers) STO 89-277 Ojo de Agua to Rio Sumampa Santiago de Estero Argentina              | 500s      | 335,00 Kč |       |
| DHG-1068-A | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KLA 109 C San Pedro del Norte I. Cordoba Argentina                | 20s - 40s | 25,50 Kč  |       |
| DHG-1068-B | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KLA 109 C San Pedro del Norte II. Cordoba Argentina               | 42s - 60s | 48,00 Kč  |       |
| DHG-1068-C | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KLA 109 C San Pedro del Norte II. Cordoba Argentina               | 100s      | 96,00 Kč  |       |
| DHG-1069-A | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KP 316 South West of Inti Huasi II. 911 m Cordoba Argentina       | 20s - 40s | 25,50 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1069-B | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KP 316 South West of Inti Huasi II. 911 m Cordoba Argentina            | 42s - 60s | 48,00 Kč  |       |
| DHG-1069-C | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KP 316 South West of Inti Huasi II. 911 m Cordoba Argentina            | 100s      | 96,00 Kč  |       |
| DHG-1070-A | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KP 319 North of Inti Huasi 937 m Cordoba Argentina                     | 20s - 40s | 25,50 Kč  |       |
| DHG-1070-B | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KP 319 North of Inti Huasi 937 m Cordoba Argentina                     | 42s - 60s | 48,00 Kč  |       |
| DHG-1070-C | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) KP 319 North of Inti Huasi 937 m Cordoba Argentina                     | 100s      | 96,00 Kč  |       |
| DHG-1071-A | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) TOM 6-25/1 San Pedro Norte 830 m Cordoba Argentina                     | 20s - 40s | 25,50 Kč  |       |
| DHG-1071-B | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) TOM 6-25/1 San Pedro Norte 830 m Cordoba Argentina                     | 42s - 60s | 48,00 Kč  |       |
| DHG-1071-C | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) TOM 6-25/1 San Pedro Norte 830 m Cordoba Argentina                     | 100s      | 96,00 Kč  |       |
| DHG-2498-A | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) TOM 7-268/2 San Pedro Norte 4 km North Cordoba Argentina               | 20s - 40s | 25,50 Kč  |       |
| DHG-2498-B | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) TOM 7-268/2 San Pedro Norte 4 km North Cordoba Argentina               | 42s - 60s | 48,00 Kč  |       |
| DHG-2498-C | GYMNOCALYCIUM | affine v. parvuloides (flat freely stem, characteristic round tubercles, pale pink flowers) TOM 7-268/2 San Pedro Norte 4 km North Cordoba Argentina               | 100s      | 96,00 Kč  |       |
| DHG-2543-A | GYMNOCALYCIUM | affine v. saxatile Repka (news, flat and freely body, round tubercles, pale pink flowers) RER 540 Estancia Graciela 7,6 km South West Caspi Yacu Cordoba Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-0652-A | GYMNOCALYCIUM | affine v. saxatile Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 1234 Pozo Nuevo Estancia Graciela 587 m Cordoba Argentina             | 20s - 40s | 25,50 Kč  |       |
| DHG-0652-B | GYMNOCALYCIUM | affine v. saxatile Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 1234 Pozo Nuevo Estancia Graciela 587 m Cordoba Argentina             | 42s - 60s | 48,00 Kč  |       |
| DHG-0652-C | GYMNOCALYCIUM | affine v. saxatile Repka (news, flat and freely body, round tubercles, pale pink flowers) RF 1234 Pozo Nuevo Estancia Graciela 587 m Cordoba Argentina             | 100s      | 96,00 Kč  |       |
| DHG-3005-A | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) CH 1173 Miraflores to Los Angeles 662 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-3005-B | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) CH 1173 Miraflores to Los Angeles 662 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-3005-C | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) CH 1173 Miraflores to Los Angeles 662 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-3006-A | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) LF 75 Miraflores 1100 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-3006-B | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) LF 75 Miraflores 1100 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-3006-C | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) LF 75 Miraflores 1100 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0662-A | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) P 22 Concepcion 600 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0662-B | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) P 22 Concepcion 600 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0662-C | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) P 22 Concepcion 600 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-3007-A | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) VS 131 Miraflores 1100 m Catamarca Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-3007-B | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) VS 131 Miraflores 1100 m Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-3007-C | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) VS 131 Miraflores 1100 m Catamarca Argentina  | 100s      | 90,00 Kč  |       |
| DHG-3008-A | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) WP 97-302/657 Miraflores Kalvarienberg 570 m Catamarca Argentina                                      | 20s - 40s | 23,80 Kč  |       |
| DHG-3008-B | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) WP 97-302/657 Miraflores Kalvarienberg 570 m Catamarca Argentina                                      | 42s - 60s | 45,00 Kč  |       |
| DHG-3008-C | GYMNOCALYCIUM | ambatoense (white pinkish blooms and thinner densely spines) WP 97-302/657 Miraflores Kalvarienberg 570 m Catamarca Argentina                                      | 100s      | 90,00 Kč  |       |
| DHG-0666-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HA 89/229 Ascochinga La Cumbre 1600 m Cordoba Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-0666-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HA 89/229 Ascochinga La Cumbre 1600 m Cordoba Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-0666-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HA 89/229 Ascochinga La Cumbre 1600 m Cordoba Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-0666-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HA 89/229 Ascochinga La Cumbre 1600 m Cordoba Argentina                       | 500s      | 335,00 Kč |       |
| DHG-0666-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HA 89/229 Ascochinga La Cumbre 1600 m Cordoba Argentina                       | 1000s     | 569,00 Kč |       |
| DHG-0667-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HT 88/229 Sierra Chica Cordoba Argentina                                      | 20s - 40s | 23,80 Kč  |       |
| DHG-0667-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HT 88/229 Sierra Chica Cordoba Argentina                                      | 42s - 60s | 45,00 Kč  |       |
| DHG-0667-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HT 88/229 Sierra Chica Cordoba Argentina                                      | 100s      | 90,00 Kč  |       |
| DHG-0667-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HT 88/229 Sierra Chica Cordoba Argentina                                      | 500s      | 335,00 Kč |       |
| DHG-0667-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) HT 88/229 Sierra Chica Cordoba Argentina                                      | 1000s     | 569,00 Kč |       |
| DHG-2291-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) CH 1097 A Ruta 18 Agua del Rodeo Cordoba Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-2291-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) CH 1097 A Ruta 18 Agua del Rodeo Cordoba Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-2291-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) CH 1097 A Ruta 18 Agua del Rodeo Cordoba Argentina                            | 100s      | 90,00 Kč  |       |
| DHG-2291-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) CH 1097 A Ruta 18 Agua del Rodeo Cordoba Argentina                            | 500s      | 335,00 Kč |       |
| DHG-2291-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) CH 1097 A Ruta 18 Agua del Rodeo Cordoba Argentina                            | 1000s     | 569,00 Kč |       |
| DHG-0663-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) JO 874 Ongamira Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0663-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) JO 874 Ongamira Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0663-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) JO 874 Ongamira Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0663-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) JO 874 Ongamira Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0663-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) JO 874 Ongamira Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-0669-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 A Sierra Chica 2382 m Cordoba Argentina                             | 20s - 40s | 23,80 Kč  |       |
| DHG-0669-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 A Sierra Chica 2382 m Cordoba Argentina                             | 42s - 60s | 45,00 Kč  |       |
| DHG-0669-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 A Sierra Chica 2382 m Cordoba Argentina                             | 100s      | 90,00 Kč  |       |
| DHG-0669-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 A Sierra Chica 2382 m Cordoba Argentina                             | 500s      | 335,00 Kč |       |
| DHG-0669-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 A Sierra Chica 2382 m Cordoba Argentina                             | 1000s     | 569,00 Kč |       |



| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0668-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 Sierra Chica 2382 m Cordoba Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHG-0668-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 Sierra Chica 2382 m Cordoba Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHG-0668-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 Sierra Chica 2382 m Cordoba Argentina                          | 100s      | 90,00 Kč  |       |
| DHG-0668-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 Sierra Chica 2382 m Cordoba Argentina                          | 500s      | 335,00 Kč |       |
| DHG-0668-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) MT 88/229 Sierra Chica 2382 m Cordoba Argentina                          | 1000s     | 569,00 Kč |       |
| DHG-0670-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) STO 88-229/8 Sierra Chica Pass Cordoba Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHG-0670-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) STO 88-229/8 Sierra Chica Pass Cordoba Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-0670-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) STO 88-229/8 Sierra Chica Pass Cordoba Argentina                         | 100s      | 90,00 Kč  |       |
| DHG-0670-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) STO 88-229/8 Sierra Chica Pass Cordoba Argentina                         | 500s      | 335,00 Kč |       |
| DHG-0670-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) STO 88-229/8 Sierra Chica Pass Cordoba Argentina                         | 1000s     | 569,00 Kč |       |
| DHG-0665-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 A Las Tres Cascadas 1250 m Cordoba Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-0665-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 A Las Tres Cascadas 1250 m Cordoba Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-0665-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 A Las Tres Cascadas 1250 m Cordoba Argentina                      | 100s      | 90,00 Kč  |       |
| DHG-0665-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 A Las Tres Cascadas 1250 m Cordoba Argentina                      | 500s      | 335,00 Kč |       |
| DHG-0665-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 A Las Tres Cascadas 1250 m Cordoba Argentina                      | 1000s     | 569,00 Kč |       |
| DHG-0664-A | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 Las Tres Cascadas 1250 m Cordoba Argentina                        | 20s - 40s | 23,80 Kč  |       |
| DHG-0664-B | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 Las Tres Cascadas 1250 m Cordoba Argentina                        | 42s - 60s | 45,00 Kč  |       |
| DHG-0664-C | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 Las Tres Cascadas 1250 m Cordoba Argentina                        | 100s      | 90,00 Kč  |       |
| DHG-0664-D | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 Las Tres Cascadas 1250 m Cordoba Argentina                        | 500s      | 335,00 Kč |       |
| DHG-0664-E | GYMNOCALYCIUM | amerhauseri (glossy dark green bluish green greyish bodies, white pale pink flowers) VS 148 Las Tres Cascadas 1250 m Cordoba Argentina                        | 1000s     | 569,00 Kč |       |
| DHG-2535-A | GYMNOCALYCIUM | amerhauseri ssp. altagraciense (spider curved spines, large pink flowers) RF 1091 San Clemente about 1 km North 1023 m Cordoba Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-2535-B | GYMNOCALYCIUM | amerhauseri ssp. altagraciense (spider curved spines, large pink flowers) RF 1091 San Clemente about 1 km North 1023 m Cordoba Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-2302-A | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) CH 1271 Carolina to Chacras 1589 m San Luis Argentina    | 20s - 40s | 25,50 Kč  |       |
| DHG-2302-B | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) CH 1271 Carolina to Chacras 1589 m San Luis Argentina    | 42s - 60s | 48,00 Kč  |       |
| DHG-2302-C | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) CH 1271 Carolina to Chacras 1589 m San Luis Argentina    | 100s      | 96,00 Kč  |       |
| DHG-0793-A | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) KFF 1185 Pampa de la Invernada 1745 m San Luis Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-0793-B | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) KFF 1185 Pampa de la Invernada 1745 m San Luis Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-0793-C | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) KFF 1185 Pampa de la Invernada 1745 m San Luis Argentina | 100s      | 96,00 Kč  |       |
| DHG-0794-A | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) KFF 1186 Samay Huasi 1711 m San Luis Argentina           | 20s - 40s | 25,50 Kč  |       |
| DHG-0794-B | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) KFF 1186 Samay Huasi 1711 m San Luis Argentina           | 42s - 60s | 48,00 Kč  |       |
| DHG-0794-C | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) KFF 1186 Samay Huasi 1711 m San Luis Argentina           | 100s      | 96,00 Kč  |       |
| DHG-0795-A | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) MT 08-439 A Intihuasi 1509 m San Luis Argentina          | 20s - 40s | 25,50 Kč  |       |
| DHG-0795-B | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) MT 08-439 A Intihuasi 1509 m San Luis Argentina          | 42s - 60s | 48,00 Kč  |       |
| DHG-0795-C | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) MT 08-439 A Intihuasi 1509 m San Luis Argentina          | 100s      | 96,00 Kč  |       |
| DHG-0796-A | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) MT 08-439 Intihuasi 1509 m San Luis Argentina            | 20s - 40s | 25,50 Kč  |       |
| DHG-0796-B | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) MT 08-439 Intihuasi 1509 m San Luis Argentina            | 42s - 60s | 48,00 Kč  |       |
| DHG-0796-C | GYMNOCALYCIUM | andreae ssp. carolinense (blue green matt body, white occasionally light pink sweet scented flowers) MT 08-439 Intihuasi 1509 m San Luis Argentina            | 100s      | 96,00 Kč  |       |
| DHG-0675-A | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) KFF 1197 Rio Yuspe (Tanti) Cordoba Argentina                                      | 20s - 40s | 25,50 Kč  |       |
| DHG-0675-B | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) KFF 1197 Rio Yuspe (Tanti) Cordoba Argentina                                      | 42s - 60s | 48,00 Kč  |       |
| DHG-0675-C | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) KFF 1197 Rio Yuspe (Tanti) Cordoba Argentina                                      | 100s      | 96,00 Kč  |       |
| DHG-0675-D | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) KFF 1197 Rio Yuspe (Tanti) Cordoba Argentina                                      | 500s      | 359,00 Kč |       |
| DHG-0676-A | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) LF 93 Copina Cordoba Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0676-B | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) LF 93 Copina Cordoba Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-0676-C | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) LF 93 Copina Cordoba Argentina  | 100s      | 96,00 Kč  |       |
| DHG-0676-D | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) LF 93 Copina Cordoba Argentina  | 500s      | 359,00 Kč |       |
| DHG-0674-A | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) STO 90-396 West of Tanning Cordoba Argentina                                      | 20s - 40s | 25,50 Kč  |       |
| DHG-0674-B | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) STO 90-396 West of Tanning Cordoba Argentina                                      | 42s - 60s | 48,00 Kč  |       |
| DHG-0674-C | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) STO 90-396 West of Tanning Cordoba Argentina                                      | 100s      | 96,00 Kč  |       |
| DHG-0674-D | GYMNOCALYCIUM | andreae ssp. maznetteri (pure white with an pale shade of lavender flowers) STO 90-396 West of Tanning Cordoba Argentina                                      | 500s      | 359,00 Kč |       |
| DHG-0682-A | GYMNOCALYCIUM | andreae v. fechseri (doppianum, dark bluish green bronze body, sulphur yellow flowers) P 378 A Pampa de San Luis Cordoba Argentina                            | 20s - 40s | 25,50 Kč  |       |
| DHG-0682-B | GYMNOCALYCIUM | andreae v. fechseri (doppianum, dark bluish green bronze body, sulphur yellow flowers) P 378 A Pampa de San Luis Cordoba Argentina                            | 42s - 60s | 48,00 Kč  |       |
| DHG-0687-A | GYMNOCALYCIUM | anisitsii (pale green bronzing body, greenish white pale pink bright vivid pink showy flowers) Concepcion Paraguay  | 20s - 40s | 23,80 Kč  |       |
| DHG-0687-B | GYMNOCALYCIUM | anisitsii (pale green bronzing body, greenish white pale pink bright vivid pink showy flowers) Concepcion Paraguay  | 42s - 60s | 45,00 Kč  |       |
| DHG-0687-C | GYMNOCALYCIUM | anisitsii (pale green bronzing body, greenish white pale pink bright vivid pink showy flowers) Concepcion Paraguay  | 100s      | 90,00 Kč  |       |
| DHG-0688-A | GYMNOCALYCIUM | anisitsii (pale green bronzing body, greenish white pale pink bright vivid pink showy flowers) STO 95-981 Robore to Santiago 160 m Santa Cruz Bolivia         | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-0688-B | GYMNOCALYCIUM | anisitsii (pale green bronzing body, greenish white pale pink bright vivid pink showy flowers) STO 95-981 Robore to Santiago 160 m Santa Cruz Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHG-0688-C | GYMNOCALYCIUM | anisitsii (pale green bronzing body, greenish white pale pink bright vivid pink showy flowers) STO 95-981 Robore to Santiago 160 m Santa Cruz Bolivia  | 100s      | 90,00 Kč  |       |
| DHG-0690-A | GYMNOCALYCIUM | antherosteale (ribs strongly bumpy, matte brownish red spines end in a black) KBA 48 B Alemania Salta Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0690-B | GYMNOCALYCIUM | antherosteale (ribs strongly bumpy, matte brownish red spines end in a black) KBA 48 B Alemania Salta Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0690-C | GYMNOCALYCIUM | antherosteale (ribs strongly bumpy, matte brownish red spines end in a black) KBA 48 B Alemania Salta Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0690-D | GYMNOCALYCIUM | antherosteale (ribs strongly bumpy, matte brownish red spines end in a black) KBA 48 B Alemania Salta Argentina  | 500s      | 335,00 Kč |       |
| DHG-0690-E | GYMNOCALYCIUM | antherosteale (ribs strongly bumpy, matte brownish red spines end in a black) KBA 48 B Alemania Salta Argentina  | 1000s     | 569,00 Kč |       |
| DHG-0694-A | GYMNOCALYCIUM | asterium (dark greyish brown to olive coloured epidermis) FB 401 Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0694-B | GYMNOCALYCIUM | asterium (dark greyish brown to olive coloured epidermis) FB 401 Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0694-C | GYMNOCALYCIUM | asterium (dark greyish brown to olive coloured epidermis) FB 401 Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0694-D | GYMNOCALYCIUM | asterium (dark greyish brown to olive coloured epidermis) FB 401 Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0695-A | GYMNOCALYCIUM | asterium v. cinereum (dark greyish silver brown to olive coloured epidermis) Czech Nursery Hradec Kralove CZ   | 20s - 40s | 23,80 Kč  |       |
| DHG-0695-B | GYMNOCALYCIUM | asterium v. cinereum (dark greyish silver brown to olive coloured epidermis) Czech Nursery Hradec Kralove CZ   | 42s - 60s | 45,00 Kč  |       |
| DHG-0695-C | GYMNOCALYCIUM | asterium v. cinereum (dark greyish silver brown to olive coloured epidermis) Czech Nursery Hradec Kralove CZ   | 100s      | 90,00 Kč  |       |
| DHG-0695-D | GYMNOCALYCIUM | asterium v. cinereum (dark greyish silver brown to olive coloured epidermis) Czech Nursery Hradec Kralove CZ   | 500s      | 335,00 Kč |       |
| DHG-0698-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) JO 133 Sierra de Ancasti 900 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0698-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) JO 133 Sierra de Ancasti 900 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0698-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) JO 133 Sierra de Ancasti 900 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0698-D | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) JO 133 Sierra de Ancasti 900 m Catamarca Argentina   | 500s      | 335,00 Kč |       |
| DHG-2529-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) LB 1192 South of Casa Armada 880 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2529-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) LB 1192 South of Casa Armada 880 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2529-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) LB 1192 South of Casa Armada 880 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0699-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) LF 73 Cuesta El Portezuelo 2100 m Catamarca Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0699-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) LF 73 Cuesta El Portezuelo 2100 m Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0699-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) LF 73 Cuesta El Portezuelo 2100 m Catamarca Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0699-D | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) LF 73 Cuesta El Portezuelo 2100 m Catamarca Argentina  | 500s      | 335,00 Kč |       |
| DHG-2530-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) P 127 Sierra Ancasti 800 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2530-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) P 127 Sierra Ancasti 800 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2534-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 1255 El Alto above 6,2 km up RP 21 altitude 1219 m Catamarca Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-2534-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 1255 El Alto above 6,2 km up RP 21 altitude 1219 m Catamarca Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-2533-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 1257 Guayamba about 8,3 km South West 1477 m Catamarca Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-2532-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 1259 above the Cuesta del Portezuelo above the car park 1713 m Catamarca Argentina          | 20s - 40s | 23,80 Kč  |       |
| DHG-2532-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 1259 above the Cuesta del Portezuelo above the car park 1713 m Catamarca Argentina          | 42s - 60s | 45,00 Kč  |       |
| DHG-0696-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 735 Chilca Catamarca Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0696-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 735 Chilca Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0696-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 735 Chilca Catamarca Argentina  | 100s      | 90,00 Kč  |       |
| DHG-2528-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 905 above Cuesta del Portezuelo 5 km from the turnoff from RP 2 to RP42 Catamarca Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-2528-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 905 above Cuesta del Portezuelo 5 km from the turnoff from RP 2 to RP42 Catamarca Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-2528-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 905 above Cuesta del Portezuelo 5 km from the turnoff from RP 2 to RP42 Catamarca Argentina | 100s      | 90,00 Kč  |       |
| DHG-2527-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 906 Tintigasta RP 42 about 6,5 km South West Catamarca Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-2527-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 906 Tintigasta RP 42 about 6,5 km South West Catamarca Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-2527-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) RF 906 Tintigasta RP 42 about 6,5 km South West Catamarca Argentina                            | 100s      | 90,00 Kč  |       |
| DHG-0700-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 36A-96 Sierra Ambato Catamarca Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0700-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 36A-96 Sierra Ambato Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0697-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 38-96 Manchao (West) Catamarca Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0697-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 38-96 Manchao (West) Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0697-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 38-96 Manchao (West) Catamarca Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0701-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 38A-96 Las Juntas (South) Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0701-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 38A-96 Las Juntas (South) Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0701-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 38A-96 Las Juntas (South) Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0701-D | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) SL 38A-96 Las Juntas (South) Catamarca Argentina   | 500s      | 335,00 Kč |       |
| DHG-2531-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) STO 93-780 West of Sierra Graciana 1025 m Catamarca Argentina                                  | 20s - 40s | 23,80 Kč  |       |
| DHG-2531-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) STO 93-780 West of Sierra Graciana 1025 m Catamarca Argentina                                  | 42s - 60s | 45,00 Kč  |       |
| DHG-2531-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) STO 93-780 West of Sierra Graciana 1025 m Catamarca Argentina                                  | 100s      | 90,00 Kč  |       |
| DHG-0705-A | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) VS 129 Cuesta del Portezuelo Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0705-B | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) VS 129 Cuesta del Portezuelo Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0705-C | GYMNOCALYCIUM | baldianum (large deep red or variable coloured flowers) VS 129 Cuesta del Portezuelo Catamarca Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0934-A | GYMNOCALYCIUM | baldianum v. rainieri Milt (numerous shoots and larger lilac colored flowers) GN 714/3038 West side of Sierra Graciana 1025 m Catamarca Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHG-0934-B | GYMNOCALYCIUM | baldianum v. rainieri Milt (numerous shoots and larger lilac colored flowers) GN 714/3038 West side of Sierra Graciana 1025 m Catamarca Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHG-0704-A | GYMNOCALYCIUM | baldianum v. venturianum Fric (curved pale brown grey spines) IE 882 Catamarca Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0704-B | GYMNOCALYCIUM | baldianum v. venturianum Fric (curved pale brown grey spines) IE 882 Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0706-A | GYMNOCALYCIUM | bayrianum (strong curved light brown spines) GN 88-69/169 Sierra de Medina 1359 m Tucuman Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-0706-B | GYMNOCALYCIUM | bayrianum (strong curved light brown spines) GN 88-69/169 Sierra de Medina 1359 m Tucuman Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-0706-C | GYMNOCALYCIUM | bayrianum (strong curved light brown spines) GN 88-69/169 Sierra de Medina 1359 m Tucuman Argentina   | 100s      | 96,00 Kč  |       |
| DHG-0707-A | GYMNOCALYCIUM | bayrianum (strong curved light brown spines) LAU 447 Sierra Medina 1200 m Tucuman Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-0707-B | GYMNOCALYCIUM | bayrianum (strong curved light brown spines) LAU 447 Sierra Medina 1200 m Tucuman Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-0707-C | GYMNOCALYCIUM | bayrianum (strong curved light brown spines) LAU 447 Sierra Medina 1200 m Tucuman Argentina   | 100s      | 96,00 Kč  |       |
| DHG-0708-A | GYMNOCALYCIUM | bayrianum v. brevispinum (curved light brown spines) Czech Nursery Brno CZ  | 20s - 40s | 25,50 Kč  |       |
| DHG-0708-B | GYMNOCALYCIUM | bayrianum v. brevispinum (curved light brown spines) Czech Nursery Brno CZ  | 42s - 60s | 48,00 Kč  |       |
| DHG-0708-C | GYMNOCALYCIUM | bayrianum v. brevispinum (curved light brown spines) Czech Nursery Brno CZ  | 100s      | 96,00 Kč  |       |
| DHG-0709-A | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) JS 153 Los Chanares San Luis Argentina                                  | 20s - 40s | 25,50 Kč  |       |
| DHG-0709-B | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) JS 153 Los Chanares San Luis Argentina                                  | 42s - 60s | 48,00 Kč  |       |
| DHG-0709-C | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) JS 153 Los Chanares San Luis Argentina                                  | 100s      | 96,00 Kč  |       |
| DHG-0710-A | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) KBA 10 A cruce to Los Chanares 720 m San Luis Argentina                 | 20s - 40s | 25,50 Kč  |       |
| DHG-0710-B | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) KBA 10 A cruce to Los Chanares 720 m San Luis Argentina                 | 42s - 60s | 48,00 Kč  |       |
| DHG-0710-C | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) KBA 10 A cruce to Los Chanares 720 m San Luis Argentina                 | 100s      | 96,00 Kč  |       |
| DHG-2129-A | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) LF 98 Los Chanares 800 m San Luis Argentina                             | 20s - 40s | 25,50 Kč  |       |
| DHG-2129-B | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) LF 98 Los Chanares 800 m San Luis Argentina                             | 42s - 60s | 48,00 Kč  |       |
| DHG-2129-C | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) LF 98 Los Chanares 800 m San Luis Argentina                             | 100s      | 96,00 Kč  |       |
| DHG-2128-A | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) VS 161 Los Chanares San Luis Argentina                                  | 20s - 40s | 25,50 Kč  |       |
| DHG-2128-B | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) VS 161 Los Chanares San Luis Argentina                                  | 42s - 60s | 48,00 Kč  |       |
| DHG-2128-C | GYMNOCALYCIUM | berchtii (dull blackish grey blackish brown body, pearl coloured to rose flowers) VS 161 Los Chanares San Luis Argentina                                  | 100s      | 96,00 Kč  |       |
| DHG-0717-A | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) GN 157/414 Bajo de Feliz San Luis Argentina                         | 20s - 40s | 25,50 Kč  |       |
| DHG-0717-B | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) GN 157/414 Bajo de Feliz San Luis Argentina                         | 42s - 60s | 48,00 Kč  |       |
| DHG-0718-A | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) JPR 452/1548 Ruta 5 North of Los Duraznitos San Luis Argentina      | 20s - 40s | 25,50 Kč  |       |
| DHG-0718-B | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) JPR 452/1548 Ruta 5 North of Los Duraznitos San Luis Argentina      | 42s - 60s | 48,00 Kč  |       |
| DHG-0719-A | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) LB 295 Alto Pencoso Mosmote San Luis Argentina                      | 20s - 40s | 25,50 Kč  |       |
| DHG-0719-B | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) LB 295 Alto Pencoso Mosmote San Luis Argentina                      | 42s - 60s | 48,00 Kč  |       |
| DHG-0723-A | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) LB 296 La Petra San Luis Argentina                                  | 20s - 40s | 25,50 Kč  |       |
| DHG-0723-B | GYMNOCALYCIUM | borthii (grey green purplish brown body, flexible stiff straight twisted bent spines) LB 296 La Petra San Luis Argentina                                  | 42s - 60s | 48,00 Kč  |       |
| DHG-2526-A | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) MT 07-133 San Pedro 2 km altitude 782 m San Luis Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2526-B | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) MT 07-133 San Pedro 2 km altitude 782 m San Luis Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-2526-C | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) MT 07-133 San Pedro 2 km altitude 782 m San Luis Argentina | 100s      | 96,00 Kč  |       |
| DHG-2525-A | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) TOM 07-219/1 San Pedro North San Luis Argentina            | 20s - 40s | 25,50 Kč  |       |
| DHG-2525-B | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) TOM 07-219/1 San Pedro North San Luis Argentina            | 42s - 60s | 48,00 Kč  |       |
| DHG-2525-C | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) TOM 07-219/1 San Pedro North San Luis Argentina            | 100s      | 96,00 Kč  |       |
| DHG-0720-A | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) VG 411-1 Nogoli 857 m San Luis Argentina                   | 20s - 40s | 25,50 Kč  |       |
| DHG-0720-B | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) VG 411-1 Nogoli 857 m San Luis Argentina                   | 42s - 60s | 48,00 Kč  |       |
| DHG-0720-C | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) VG 411-1 Nogoli 857 m San Luis Argentina                   | 100s      | 96,00 Kč  |       |
| DHG-0721-A | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) VS 876 Nogoli San Luis Argentina                           | 20s - 40s | 25,50 Kč  |       |
| DHG-0721-B | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) VS 876 Nogoli San Luis Argentina                           | 42s - 60s | 48,00 Kč  |       |
| DHG-0721-C | GYMNOCALYCIUM | borthii ssp. nogolense (gray to red brown matt body, downward pressed protruding rigid spines) VS 876 Nogoli San Luis Argentina                           | 100s      | 96,00 Kč  |       |
| DHG-0725-A | GYMNOCALYCIUM | bozsingianum (dull grey green epidermis, rounded ribs with low tubercles, needle like radial spines) P 205 Chepes Viejo 700 m La Rioja Argentina          | 20s - 40s | 23,80 Kč  |       |
| DHG-0730-A | GYMNOCALYCIUM | bruchii (white bristly straight spines) LF 86 La Higuera 1300 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0730-B | GYMNOCALYCIUM | bruchii (white bristly straight spines) LF 86 La Higuera 1300 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0730-C | GYMNOCALYCIUM | bruchii (white bristly straight spines) LF 86 La Higuera 1300 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0730-D | GYMNOCALYCIUM | bruchii (white bristly straight spines) LF 86 La Higuera 1300 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0732-A | GYMNOCALYCIUM | bruchii ssp. lacumbrense (flat spherical little offshoot body, needle like light brown middle central spine) CH 1016 A La Cumbre 1419 m Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-0732-B | GYMNOCALYCIUM | bruchii ssp. lacumbrense (flat spherical little offshoot body, needle like light brown middle central spine) CH 1016 A La Cumbre 1419 m Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-0732-C | GYMNOCALYCIUM | bruchii ssp. lacumbrense (flat spherical little offshoot body, needle like light brown middle central spine) CH 1016 A La Cumbre 1419 m Cordoba Argentina | 100s      | 90,00 Kč  |       |



| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0750-C | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) KFF 1195 Dos Dios (San Jeronimo) 1920 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0750-D | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) KFF 1195 Dos Dios (San Jeronimo) 1920 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0753-A | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) LF 93 Copina 1500 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0753-B | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) LF 93 Copina 1500 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0753-C | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) LF 93 Copina 1500 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0753-D | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) LF 93 Copina 1500 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0751-A | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) P 214 Taninga 1850 m Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0751-B | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) P 214 Taninga 1850 m Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0751-C | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) P 214 Taninga 1850 m Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0751-D | GYMNOCALYCIUM | bruchii v. brigittae (white spines, pink flowers) P 214 Taninga 1850 m Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-0760-A | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) GN 02-1140 Ongamira Cordoba Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-0760-B | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) GN 02-1140 Ongamira Cordoba Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-0760-C | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) GN 02-1140 Ongamira Cordoba Argentina   | 100s      | 96,00 Kč  |       |
| DHG-0760-D | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) GN 02-1140 Ongamira Cordoba Argentina   | 500s      | 359,00 Kč |       |
| DHG-0758-A | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) KLA 20 A Ischlin III. (Museo Father) Cordoba Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0758-B | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) KLA 20 A Ischlin III. (Museo Father) Cordoba Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-0758-C | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) KLA 20 A Ischlin III. (Museo Father) Cordoba Argentina  | 100s      | 96,00 Kč  |       |
| DHG-0758-D | GYMNOCALYCIUM | bruchii v. niveum (bears showy pale pink flowers) KLA 20 A Ischlin III. (Museo Father) Cordoba Argentina  | 500s      | 359,00 Kč |       |
| DHG-0759-A | GYMNOCALYCIUM | bruchii v. niveum f. centrispinum (nice news, densely twisted spines) KLA 23 B Sierra Copacabana III. Cordoba Argentina                                     | 20s - 40s | 25,50 Kč  |       |
| DHG-0759-B | GYMNOCALYCIUM | bruchii v. niveum f. centrispinum (nice news, densely twisted spines) KLA 23 B Sierra Copacabana III. Cordoba Argentina                                     | 42s - 60s | 48,00 Kč  |       |
| DHG-0759-C | GYMNOCALYCIUM | bruchii v. niveum f. centrispinum (nice news, densely twisted spines) KLA 23 B Sierra Copacabana III. Cordoba Argentina                                     | 100s      | 96,00 Kč  |       |
| DHG-0759-D | GYMNOCALYCIUM | bruchii v. niveum f. centrispinum (nice news, densely twisted spines) KLA 23 B Sierra Copacabana III. Cordoba Argentina                                     | 500s      | 359,00 Kč |       |
| DHG-0767-A | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) JO 210 Tanti Cordoba Argentina                                 | 20s - 40s | 23,80 Kč  |       |
| DHG-0767-B | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) JO 210 Tanti Cordoba Argentina                                 | 42s - 60s | 45,00 Kč  |       |
| DHG-0767-C | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) JO 210 Tanti Cordoba Argentina                                 | 100s      | 90,00 Kč  |       |
| DHG-0766-A | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) JO 451 Copina Cordoba Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-0766-B | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) JO 451 Copina Cordoba Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-0766-C | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) JO 451 Copina Cordoba Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-0766-D | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) JO 451 Copina Cordoba Argentina                                | 500s      | 335,00 Kč |       |
| DHG-0761-A | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) KBA 14 A Panaholma 996 m Cordoba Argentina                     | 20s - 40s | 23,80 Kč  |       |
| DHG-0762-A | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) KFF 1191 Cuesta Cura Brochero 736 m Cordoba Argentina          | 20s - 40s | 23,80 Kč  |       |
| DHG-0762-B | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) KFF 1191 Cuesta Cura Brochero 736 m Cordoba Argentina          | 42s - 60s | 45,00 Kč  |       |
| DHG-0762-C | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) KFF 1191 Cuesta Cura Brochero 736 m Cordoba Argentina          | 100s      | 90,00 Kč  |       |
| DHG-0762-D | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) KFF 1191 Cuesta Cura Brochero 736 m Cordoba Argentina          | 500s      | 335,00 Kč |       |
| DHG-0762-E | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) KFF 1191 Cuesta Cura Brochero 736 m Cordoba Argentina          | 1000s     | 569,00 Kč |       |
| DHG-0765-A | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) ROS-SOL Czech Nursery Hradec Kralove CZ                        | 20s - 40s | 23,80 Kč  |       |
| DHG-0765-B | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) ROS-SOL Czech Nursery Hradec Kralove CZ                        | 42s - 60s | 45,00 Kč  |       |
| DHG-0765-C | GYMNOCALYCIUM | calochlorum (rough spines grayish white to pale pink wildly curved pressed against the body) ROS-SOL Czech Nursery Hradec Kralove CZ                        | 100s      | 90,00 Kč  |       |
| DHG-2198-A | GYMNOCALYCIUM | calochlorum f. rubriflorum (novelty, deep pink to reddish color of the flowers) PL 5 A Villa Carlos Paz entry Cordoba Argentina                             | 20s - 40s | 25,50 Kč  |       |
| DHG-2198-B | GYMNOCALYCIUM | calochlorum f. rubriflorum (novelty, deep pink to reddish color of the flowers) PL 5 A Villa Carlos Paz entry Cordoba Argentina                             | 42s - 60s | 48,00 Kč  |       |
| DHG-0768-A | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KLA 24 A Sierra Massa Cordoba Argentina          | 20s - 40s | 25,50 Kč  |       |
| DHG-0768-B | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KLA 24 A Sierra Massa Cordoba Argentina          | 42s - 60s | 48,00 Kč  |       |
| DHG-0768-C | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KLA 24 A Sierra Massa Cordoba Argentina          | 100s      | 96,00 Kč  |       |
| DHG-0769-A | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KP 327 Creston de Piedra 480 m Cordoba Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-0769-B | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KP 327 Creston de Piedra 480 m Cordoba Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-0769-C | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KP 327 Creston de Piedra 480 m Cordoba Argentina | 100s      | 96,00 Kč  |       |
| DHG-0770-A | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KP 330 Cerro de La Cruz 575 m Cordoba Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0770-B | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KP 330 Cerro de La Cruz 575 m Cordoba Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-0770-C | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) KP 330 Cerro de La Cruz 575 m Cordoba Argentina  | 100s      | 96,00 Kč  |       |
| DHG-0771-A | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) RER 447 Caminiaga Cordoba Argentina              | 20s - 40s | 25,50 Kč  |       |
| DHG-0771-B | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) RER 447 Caminiaga Cordoba Argentina              | 42s - 60s | 48,00 Kč  |       |
| DHG-0771-C | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) RER 447 Caminiaga Cordoba Argentina              | 100s      | 96,00 Kč  |       |
| DHG-0771-D | GYMNOCALYCIUM | campestre (novelty, gray dark green with a touch of bronze body, ribs distinctive bumps with wavy notches) RER 447 Caminiaga Cordoba Argentina              | 500s      | 359,00 Kč |       |
| DHG-0779-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) JO 213 Tanti 903 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0779-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) JO 213 Tanti 903 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0779-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) JO 213 Tanti 903 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0779-D | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) JO 213 Tanti 903 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0775-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 10 A Capilla del Monte (chapel) Cordoba Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHG-0775-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 10 A Capilla del Monte (chapel) Cordoba Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHG-0775-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 10 A Capilla del Monte (chapel) Cordoba Argentina                          | 100s      | 90,00 Kč  |       |
| DHG-0775-D | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 10 A Capilla del Monte (chapel) Cordoba Argentina                          | 500s      | 335,00 Kč |       |
| DHG-0775-E | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 10 A Capilla del Monte (chapel) Cordoba Argentina                          | 1000s     | 569,00 Kč |       |
| DHG-0776-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 13 A Ongamira II. Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0776-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 13 A Ongamira II. Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0776-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 13 A Ongamira II. Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0776-D | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 13 A Ongamira II. Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-0772-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 19 B Ischlin II. (Museo Father) Cordoba Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHG-0772-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 19 B Ischlin II. (Museo Father) Cordoba Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHG-0772-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 19 B Ischlin II. (Museo Father) Cordoba Argentina                          | 100s      | 90,00 Kč  |       |
| DHG-0772-D | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 19 B Ischlin II. (Museo Father) Cordoba Argentina                          | 500s      | 335,00 Kč |       |
| DHG-0772-E | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 19 B Ischlin II. (Museo Father) Cordoba Argentina                          | 1000s     | 569,00 Kč |       |
| DHG-0774-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 3 A Cosquin I. Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0774-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 3 A Cosquin I. Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0774-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) KLA 3 A Cosquin I. Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0782-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) SE 8 Tala Canada Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0782-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) SE 8 Tala Canada Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0782-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) SE 8 Tala Canada Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0782-D | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) SE 8 Tala Canada Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0777-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 149 Las Tres Cascadas 1250 m Cordoba Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-0777-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 149 Las Tres Cascadas 1250 m Cordoba Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-0777-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 149 Las Tres Cascadas 1250 m Cordoba Argentina                              | 100s      | 90,00 Kč  |       |
| DHG-0777-D | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 149 Las Tres Cascadas 1250 m Cordoba Argentina                              | 500s      | 335,00 Kč |       |
| DHG-0778-A | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 41 Tala Canada Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0778-B | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 41 Tala Canada Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0778-C | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 41 Tala Canada Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0778-D | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 41 Tala Canada Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-0778-E | GYMNOCALYCIUM | capillaense (long centrals, very striking colourful flowers) VS 41 Tala Canada Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-2299-A | GYMNOCALYCIUM | capillaense f. nova (brown spider spines, white yellow large flowers) Zlatko Janeba Sierra Cordoba Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-2299-B | GYMNOCALYCIUM | capillaense f. nova (brown spider spines, white yellow large flowers) Zlatko Janeba Sierra Cordoba Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-2299-C | GYMNOCALYCIUM | capillaense f. nova (brown spider spines, white yellow large flowers) Zlatko Janeba Sierra Cordoba Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-0780-A | GYMNOCALYCIUM | capillaense ssp. bisii (body similar to uruguayense, very striking colourful flowers) KP 331 Villa Albertina 870 m Cordoba Argentina        | 20s - 40s | 23,80 Kč  |       |
| DHG-0780-B | GYMNOCALYCIUM | capillaense ssp. bisii (body similar to uruguayense, very striking colourful flowers) KP 331 Villa Albertina 870 m Cordoba Argentina        | 42s - 60s | 45,00 Kč  |       |
| DHG-0780-C | GYMNOCALYCIUM | capillaense ssp. bisii (body similar to uruguayense, very striking colourful flowers) KP 331 Villa Albertina 870 m Cordoba Argentina        | 100s      | 90,00 Kč  |       |
| DHG-0781-A | GYMNOCALYCIUM | capillaense ssp. bisii (body similar to uruguayense, very striking colourful flowers) KP 339 West of Las Talas III. 905 m Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-0781-B | GYMNOCALYCIUM | capillaense ssp. bisii (body similar to uruguayense, very striking colourful flowers) KP 339 West of Las Talas III. 905 m Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-0781-C | GYMNOCALYCIUM | capillaense ssp. bisii (body similar to uruguayense, very striking colourful flowers) KP 339 West of Las Talas III. 905 m Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHG-0783-A | GYMNOCALYCIUM | capillaense v. mucidum (smaller bodies and redder epidermis) GN 91-382/1279 El Potrero 1100 m Cordoba Argentina                             | 20s - 40s | 23,80 Kč  |       |
| DHG-0783-B | GYMNOCALYCIUM | capillaense v. mucidum (smaller bodies and redder epidermis) GN 91-382/1279 El Potrero 1100 m Cordoba Argentina                             | 42s - 60s | 45,00 Kč  |       |
| DHG-0784-A | GYMNOCALYCIUM | capillaense v. mucidum (smaller bodies and redder epidermis) GN 91-383/1281 El Potrero 1050 m Cordoba Argentina                             | 20s - 40s | 23,80 Kč  |       |
| DHG-0784-B | GYMNOCALYCIUM | capillaense v. mucidum (smaller bodies and redder epidermis) GN 91-383/1281 El Potrero 1050 m Cordoba Argentina                             | 42s - 60s | 45,00 Kč  |       |
| DHG-0785-A | GYMNOCALYCIUM | capillaense v. mucidum (smaller bodies and redder epidermis) MT 08-405 La Mudana 1191 m Cordoba Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-0785-B | GYMNOCALYCIUM | capillaense v. mucidum (smaller bodies and redder epidermis) MT 08-405 La Mudana 1191 m Cordoba Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-0786-A | GYMNOCALYCIUM | capillaense v. sigelianum (paler flowers with very coloured spines) CH 1300 San Jeronimo to Tala Canada 1427 m Cordoba Argentina            | 20s - 40s | 23,80 Kč  |       |
| DHG-0786-B | GYMNOCALYCIUM | capillaense v. sigelianum (paler flowers with very coloured spines) CH 1300 San Jeronimo to Tala Canada 1427 m Cordoba Argentina            | 42s - 60s | 45,00 Kč  |       |
| DHG-0786-C | GYMNOCALYCIUM | capillaense v. sigelianum (paler flowers with very coloured spines) CH 1300 San Jeronimo to Tala Canada 1427 m Cordoba Argentina            | 100s      | 90,00 Kč  |       |
| DHG-0791-A | GYMNOCALYCIUM | carminanthum (beautiful bright carmine red flowers) BO 130 A Sierra de Ambato Catamarca Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2127-A | GYMNOCALYCIUM | carminanthum (beautiful bright carmine red flowers) BO 130 Sierra de Ambato Catamarca Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2321-A | GYMNOCALYCIUM | carminanthum (beautiful bright carmine red flowers) LF 74 Los Angeles 1500 m Catamarca Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0792-A | GYMNOCALYCIUM | carminanthum (beautiful bright carmine red flowers) SL 34 A-96 Sierra Ambato 1300 m Catamarca Argentina                                     | 20s - 40s | 25,50 Kč  |       |
| DHG-2502-A | GYMNOCALYCIUM | carminanthum (beautiful bright carmine red flowers) SL 37 A-96 El Rodeo Paso 10 km before Catamarca Capital Cordoba Argentina               | 20s - 40s | 25,50 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-2504-A | GYMNOCALYCIUM | carminanthum (beautiful bright carmine red flowers) STO 90-366 North East of El Rodeo Catamarca Argentina                                      | 20s - 40s | 25,50 Kč  |       |
| DHG-2503-A | GYMNOCALYCIUM | carminanthum (beautiful bright carmine red flowers) STO 90-367/2 West of Las Juntas Catamarca Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0806-A | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) LF 70 Capillitas Catamarca Argentina                          | 20s - 40s | 25,50 Kč  |       |
| DHG-0806-B | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) LF 70 Capillitas Catamarca Argentina                          | 42s - 60s | 48,00 Kč  |       |
| DHG-0806-C | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) LF 70 Capillitas Catamarca Argentina                          | 100s      | 96,00 Kč  |       |
| DHG-0806-D | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) LF 70 Capillitas Catamarca Argentina                          | 500s      | 359,00 Kč |       |
| DHG-2126-A | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) MT 11-495 Joyango 1241 m Catamarca Argentina                  | 20s - 40s | 25,50 Kč  |       |
| DHG-2126-B | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) MT 11-495 Joyango 1241 m Catamarca Argentina                  | 42s - 60s | 48,00 Kč  |       |
| DHG-2126-C | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) MT 11-495 Joyango 1241 m Catamarca Argentina                  | 100s      | 96,00 Kč  |       |
| DHG-2126-D | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) MT 11-495 Joyango 1241 m Catamarca Argentina                  | 500s      | 359,00 Kč |       |
| DHG-0807-A | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) RF 240 Andalgalá Belén Road km 25 (ripio) Catamarca Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-0807-B | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) RF 240 Andalgalá Belén Road km 25 (ripio) Catamarca Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-0807-C | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) RF 240 Andalgalá Belén Road km 25 (ripio) Catamarca Argentina | 100s      | 96,00 Kč  |       |
| DHG-0807-D | GYMNOCALYCIUM | catamarcense (gray brown green body, spines flattened strongly bent to the body) RF 240 Andalgalá Belén Road km 25 (ripio) Catamarca Argentina | 500s      | 359,00 Kč |       |
| DHG-0805-A | GYMNOCALYCIUM | catamarcense f. ensispinum (flat straight curved sword like long spines) MT 08-370 Cuesta de la Chilca 1342 m Catamarca Argentina              | 20s - 40s | 25,50 Kč  |       |
| DHG-0805-B | GYMNOCALYCIUM | catamarcense f. ensispinum (flat straight curved sword like long spines) MT 08-370 Cuesta de la Chilca 1342 m Catamarca Argentina              | 42s - 60s | 48,00 Kč  |       |
| DHG-0805-C | GYMNOCALYCIUM | catamarcense f. ensispinum (flat straight curved sword like long spines) MT 08-370 Cuesta de la Chilca 1342 m Catamarca Argentina              | 100s      | 96,00 Kč  |       |
| DHG-0804-A | GYMNOCALYCIUM | catamarcense v. belenense (very thick dark grey to black spines) MS 239 Andalgalá to Belén km 25 (gravel) 916 m Catamarca Argentina            | 20s - 40s | 25,50 Kč  |       |
| DHG-0803-A | GYMNOCALYCIUM | catamarcense v. belenense (very thick dark grey to black spines) MT 07-256 B Belén to Andalgalá km 29 altitude 1100 m Catamarca Argentina      | 20s - 40s | 25,50 Kč  |       |
| DHG-0809-A | GYMNOCALYCIUM | catamarcense v. belenense (very thick dark grey to black spines) RF 247 Londres Ruta 40 km 91 altitude 1153 m Catamarca Argentina              | 20s - 40s | 25,50 Kč  |       |
| DHG-0808-A | GYMNOCALYCIUM | catamarcense v. belenense (very thick dark grey to black spines) VS 64 Cuesta de Belén 1200 m Catamarca Argentina                              | 20s - 40s | 25,50 Kč  |       |
| DHG-0810-A | GYMNOCALYCIUM | catamarcense v. montanum (spines more covering the body of the plant) CH 1215 Hualfin 1915 m Catamarca Argentina                               | 20s - 40s | 25,50 Kč  |       |
| DHG-0810-B | GYMNOCALYCIUM | catamarcense v. montanum (spines more covering the body of the plant) CH 1215 Hualfin 1915 m Catamarca Argentina                               | 42s - 60s | 48,00 Kč  |       |
| DHG-0810-C | GYMNOCALYCIUM | catamarcense v. montanum (spines more covering the body of the plant) CH 1215 Hualfin 1915 m Catamarca Argentina                               | 100s      | 96,00 Kč  |       |
| DHG-0811-A | GYMNOCALYCIUM | comarapense (very stiff bent backward spines) MS 420 Comarapa 1649 m Santa Cruz Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHG-0811-B | GYMNOCALYCIUM | comarapense (very stiff bent backward spines) MS 420 Comarapa 1649 m Santa Cruz Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHG-0811-C | GYMNOCALYCIUM | comarapense (very stiff bent backward spines) MS 420 Comarapa 1649 m Santa Cruz Bolivia  | 100s      | 90,00 Kč  |       |
| DHG-0811-D | GYMNOCALYCIUM | comarapense (very stiff bent backward spines) MS 420 Comarapa 1649 m Santa Cruz Bolivia  | 500s      | 335,00 Kč |       |
| DHG-0811-E | GYMNOCALYCIUM | comarapense (very stiff bent backward spines) MS 420 Comarapa 1649 m Santa Cruz Bolivia  | 1000s     | 569,00 Kč |       |
| DHG-0812-A | GYMNOCALYCIUM | curvispinum (curved thick flattened interwoven spines) FRIC 1929 Villa Dolores to Sierra Ancasti Catamarca Argentina                           | 20s - 40s | 25,50 Kč  |       |
| DHG-0812-B | GYMNOCALYCIUM | curvispinum (curved thick flattened interwoven spines) FRIC 1929 Villa Dolores to Sierra Ancasti Catamarca Argentina                           | 42s - 60s | 48,00 Kč  |       |
| DHG-2303-A | GYMNOCALYCIUM | damsii v. rotundulum (characteristic horizontal clear and dark strips) JD 227 Robore Santa Cruz Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHG-2303-B | GYMNOCALYCIUM | damsii v. rotundulum (characteristic horizontal clear and dark strips) JD 227 Robore Santa Cruz Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHG-2303-C | GYMNOCALYCIUM | damsii v. rotundulum (characteristic horizontal clear and dark strips) JD 227 Robore Santa Cruz Bolivia  | 100s      | 90,00 Kč  |       |
| DHG-0815-A | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 A Puerto Madryn Chubut Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0815-B | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 A Puerto Madryn Chubut Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-0815-C | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 A Puerto Madryn Chubut Argentina  | 100s      | 96,00 Kč  |       |
| DHG-0815-D | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 A Puerto Madryn Chubut Argentina  | 500s      | 359,00 Kč |       |
| DHG-0814-A | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 Puerto Madryn Chubut Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0814-B | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 Puerto Madryn Chubut Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-0814-C | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 Puerto Madryn Chubut Argentina  | 100s      | 96,00 Kč  |       |
| DHG-0814-D | GYMNOCALYCIUM | dubniorum (really best bigger flowers) JPR 92-68/154 Puerto Madryn Chubut Argentina  | 500s      | 359,00 Kč |       |
| DHG-0827-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 A Dorothea Muhr Córdoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0827-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 A Dorothea Muhr Córdoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0827-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 A Dorothea Muhr Córdoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0827-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 A Dorothea Muhr Córdoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0827-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 A Dorothea Muhr Córdoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-0826-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 Dorothea Muhr Córdoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0826-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 Dorothea Muhr Córdoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0826-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 Dorothea Muhr Córdoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0826-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 Dorothea Muhr Córdoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0826-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) B 184 Dorothea Muhr Córdoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-0816-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) CH 1164 San Pedro del Norte to San Francisco de Chanar 912 m Córdoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0816-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) CH 1164 San Pedro del Norte to San Francisco de Chanar 912 m Córdoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0816-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) CH 1164 San Pedro del Norte to San Francisco de Chanar 912 m Córdoba Argentina  | 100s      | 90,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0816-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) CH 1164 San Pedro del Norte to San Francisco de Chanar 912 m Cordoba Argentina | 500s      | 335,00 Kč |       |
| DHG-0816-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) CH 1164 San Pedro del Norte to San Francisco de Chanar 912 m Cordoba Argentina | 1000s     | 569,00 Kč |       |
| DHG-0817-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) JN 167 Villa Albertina II. 987 m Cordoba Argentina                             | 20s - 40s | 23,80 Kč  |       |
| DHG-0817-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) JN 167 Villa Albertina II. 987 m Cordoba Argentina                             | 42s - 60s | 45,00 Kč  |       |
| DHG-0817-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) JN 167 Villa Albertina II. 987 m Cordoba Argentina                             | 100s      | 90,00 Kč  |       |
| DHG-0817-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) JN 167 Villa Albertina II. 987 m Cordoba Argentina                             | 500s      | 335,00 Kč |       |
| DHG-0817-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) JN 167 Villa Albertina II. 987 m Cordoba Argentina                             | 1000s     | 569,00 Kč |       |
| DHG-0818-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 318 Inti Huasi 937 m Cordoba Argentina                                      | 20s - 40s | 23,80 Kč  |       |
| DHG-0818-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 318 Inti Huasi 937 m Cordoba Argentina                                      | 42s - 60s | 45,00 Kč  |       |
| DHG-0818-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 318 Inti Huasi 937 m Cordoba Argentina                                      | 100s      | 90,00 Kč  |       |
| DHG-0818-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 318 Inti Huasi 937 m Cordoba Argentina                                      | 500s      | 335,00 Kč |       |
| DHG-0818-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 318 Inti Huasi 937 m Cordoba Argentina                                      | 1000s     | 569,00 Kč |       |
| DHG-0819-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 333 South West of Las Talas 871 m Cordoba Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHG-0819-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 333 South West of Las Talas 871 m Cordoba Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-0819-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 333 South West of Las Talas 871 m Cordoba Argentina                         | 100s      | 90,00 Kč  |       |
| DHG-0819-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 333 South West of Las Talas 871 m Cordoba Argentina                         | 500s      | 335,00 Kč |       |
| DHG-0819-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 333 South West of Las Talas 871 m Cordoba Argentina                         | 1000s     | 569,00 Kč |       |
| DHG-0820-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 335 Santa Catalina to Villa Albertina 980 m Cordoba Argentina               | 20s - 40s | 23,80 Kč  |       |
| DHG-0820-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 335 Santa Catalina to Villa Albertina 980 m Cordoba Argentina               | 42s - 60s | 45,00 Kč  |       |
| DHG-0820-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 335 Santa Catalina to Villa Albertina 980 m Cordoba Argentina               | 100s      | 90,00 Kč  |       |
| DHG-0820-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 335 Santa Catalina to Villa Albertina 980 m Cordoba Argentina               | 500s      | 335,00 Kč |       |
| DHG-0820-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) KP 335 Santa Catalina to Villa Albertina 980 m Cordoba Argentina               | 1000s     | 569,00 Kč |       |
| DHG-0821-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RER 353 Villa Albertina Sierra Ischilin Cordoba Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-0821-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RER 353 Villa Albertina Sierra Ischilin Cordoba Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-0821-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RER 353 Villa Albertina Sierra Ischilin Cordoba Argentina                      | 100s      | 90,00 Kč  |       |
| DHG-0821-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RER 353 Villa Albertina Sierra Ischilin Cordoba Argentina                      | 500s      | 335,00 Kč |       |
| DHG-0821-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RER 353 Villa Albertina Sierra Ischilin Cordoba Argentina                      | 1000s     | 569,00 Kč |       |
| DHG-0822-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RF 1223 San Pedro Norte (balneario) Cordoba Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHG-0822-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RF 1223 San Pedro Norte (balneario) Cordoba Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHG-0822-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RF 1223 San Pedro Norte (balneario) Cordoba Argentina                          | 100s      | 90,00 Kč  |       |
| DHG-0822-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RF 1223 San Pedro Norte (balneario) Cordoba Argentina                          | 500s      | 335,00 Kč |       |
| DHG-0822-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) RF 1223 San Pedro Norte (balneario) Cordoba Argentina                          | 1000s     | 569,00 Kč |       |
| DHG-0823-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 89-289/1 San Pedro de Toyos Cordoba Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-0823-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 89-289/1 San Pedro de Toyos Cordoba Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-0823-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 89-289/1 San Pedro de Toyos Cordoba Argentina                              | 100s      | 90,00 Kč  |       |
| DHG-0823-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 89-289/1 San Pedro de Toyos Cordoba Argentina                              | 500s      | 335,00 Kč |       |
| DHG-0823-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 89-289/1 San Pedro de Toyos Cordoba Argentina                              | 1000s     | 569,00 Kč |       |
| DHG-0824-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 90-352/2 El Sauce to Rio Pinto Cordoba Argentina                           | 20s - 40s | 23,80 Kč  |       |
| DHG-0824-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 90-352/2 El Sauce to Rio Pinto Cordoba Argentina                           | 42s - 60s | 45,00 Kč  |       |
| DHG-0824-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 90-352/2 El Sauce to Rio Pinto Cordoba Argentina                           | 100s      | 90,00 Kč  |       |
| DHG-0824-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 90-352/2 El Sauce to Rio Pinto Cordoba Argentina                           | 500s      | 335,00 Kč |       |
| DHG-0824-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) STO 90-352/2 El Sauce to Rio Pinto Cordoba Argentina                           | 1000s     | 569,00 Kč |       |
| DHG-0833-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 00-363/759 Villa Albertina Cordoba Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-0833-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 00-363/759 Villa Albertina Cordoba Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-0833-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 00-363/759 Villa Albertina Cordoba Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-0833-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 00-363/759 Villa Albertina Cordoba Argentina                                | 500s      | 335,00 Kč |       |
| DHG-0833-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 00-363/759 Villa Albertina Cordoba Argentina                                | 1000s     | 569,00 Kč |       |
| DHG-0832-A | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 89-108/143 Canada de Rio Pinto 750 m Cordoba Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-0832-B | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 89-108/143 Canada de Rio Pinto 750 m Cordoba Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-0832-C | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 89-108/143 Canada de Rio Pinto 750 m Cordoba Argentina                      | 100s      | 90,00 Kč  |       |
| DHG-0832-D | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 89-108/143 Canada de Rio Pinto 750 m Cordoba Argentina                      | 500s      | 335,00 Kč |       |
| DHG-0832-E | GYMNOCALYCIUM | erinaceum (dark grey green brownish glaucous small shiny stem) WP 89-108/143 Canada de Rio Pinto 750 m Cordoba Argentina                      | 1000s     | 569,00 Kč |       |
| DHG-0828-A | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KFF 1211 San Pedro del Norte 947 m Cordoba Argentina            | 20s - 40s | 25,50 Kč  |       |
| DHG-0828-B | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KFF 1211 San Pedro del Norte 947 m Cordoba Argentina            | 42s - 60s | 48,00 Kč  |       |
| DHG-0828-C | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KFF 1211 San Pedro del Norte 947 m Cordoba Argentina            | 100s      | 96,00 Kč  |       |



| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0828-D | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KFF 1211 San Pedro del Norte 947 m Cordoba Argentina                    | 500s      | 359,00 Kč |       |
| DHG-0828-E | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KFF 1211 San Pedro del Norte 947 m Cordoba Argentina                    | 1000s     | 610,00 Kč |       |
| DHG-0829-A | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KP 315 Villa Tulumba 905 m Cordoba Argentina                            | 20s - 40s | 25,50 Kč  |       |
| DHG-0829-B | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KP 315 Villa Tulumba 905 m Cordoba Argentina                            | 42s - 60s | 48,00 Kč  |       |
| DHG-0829-C | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KP 315 Villa Tulumba 905 m Cordoba Argentina                            | 100s      | 96,00 Kč  |       |
| DHG-0829-D | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KP 315 Villa Tulumba 905 m Cordoba Argentina                            | 500s      | 359,00 Kč |       |
| DHG-0829-E | GYMNOCALYCIUM | erinaceum ssp. frelichii (news, tufts plants, downward hooked central spines) KP 315 Villa Tulumba 905 m Cordoba Argentina                            | 1000s     | 610,00 Kč |       |
| DHG-0830-A | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) JPR 95-193/587 Ongamira 1000 m Cordoba Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-0830-B | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) JPR 95-193/587 Ongamira 1000 m Cordoba Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-0830-C | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) JPR 95-193/587 Ongamira 1000 m Cordoba Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-0830-D | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) JPR 95-193/587 Ongamira 1000 m Cordoba Argentina                       | 500s      | 335,00 Kč |       |
| DHG-0830-E | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) JPR 95-193/587 Ongamira 1000 m Cordoba Argentina                       | 1000s     | 569,00 Kč |       |
| DHG-0831-A | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) LF 85 Ongamira 1200 m Cordoba Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-0831-B | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) LF 85 Ongamira 1200 m Cordoba Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-0831-C | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) LF 85 Ongamira 1200 m Cordoba Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-0831-D | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) LF 85 Ongamira 1200 m Cordoba Argentina                                | 500s      | 335,00 Kč |       |
| DHG-0831-E | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) LF 85 Ongamira 1200 m Cordoba Argentina                                | 1000s     | 569,00 Kč |       |
| DHG-0825-A | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) RF 1145 Museo Fader Cordoba Argentina                                  | 20s - 40s | 23,80 Kč  |       |
| DHG-0825-B | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) RF 1145 Museo Fader Cordoba Argentina                                  | 42s - 60s | 45,00 Kč  |       |
| DHG-0825-C | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) RF 1145 Museo Fader Cordoba Argentina                                  | 100s      | 90,00 Kč  |       |
| DHG-0825-D | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) RF 1145 Museo Fader Cordoba Argentina                                  | 500s      | 335,00 Kč |       |
| DHG-0825-E | GYMNOCALYCIUM | erinaceum v. paucisquamosum sensu Piltz (transition form close to amerhauseri) RF 1145 Museo Fader Cordoba Argentina                                  | 1000s     | 569,00 Kč |       |
| DHG-2123-A | GYMNOCALYCIUM | esperanzae (epidermis like silver grey Copiapoa) CH 1417 Nuevo Esperanza 519 m La Rioja Argentina   | 20s - 40s | 59,50 Kč  |       |
| DHG-2197-A | GYMNOCALYCIUM | esperanzae (epidermis like silver grey Copiapoa) JPR 660/2270 Nuevo Esperanza 519 m La Rioja Argentina  | 20s - 40s | 59,50 Kč  |       |
| DHG-2125-A | GYMNOCALYCIUM | esperanzae (epidermis like silver grey Copiapoa) RF 569 Nuevo Esperanza 519 m La Rioja Argentina  | 20s - 40s | 59,50 Kč  |       |
| DHG-2124-A | GYMNOCALYCIUM | esperanzae (epidermis like silver grey Copiapoa) TOM 436.1 Nuevo Esperanza West La Rioja Argentina  | 20s - 40s | 59,50 Kč  |       |
| DHG-0836-A | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) FR 1178 at foot of Cerro Leon Alto Paraguay Paraguay   | 20s - 40s | 23,80 Kč  |       |
| DHG-0836-B | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) FR 1178 at foot of Cerro Leon Alto Paraguay Paraguay   | 42s - 60s | 45,00 Kč  |       |
| DHG-0836-C | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) FR 1178 at foot of Cerro Leon Alto Paraguay Paraguay   | 100s      | 90,00 Kč  |       |
| DHG-0834-A | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) STO 96-1215/1 Cerro Leon 250 m Alto Paraguay   | 20s - 40s | 23,80 Kč  |       |
| DHG-0834-B | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) STO 96-1215/1 Cerro Leon 250 m Alto Paraguay   | 42s - 60s | 45,00 Kč  |       |
| DHG-0834-C | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) STO 96-1215/1 Cerro Leon 250 m Alto Paraguay   | 100s      | 90,00 Kč  |       |
| DHG-0835-A | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) STO 96-1216/1 Capitan Pablo Lagerenza 275 m Alto Paraguay Paraguay                                       | 20s - 40s | 23,80 Kč  |       |
| DHG-0835-B | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) STO 96-1216/1 Capitan Pablo Lagerenza 275 m Alto Paraguay Paraguay                                       | 42s - 60s | 45,00 Kč  |       |
| DHG-0835-C | GYMNOCALYCIUM | eurypleurum (dull olive green brownish body) STO 96-1216/1 Capitan Pablo Lagerenza 275 m Alto Paraguay Paraguay                                       | 100s      | 90,00 Kč  |       |
| DHG-2121-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) Czech Nursery Breclav CZ   | 20s - 40s | 25,50 Kč  |       |
| DHG-2121-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) Czech Nursery Breclav CZ   | 42s - 60s | 48,00 Kč  |       |
| DHG-2121-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) Czech Nursery Breclav CZ   | 100s      | 96,00 Kč  |       |
| DHG-0840-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) JO 123 Aimogasta La Rioja Argentina                                  | 20s - 40s | 25,50 Kč  |       |
| DHG-0840-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) JO 123 Aimogasta La Rioja Argentina                                  | 42s - 60s | 48,00 Kč  |       |
| DHG-0840-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) JO 123 Aimogasta La Rioja Argentina                                  | 100s      | 96,00 Kč  |       |
| DHG-0844-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) KFF 1255 Terma Santa Terezita 972 m La Rioja Argentina               | 20s - 40s | 25,50 Kč  |       |
| DHG-0844-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) KFF 1255 Terma Santa Terezita 972 m La Rioja Argentina               | 42s - 60s | 48,00 Kč  |       |
| DHG-0844-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) KFF 1255 Terma Santa Terezita 972 m La Rioja Argentina               | 100s      | 96,00 Kč  |       |
| DHG-0841-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) KL 451 Santa Terezita 733 m La Rioja Argentina                       | 20s - 40s | 25,50 Kč  |       |
| DHG-0841-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) KL 451 Santa Terezita 733 m La Rioja Argentina                       | 42s - 60s | 48,00 Kč  |       |
| DHG-0841-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) KL 451 Santa Terezita 733 m La Rioja Argentina                       | 100s      | 96,00 Kč  |       |
| DHG-0842-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) LF 33 Terma Santa Terezita 1000 m La Rioja Argentina                 | 20s - 40s | 25,50 Kč  |       |
| DHG-0842-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) LF 33 Terma Santa Terezita 1000 m La Rioja Argentina                 | 42s - 60s | 48,00 Kč  |       |
| DHG-0842-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) LF 33 Terma Santa Terezita 1000 m La Rioja Argentina                 | 100s      | 96,00 Kč  |       |
| DHG-0843-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) P 136 Estancia Mazan 1000 m La Rioja Argentina                       | 20s - 40s | 25,50 Kč  |       |
| DHG-0843-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) P 136 Estancia Mazan 1000 m La Rioja Argentina                       | 42s - 60s | 48,00 Kč  |       |
| DHG-0843-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) P 136 Estancia Mazan 1000 m La Rioja Argentina                       | 100s      | 96,00 Kč  |       |
| DHG-2523-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) STO 87-48 Estancia Mazan to Santa Teresita right Catamarca Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2523-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) STO 87-48 Estancia Mazan to Santa Teresita right Catamarca Argentina | 42s - 60s | 48,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-2523-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) STO 87-48 Estancia Mazan to Santa Teresita right Catamarca Argentina      | 100s      | 96,00 Kč  |       |
| DHG-2522-A | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) STO 87-49 Estancia Mazan to Santa Teresita left 750 m Catamarca Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2522-B | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) STO 87-49 Estancia Mazan to Santa Teresita left 750 m Catamarca Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-2522-C | GYMNOCALYCIUM | ferrarii (redder epidermis, downward and sideward directed needle shaped spines) STO 87-49 Estancia Mazan to Santa Teresita left 750 m Catamarca Argentina | 100s      | 96,00 Kč  |       |
| DHG-2521-A | GYMNOCALYCIUM | fischeri (gray brown radiating rigid spines, funnel shaped white to pale pink flowers) JPR 92-95/219 Cebrada de los Condores 1000 m San Luis Argentina     | 20s - 40s | 23,80 Kč  |       |
| DHG-0851-A | GYMNOCALYCIUM | fischeri (gray brown radiating rigid spines, funnel shaped white to pale pink flowers) LF 5 El Volcan 1000 m San Luis Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-0851-B | GYMNOCALYCIUM | fischeri (gray brown radiating rigid spines, funnel shaped white to pale pink flowers) LF 5 El Volcan 1000 m San Luis Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-0851-C | GYMNOCALYCIUM | fischeri (gray brown radiating rigid spines, funnel shaped white to pale pink flowers) LF 5 El Volcan 1000 m San Luis Argentina                            | 100s      | 90,00 Kč  |       |
| DHG-2520-A | GYMNOCALYCIUM | fischeri ssp. monte-de-oroensis (markedly square ribs pressed to stem, dark pink reddish flowers) KFF 1181 Cuesta Larga 960 m San Luis Argentina           | 20s - 40s | 25,50 Kč  |       |
| DHG-2520-B | GYMNOCALYCIUM | fischeri ssp. monte-de-oroensis (markedly square ribs pressed to stem, dark pink reddish flowers) KFF 1181 Cuesta Larga 960 m San Luis Argentina           | 42s - 60s | 48,00 Kč  |       |
| DHG-0850-A | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) KFF 1156 Suyuque Nuevo 1182 m San Luis Argentina       | 20s - 40s | 23,80 Kč  |       |
| DHG-0846-A | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) LF 8 A Suyuque Nuevo 1550 m San Luis Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHG-0846-B | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) LF 8 A Suyuque Nuevo 1550 m San Luis Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHG-0846-C | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) LF 8 A Suyuque Nuevo 1550 m San Luis Argentina         | 100s      | 90,00 Kč  |       |
| DHG-0847-A | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) RF 455 Suyuque Nuevo San Luis Argentina                | 20s - 40s | 23,80 Kč  |       |
| DHG-0847-B | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) RF 455 Suyuque Nuevo San Luis Argentina                | 42s - 60s | 45,00 Kč  |       |
| DHG-0847-C | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) RF 455 Suyuque Nuevo San Luis Argentina                | 100s      | 90,00 Kč  |       |
| DHG-0848-A | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) VS 12 Las Chacras 990 m San Luis Argentina             | 20s - 40s | 23,80 Kč  |       |
| DHG-0848-B | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) VS 12 Las Chacras 990 m San Luis Argentina             | 42s - 60s | 45,00 Kč  |       |
| DHG-0848-C | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) VS 12 Las Chacras 990 m San Luis Argentina             | 100s      | 90,00 Kč  |       |
| DHG-0849-A | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) VS 8 Suyuque Nuevo 1550 m San Luis Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-0849-B | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) VS 8 Suyuque Nuevo 1550 m San Luis Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-0849-C | GYMNOCALYCIUM | fischeri ssp. suyuquense (serrate like spines straight to the stem, slightly curved, white flowers) VS 8 Suyuque Nuevo 1550 m San Luis Argentina           | 100s      | 90,00 Kč  |       |
| DHG-0862-A | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) B 42 Villa Rafael Benegas 900 m Cordoba Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-0862-B | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) B 42 Villa Rafael Benegas 900 m Cordoba Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-0862-C | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) B 42 Villa Rafael Benegas 900 m Cordoba Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-0862-D | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) B 42 Villa Rafael Benegas 900 m Cordoba Argentina                                | 500s      | 335,00 Kč |       |
| DHG-2518-A | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-382/1279 El Potrero 1100 m Cordoba Argentina                               | 20s - 40s | 23,80 Kč  |       |
| DHG-2518-B | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-382/1279 El Potrero 1100 m Cordoba Argentina                               | 42s - 60s | 45,00 Kč  |       |
| DHG-2518-C | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-382/1279 El Potrero 1100 m Cordoba Argentina                               | 100s      | 90,00 Kč  |       |
| DHG-2518-D | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-382/1279 El Potrero 1100 m Cordoba Argentina                               | 500s      | 335,00 Kč |       |
| DHG-2519-A | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-383/1281 El Potrero 1050 m Cordoba Argentina                               | 20s - 40s | 23,80 Kč  |       |
| DHG-2519-B | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-383/1281 El Potrero 1050 m Cordoba Argentina                               | 42s - 60s | 45,00 Kč  |       |
| DHG-2519-C | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-383/1281 El Potrero 1050 m Cordoba Argentina                               | 100s      | 90,00 Kč  |       |
| DHG-2519-D | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) GN 91-383/1281 El Potrero 1050 m Cordoba Argentina                               | 500s      | 335,00 Kč |       |
| DHG-0863-A | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) JL 417 Villa Rafael Benegas Cordoba Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHG-0863-B | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) JL 417 Villa Rafael Benegas Cordoba Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHG-0863-C | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) JL 417 Villa Rafael Benegas Cordoba Argentina                                    | 100s      | 90,00 Kč  |       |
| DHG-0863-D | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) JL 417 Villa Rafael Benegas Cordoba Argentina                                    | 500s      | 335,00 Kč |       |
| DHG-0861-A | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) RF 1320 Panaholma Rio 972 m Cordoba Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHG-0861-B | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) RF 1320 Panaholma Rio 972 m Cordoba Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHG-0861-C | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) RF 1320 Panaholma Rio 972 m Cordoba Argentina                                    | 100s      | 90,00 Kč  |       |
| DHG-0861-D | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) RF 1320 Panaholma Rio 972 m Cordoba Argentina                                    | 500s      | 335,00 Kč |       |
| DHG-0859-A | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) WP 00-356/751 North of Mina Clavero Camp Sahu 1250 m Cordoba Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-0859-B | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) WP 00-356/751 North of Mina Clavero Camp Sahu 1250 m Cordoba Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-0859-C | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) WP 00-356/751 North of Mina Clavero Camp Sahu 1250 m Cordoba Argentina           | 100s      | 90,00 Kč  |       |
| DHG-0859-D | GYMNOCALYCIUM | gaponii (straight slightly curved spines rigid with a reddish brown base) WP 00-356/751 North of Mina Clavero Camp Sahu 1250 m Cordoba Argentina           | 500s      | 335,00 Kč |       |
| DHG-0864-A | GYMNOCALYCIUM | gaponii ssp. geyeri (darker stem, thorns thinner and always deep pink flowers) RF 1313 Ambul Las Chacras Cordoba Argentina                                 | 20s - 40s | 25,50 Kč  |       |
| DHG-0864-B | GYMNOCALYCIUM | gaponii ssp. geyeri (darker stem, thorns thinner and always deep pink flowers) RF 1313 Ambul Las Chacras Cordoba Argentina                                 | 42s - 60s | 48,00 Kč  |       |
| DHG-0864-C | GYMNOCALYCIUM | gaponii ssp. geyeri (darker stem, thorns thinner and always deep pink flowers) RF 1313 Ambul Las Chacras Cordoba Argentina                                 | 100s      | 96,00 Kč  |       |
| DHG-0864-D | GYMNOCALYCIUM | gaponii ssp. geyeri (darker stem, thorns thinner and always deep pink flowers) RF 1313 Ambul Las Chacras Cordoba Argentina                                 | 500s      | 359,00 Kč |       |
| DHG-0860-A | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1304 Cienaga del Coro 4 km South 1030 m Cordoba Argentina                             | 20s - 40s | 25,50 Kč  |       |
| DHG-0860-B | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1304 Cienaga del Coro 4 km South 1030 m Cordoba Argentina                             | 42s - 60s | 48,00 Kč  |       |
| DHG-0860-C | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1304 Cienaga del Coro 4 km South 1030 m Cordoba Argentina                             | 100s      | 96,00 Kč  |       |
| DHG-0860-D | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1304 Cienaga del Coro 4 km South 1030 m Cordoba Argentina                             | 500s      | 359,00 Kč |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0866-A | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1305 Cienaga del Coro km 18,5 alt 963 m Cordoba Argentina                        | 20s - 40s | 25,50 Kč  |       |
| DHG-0866-B | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1305 Cienaga del Coro km 18,5 alt 963 m Cordoba Argentina                        | 42s - 60s | 48,00 Kč  |       |
| DHG-0866-C | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1305 Cienaga del Coro km 18,5 alt 963 m Cordoba Argentina                        | 100s      | 96,00 Kč  |       |
| DHG-0866-D | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 1305 Cienaga del Coro km 18,5 alt 963 m Cordoba Argentina                        | 500s      | 359,00 Kč |       |
| DHG-0867-A | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 558 Cienaga del Coro South West 1037 m Cordoba Argentina                         | 20s - 40s | 25,50 Kč  |       |
| DHG-0867-B | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 558 Cienaga del Coro South West 1037 m Cordoba Argentina                         | 42s - 60s | 48,00 Kč  |       |
| DHG-0867-C | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 558 Cienaga del Coro South West 1037 m Cordoba Argentina                         | 100s      | 96,00 Kč  |       |
| DHG-0867-D | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 558 Cienaga del Coro South West 1037 m Cordoba Argentina                         | 500s      | 359,00 Kč |       |
| DHG-2476-A | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 559 Cienaga del Coro 7 km South West Cordoba Argentina                           | 20s - 40s | 25,50 Kč  |       |
| DHG-2476-B | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 559 Cienaga del Coro 7 km South West Cordoba Argentina                           | 42s - 60s | 48,00 Kč  |       |
| DHG-2476-C | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 559 Cienaga del Coro 7 km South West Cordoba Argentina                           | 100s      | 96,00 Kč  |       |
| DHG-2476-D | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) RF 559 Cienaga del Coro 7 km South West Cordoba Argentina                           | 500s      | 359,00 Kč |       |
| DHG-0865-A | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) STO 92-492 Sierra de Guasapampa 1000 m Cordoba Argentina                            | 20s - 40s | 25,50 Kč  |       |
| DHG-0865-B | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) STO 92-492 Sierra de Guasapampa 1000 m Cordoba Argentina                            | 42s - 60s | 48,00 Kč  |       |
| DHG-0865-C | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) STO 92-492 Sierra de Guasapampa 1000 m Cordoba Argentina                            | 100s      | 96,00 Kč  |       |
| DHG-0865-D | GYMNOCALYCIUM | gaponii ssp. macrocarpum (white flowers, longer and wider fruits) STO 92-492 Sierra de Guasapampa 1000 m Cordoba Argentina                            | 500s      | 359,00 Kč |       |
| DHG-0869-A | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 A Loma Bola Cordoba Argentina                                     | 20s - 40s | 23,80 Kč  |       |
| DHG-0869-B | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 A Loma Bola Cordoba Argentina                                     | 42s - 60s | 45,00 Kč  |       |
| DHG-0869-C | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 A Loma Bola Cordoba Argentina                                     | 100s      | 90,00 Kč  |       |
| DHG-0869-D | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 A Loma Bola Cordoba Argentina                                     | 500s      | 335,00 Kč |       |
| DHG-0869-E | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 A Loma Bola Cordoba Argentina                                     | 1000s     | 569,00 Kč |       |
| DHG-0868-A | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 Loma Bola Cordoba Argentina                                       | 20s - 40s | 23,80 Kč  |       |
| DHG-0868-B | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 Loma Bola Cordoba Argentina                                       | 42s - 60s | 45,00 Kč  |       |
| DHG-0868-C | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 Loma Bola Cordoba Argentina                                       | 100s      | 90,00 Kč  |       |
| DHG-0868-D | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 Loma Bola Cordoba Argentina                                       | 500s      | 335,00 Kč |       |
| DHG-0868-E | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) JS 157 Loma Bola Cordoba Argentina                                       | 1000s     | 569,00 Kč |       |
| DHG-0870-A | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) STO 92-521 Loma Bola 1050 m Cordoba Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-0870-B | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) STO 92-521 Loma Bola 1050 m Cordoba Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-0870-C | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) STO 92-521 Loma Bola 1050 m Cordoba Argentina                            | 100s      | 90,00 Kč  |       |
| DHG-0870-D | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) STO 92-521 Loma Bola 1050 m Cordoba Argentina                            | 500s      | 335,00 Kč |       |
| DHG-0870-E | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) STO 92-521 Loma Bola 1050 m Cordoba Argentina                            | 1000s     | 569,00 Kč |       |
| DHG-0871-A | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) VS 160 Loma Bola 900 m Cordoba Argentina                                 | 20s - 40s | 23,80 Kč  |       |
| DHG-0871-B | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) VS 160 Loma Bola 900 m Cordoba Argentina                                 | 42s - 60s | 45,00 Kč  |       |
| DHG-0871-C | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) VS 160 Loma Bola 900 m Cordoba Argentina                                 | 100s      | 90,00 Kč  |       |
| DHG-0871-D | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) VS 160 Loma Bola 900 m Cordoba Argentina                                 | 500s      | 335,00 Kč |       |
| DHG-0871-E | GYMNOCALYCIUM | gertii (cylindrical stem, light capilliform marginal spines, bigger flowers) VS 160 Loma Bola 900 m Cordoba Argentina                                 | 1000s     | 569,00 Kč |       |
| DHG-0910-A | GYMNOCALYCIUM | gibbosum ssp. ferox (very robust ferocious white brownish radial spines) JPR 92-63/144 Dolavon 163 m Chubut Argentina                                 | 20s - 40s | 25,50 Kč  |       |
| DHG-0910-B | GYMNOCALYCIUM | gibbosum ssp. ferox (very robust ferocious white brownish radial spines) JPR 92-63/144 Dolavon 163 m Chubut Argentina                                 | 42s - 60s | 48,00 Kč  |       |
| DHG-0910-C | GYMNOCALYCIUM | gibbosum ssp. ferox (very robust ferocious white brownish radial spines) JPR 92-63/144 Dolavon 163 m Chubut Argentina                                 | 100s      | 96,00 Kč  |       |
| DHG-0874-A | GYMNOCALYCIUM | gibbosum ssp. ferox (very robust ferocious white brownish radial spines) JPR 92-67-152 Sierra Chata 200 m Chubut Argentina                            | 20s - 40s | 25,50 Kč  |       |
| DHG-0874-B | GYMNOCALYCIUM | gibbosum ssp. ferox (very robust ferocious white brownish radial spines) JPR 92-67-152 Sierra Chata 200 m Chubut Argentina                            | 42s - 60s | 48,00 Kč  |       |
| DHG-0874-C | GYMNOCALYCIUM | gibbosum ssp. ferox (very robust ferocious white brownish radial spines) JPR 92-67-152 Sierra Chata 200 m Chubut Argentina                            | 100s      | 96,00 Kč  |       |
| DHG-0877-A | GYMNOCALYCIUM | gibbosum ssp. gastonii (smaller with aciculate spines and large white flowers) JPR 92-22/56 Cerro de la Ventana Buenos Aires Argentina                | 20s - 40s | 23,80 Kč  |       |
| DHG-0877-B | GYMNOCALYCIUM | gibbosum ssp. gastonii (smaller with aciculate spines and large white flowers) JPR 92-22/56 Cerro de la Ventana Buenos Aires Argentina                | 42s - 60s | 45,00 Kč  |       |
| DHG-0877-C | GYMNOCALYCIUM | gibbosum ssp. gastonii (smaller with aciculate spines and large white flowers) JPR 92-22/56 Cerro de la Ventana Buenos Aires Argentina                | 100s      | 90,00 Kč  |       |
| DHG-0877-D | GYMNOCALYCIUM | gibbosum ssp. gastonii (smaller with aciculate spines and large white flowers) JPR 92-22/56 Cerro de la Ventana Buenos Aires Argentina                | 500s      | 335,00 Kč |       |
| DHG-0878-A | GYMNOCALYCIUM | gibbosum ssp. radekii (beautiful plants, very long outstanding dark brown spines) JPR 92-70/157 Barranca Gualicho 350 m Rio Negro Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-0878-B | GYMNOCALYCIUM | gibbosum ssp. radekii (beautiful plants, very long outstanding dark brown spines) JPR 92-70/157 Barranca Gualicho 350 m Rio Negro Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-0878-C | GYMNOCALYCIUM | gibbosum ssp. radekii (beautiful plants, very long outstanding dark brown spines) JPR 92-70/157 Barranca Gualicho 350 m Rio Negro Argentina           | 100s      | 90,00 Kč  |       |
| DHG-0878-D | GYMNOCALYCIUM | gibbosum ssp. radekii (beautiful plants, very long outstanding dark brown spines) JPR 92-70/157 Barranca Gualicho 350 m Rio Negro Argentina           | 500s      | 335,00 Kč |       |
| DHG-0878-E | GYMNOCALYCIUM | gibbosum ssp. radekii (beautiful plants, very long outstanding dark brown spines) JPR 92-70/157 Barranca Gualicho 350 m Rio Negro Argentina           | 1000s     | 569,00 Kč |       |
| DHG-0883-A | GYMNOCALYCIUM | gibbosum v. brachypetalum (dark brown body, dense long brown black twisted spines) JPR 92-24/61 General Conesa Ruta 251 alt 100 m Rio Negro Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-0883-B | GYMNOCALYCIUM | gibbosum v. brachypetalum (dark brown body, dense long brown black twisted spines) JPR 92-24/61 General Conesa Ruta 251 alt 100 m Rio Negro Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-0883-C | GYMNOCALYCIUM | gibbosum v. brachypetalum (dark brown body, dense long brown black twisted spines) JPR 92-24/61 General Conesa Ruta 251 alt 100 m Rio Negro Argentina | 100s      | 90,00 Kč  |       |
| DHG-0879-A | GYMNOCALYCIUM | gibbosum v. brachypetalum (dark brown body, very dense long brown black twisted spines) Fleischer Czech Nursery Brno CZ                               | 20s - 40s | 23,80 Kč  |       |



| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0900-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-35/86 Sierra de Chancha Rio Negro Argentina                 | 500s      | 335,00 Kč |       |
| DHG-0903-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 A Peninsula Valdes Punta Valdes 30 m Chubut Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-0903-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 A Peninsula Valdes Punta Valdes 30 m Chubut Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-0903-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 A Peninsula Valdes Punta Valdes 30 m Chubut Argentina | 100s      | 90,00 Kč  |       |
| DHG-0903-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 A Peninsula Valdes Punta Valdes 30 m Chubut Argentina | 500s      | 335,00 Kč |       |
| DHG-0902-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 Peninsula Valdes Punta Valdes 30 m Chubut Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0902-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 Peninsula Valdes Punta Valdes 30 m Chubut Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0902-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 Peninsula Valdes Punta Valdes 30 m Chubut Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0902-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-41/95 Peninsula Valdes Punta Valdes 30 m Chubut Argentina   | 500s      | 335,00 Kč |       |
| DHG-0904-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-48/107 Cabo Raso 100 m Chubut Argentina                     | 20s - 40s | 23,80 Kč  |       |
| DHG-0904-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-48/107 Cabo Raso 100 m Chubut Argentina                     | 42s - 60s | 45,00 Kč  |       |
| DHG-0904-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-48/107 Cabo Raso 100 m Chubut Argentina                     | 100s      | 90,00 Kč  |       |
| DHG-0904-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-48/107 Cabo Raso 100 m Chubut Argentina                     | 500s      | 335,00 Kč |       |
| DHG-0904-E | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-48/107 Cabo Raso 100 m Chubut Argentina                     | 1000s     | 569,00 Kč |       |
| DHG-0905-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-49/112 Camarones 200 m Chubut Argentina                     | 20s - 40s | 23,80 Kč  |       |
| DHG-0905-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-49/112 Camarones 200 m Chubut Argentina                     | 42s - 60s | 45,00 Kč  |       |
| DHG-0905-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-49/112 Camarones 200 m Chubut Argentina                     | 100s      | 90,00 Kč  |       |
| DHG-0905-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-49/112 Camarones 200 m Chubut Argentina                     | 500s      | 335,00 Kč |       |
| DHG-0907-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-55/124 Bahia Bustamante 160 m Chubut Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHG-0907-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-55/124 Bahia Bustamante 160 m Chubut Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHG-0907-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-55/124 Bahia Bustamante 160 m Chubut Argentina              | 100s      | 90,00 Kč  |       |
| DHG-0907-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-55/124 Bahia Bustamante 160 m Chubut Argentina              | 500s      | 335,00 Kč |       |
| DHG-0908-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-56/128 Route 28 Bahia Bustamante 210 m Chubut Argentina     | 20s - 40s | 23,80 Kč  |       |
| DHG-0908-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-56/128 Route 28 Bahia Bustamante 210 m Chubut Argentina     | 42s - 60s | 45,00 Kč  |       |
| DHG-0908-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-56/128 Route 28 Bahia Bustamante 210 m Chubut Argentina     | 100s      | 90,00 Kč  |       |
| DHG-0908-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-56/128 Route 28 Bahia Bustamante 210 m Chubut Argentina     | 500s      | 335,00 Kč |       |
| DHG-0909-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-62/142 Trelew to Gaiman 100 m Chubut Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHG-0909-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-62/142 Trelew to Gaiman 100 m Chubut Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHG-0909-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-62/142 Trelew to Gaiman 100 m Chubut Argentina              | 100s      | 90,00 Kč  |       |
| DHG-0909-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) JPR 92-62/142 Trelew to Gaiman 100 m Chubut Argentina              | 500s      | 335,00 Kč |       |
| DHG-0911-A | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) WP 649/062 Davaron Chubut Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-0911-B | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) WP 649/062 Davaron Chubut Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-0911-C | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) WP 649/062 Davaron Chubut Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-0911-D | GYMNOCALYCIUM | gibbosum v. chubutense (dark green to nearly black body, cream white pinkish bigger flowers) WP 649/062 Davaron Chubut Argentina                                | 500s      | 335,00 Kč |       |
| DHG-0919-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) JO 280 San Blas La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0919-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) JO 280 San Blas La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0920-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) JO 328 Schaqui La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0920-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) JO 328 Schaqui La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0921-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) JPR 95-154/471 Alpasinche 900 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0921-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) JPR 95-154/471 Alpasinche 900 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0922-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) KL 456 Alpasinche 973 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0922-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) KL 456 Alpasinche 973 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0923-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) LF 23 San Blas 1050 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0923-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) LF 23 San Blas 1050 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0924-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) MS 899 San Blas 1033 m La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0924-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) MS 899 San Blas 1033 m La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0918-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) P 218 Tinogasta South 1000 m La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0918-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) P 218 Tinogasta South 1000 m La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0925-A | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) SL 23 B-96 North East of Salicas La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0925-B | GYMNOCALYCIUM | glaucum (olive green reddish grey epidermis) SL 23 B-96 North East of Salicas La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0933-A | GYMNOCALYCIUM | hamatum (olive green tuberculate body, pale coloured spines) Jiranek Czech Nursery Hradec Kralove CZ  | 20s - 40s | 23,80 Kč  |       |
| DHG-0933-B | GYMNOCALYCIUM | hamatum (olive green tuberculate body, pale coloured spines) Jiranek Czech Nursery Hradec Kralove CZ  | 42s - 60s | 45,00 Kč  |       |
| DHG-0933-C | GYMNOCALYCIUM | hamatum (olive green tuberculate body, pale coloured spines) Jiranek Czech Nursery Hradec Kralove CZ  | 100s      | 90,00 Kč  |       |
| DHG-0933-D | GYMNOCALYCIUM | hamatum (olive green tuberculate body, pale coloured spines) Jiranek Czech Nursery Hradec Kralove CZ  | 500s      | 335,00 Kč |       |
| DHG-0933-E | GYMNOCALYCIUM | hamatum (olive green tuberculate body, pale coloured spines) Jiranek Czech Nursery Hradec Kralove CZ  | 1000s     | 569,00 Kč |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-2288-A | GYMNOCALYCIUM | hinojitung (species nova sensu Lumir Kral Ostrava) KL 57 San Pedro Norte Hinojito 4 km North West 737 m Cordoba Argentina                                     | 20s - 40s | 34,00 Kč  |       |
| DHG-2288-B | GYMNOCALYCIUM | hinojitung (species nova sensu Lumir Kral Ostrava) KL 57 San Pedro Norte Hinojito 4 km North West 737 m Cordoba Argentina                                     | 42s - 60s | 64,00 Kč  |       |
| DHG-2288-C | GYMNOCALYCIUM | hinojitung (species nova sensu Lumir Kral Ostrava) KL 57 San Pedro Norte Hinojito 4 km North West 737 m Cordoba Argentina                                     | 100s      | 128,00 Kč |       |
| DHG-2288-D | GYMNOCALYCIUM | hinojitung (species nova sensu Lumir Kral Ostrava) KL 57 San Pedro Norte Hinojito 4 km North West 737 m Cordoba Argentina                                     | 500s      | 479,00 Kč |       |
| DHG-2475-A | GYMNOCALYCIUM | hinojitung (species nova sensu Lumir Kral Ostrava) RF 522 El Hinojito 4 km North West of San Pedro Norte 737 m Cordoba Argentina                              | 20s - 40s | 34,00 Kč  |       |
| DHG-2475-B | GYMNOCALYCIUM | hinojitung (species nova sensu Lumir Kral Ostrava) RF 522 El Hinojito 4 km North West of San Pedro Norte 737 m Cordoba Argentina                              | 42s - 60s | 64,00 Kč  |       |
| DHG-2475-C | GYMNOCALYCIUM | hinojitung (species nova sensu Lumir Kral Ostrava) RF 522 El Hinojito 4 km North West of San Pedro Norte 737 m Cordoba Argentina                              | 100s      | 128,00 Kč |       |
| DHG-0939-A | GYMNOCALYCIUM | hossei (curving backward heavy spines) VS 62 Sierra Ambato 1100 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0943-A | GYMNOCALYCIUM | intermedium (squat dull grey green blue body) P 113 East of Salsacate Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0943-B | GYMNOCALYCIUM | intermedium (squat dull grey green blue body) P 113 East of Salsacate Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0943-C | GYMNOCALYCIUM | intermedium (squat dull grey green blue body) P 113 East of Salsacate Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2286-A | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) B 56 Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2286-B | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) B 56 Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-2286-C | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) B 56 Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0945-A | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) P 118 Salsacate 900 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0945-B | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) P 118 Salsacate 900 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0944-A | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) SE 9 about 10 km East of Tanninga Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0944-B | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) SE 9 about 10 km East of Tanninga Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0944-C | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) SE 9 about 10 km East of Tanninga Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0944-D | GYMNOCALYCIUM | intertextum (flat dark brown grey body, few stiff spines) SE 9 about 10 km East of Tanninga Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-2282-A | GYMNOCALYCIUM | intertextum (very heavy curved central spines) CH 1301 West of Villa Viso 983 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2282-B | GYMNOCALYCIUM | intertextum (very heavy curved central spines) CH 1301 West of Villa Viso 983 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2282-C | GYMNOCALYCIUM | intertextum (very heavy curved central spines) CH 1301 West of Villa Viso 983 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2282-D | GYMNOCALYCIUM | intertextum (very heavy curved central spines) CH 1301 West of Villa Viso 983 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-2282-E | GYMNOCALYCIUM | intertextum (very heavy curved central spines) CH 1301 West of Villa Viso 983 m Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-2317-A | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1084 A Tanninga crossroads Ruta 28 X Ruta 15 alt 979 m Cordoba Argentina                 | 20s - 40s | 23,80 Kč  |       |
| DHG-2317-B | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1084 A Tanninga crossroads Ruta 28 X Ruta 15 alt 979 m Cordoba Argentina                 | 42s - 60s | 45,00 Kč  |       |
| DHG-2317-C | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1084 A Tanninga crossroads Ruta 28 X Ruta 15 alt 979 m Cordoba Argentina                 | 100s      | 90,00 Kč  |       |
| DHG-2287-A | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1092 La Playa Aguas de Ramon Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2287-B | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1092 La Playa Aguas de Ramon Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2287-C | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1092 La Playa Aguas de Ramon Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2287-D | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1092 La Playa Aguas de Ramon Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-2319-A | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1314 Piedras Blancas 751 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2319-B | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1314 Piedras Blancas 751 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2319-C | GYMNOCALYCIUM | intertextum f. nova (flat dark brown grey body, few stiff spines) CH 1314 Piedras Blancas 751 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2514-A | GYMNOCALYCIUM | intertextum v. moserianum (thin curvy spreading white brown spines) P 90 Serrezuela Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2514-B | GYMNOCALYCIUM | intertextum v. moserianum (thin curvy spreading white brown spines) P 90 Serrezuela Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2515-A | GYMNOCALYCIUM | intertextum v. moserianum (thin curvy spreading white brown spines) RF 1309 Tanninga about 1,8 km South West 981 m Cordoba Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHG-2515-B | GYMNOCALYCIUM | intertextum v. moserianum (thin curvy spreading white brown spines) RF 1309 Tanninga about 1,8 km South West 981 m Cordoba Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHG-2515-C | GYMNOCALYCIUM | intertextum v. moserianum (thin curvy spreading white brown spines) RF 1309 Tanninga about 1,8 km South West 981 m Cordoba Argentina                          | 100s      | 90,00 Kč  |       |
| DHG-2281-A | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) CH 1168 Sierra Guayasan 631 m Santiago del Estero Argentina     | 20s - 40s | 25,50 Kč  |       |
| DHG-2281-B | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) CH 1168 Sierra Guayasan 631 m Santiago del Estero Argentina     | 42s - 60s | 48,00 Kč  |       |
| DHG-2281-C | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) CH 1168 Sierra Guayasan 631 m Santiago del Estero Argentina     | 100s      | 96,00 Kč  |       |
| DHG-2281-D | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) CH 1168 Sierra Guayasan 631 m Santiago del Estero Argentina     | 500s      | 359,00 Kč |       |
| DHG-2366-A | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) JPR 742/2511 Ruta 9 km 936 El Jume Santiago de Estero Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2366-B | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) JPR 742/2511 Ruta 9 km 936 El Jume Santiago de Estero Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-2366-C | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) JPR 742/2511 Ruta 9 km 936 El Jume Santiago de Estero Argentina | 100s      | 96,00 Kč  |       |
| DHG-2366-D | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) JPR 742/2511 Ruta 9 km 936 El Jume Santiago de Estero Argentina | 500s      | 359,00 Kč |       |
| DHG-0853-A | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 A Ruta 9 km 936 El Jume Santiago de Estero Argentina     | 20s - 40s | 25,50 Kč  |       |
| DHG-0853-B | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 A Ruta 9 km 936 El Jume Santiago de Estero Argentina     | 42s - 60s | 48,00 Kč  |       |
| DHG-0853-C | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 A Ruta 9 km 936 El Jume Santiago de Estero Argentina     | 100s      | 96,00 Kč  |       |
| DHG-0853-D | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 A Ruta 9 km 936 El Jume Santiago de Estero Argentina     | 500s      | 359,00 Kč |       |
| DHG-0854-A | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 Ruta 9 km 936 El Jume Santiago de Estero Argentina       | 20s - 40s | 25,50 Kč  |       |
| DHG-0854-B | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 Ruta 9 km 936 El Jume Santiago de Estero Argentina       | 42s - 60s | 48,00 Kč  |       |
| DHG-0854-C | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 Ruta 9 km 936 El Jume Santiago de Estero Argentina       | 100s      | 96,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0854-D | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 945 Ruta 9 km 936 El Jume Santiago de Estero Argentina             | 500s      | 359,00 Kč |       |
| DHG-0855-A | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 950 Ruta 15 North West of Ojo de Agua Santiago de Estero Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-0855-B | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 950 Ruta 15 North West of Ojo de Agua Santiago de Estero Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-0855-C | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 950 Ruta 15 North West of Ojo de Agua Santiago de Estero Argentina | 100s      | 96,00 Kč  |       |
| DHG-0855-D | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 950 Ruta 15 North West of Ojo de Agua Santiago de Estero Argentina | 500s      | 359,00 Kč |       |
| DHG-0856-A | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 957 Ruta 13 Sumampa Agua de Ojo 459 m Santiago de Estero Argent    | 20s - 40s | 25,50 Kč  |       |
| DHG-0856-B | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 957 Ruta 13 Sumampa Agua de Ojo 459 m Santiago de Estero Argent    | 42s - 60s | 48,00 Kč  |       |
| DHG-0856-C | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 957 Ruta 13 Sumampa Agua de Ojo 459 m Santiago de Estero Argent    | 100s      | 96,00 Kč  |       |
| DHG-0856-D | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) RF 957 Ruta 13 Sumampa Agua de Ojo 459 m Santiago de Estero Argent    | 500s      | 359,00 Kč |       |
| DHG-0857-A | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) Strigl (old original type form) Czech Nursery Breclav CZ              | 20s - 40s | 25,50 Kč  |       |
| DHG-0857-B | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) Strigl (old original type form) Czech Nursery Breclav CZ              | 42s - 60s | 48,00 Kč  |       |
| DHG-0857-C | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) Strigl (old original type form) Czech Nursery Breclav CZ              | 100s      | 96,00 Kč  |       |
| DHG-0857-D | GYMNOCALYCIUM | kieslingii ssp. frankianum (dark gray blue green body, dirty white spines radially adjoining) Strigl (old original type form) Czech Nursery Breclav CZ              | 500s      | 359,00 Kč |       |
| DHG-0948-A | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) RF(RER) Villa Sanogasta La Rioja Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-0948-B | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) RF(RER) Villa Sanogasta La Rioja Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-0948-C | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) RF(RER) Villa Sanogasta La Rioja Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-0948-D | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) RF(RER) Villa Sanogasta La Rioja Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-0949-A | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) SL 29 A-96 South East of Pinchas La Rioja Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHG-0949-B | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) SL 29 A-96 South East of Pinchas La Rioja Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHG-0949-C | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) SL 29 A-96 South East of Pinchas La Rioja Argentina                          | 100s      | 90,00 Kč  |       |
| DHG-0949-D | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) SL 29 A-96 South East of Pinchas La Rioja Argentina                          | 500s      | 335,00 Kč |       |
| DHG-0950-A | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 87-18/1 West of Sanagasta 900 m La Rioja Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-0950-B | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 87-18/1 West of Sanagasta 900 m La Rioja Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-0950-C | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 87-18/1 West of Sanagasta 900 m La Rioja Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-0950-D | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 87-18/1 West of Sanagasta 900 m La Rioja Argentina                       | 500s      | 335,00 Kč |       |
| DHG-0951-A | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 88-180 El Huaco 1600 m La Rioja Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-0951-B | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 88-180 El Huaco 1600 m La Rioja Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-0951-C | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 88-180 El Huaco 1600 m La Rioja Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-0951-D | GYMNOCALYCIUM | kieslingii v. alboareolatum (gray green flattened stems, very prominent white areoles) STO 88-180 El Huaco 1600 m La Rioja Argentina                                | 500s      | 335,00 Kč |       |
| DHG-0952-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 A Anillaco 1500 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0952-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 A Anillaco 1500 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0952-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 A Anillaco 1500 m La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0952-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 A Anillaco 1500 m La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-0947-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 Anillaco 1500 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0947-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 Anillaco 1500 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0947-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 Anillaco 1500 m La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0947-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) LF 25 Anillaco 1500 m La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-0953-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) P 220 Sanagasta La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0953-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) P 220 Sanagasta La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0953-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) P 220 Sanagasta La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0953-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) P 220 Sanagasta La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-0955-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 1274 Anillaco (balneario) 1472 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0955-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 1274 Anillaco (balneario) 1472 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0955-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 1274 Anillaco (balneario) 1472 m La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0955-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 1274 Anillaco (balneario) 1472 m La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-0954-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 696 Anillaco (balneario) 1472 m La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0954-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 696 Anillaco (balneario) 1472 m La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0954-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 696 Anillaco (balneario) 1472 m La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0954-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 696 Anillaco (balneario) 1472 m La Rioja Argentina  | 500s      | 335,00 Kč |       |
| DHG-2474-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 704 Sanagasta (400 meters before cross) 1369 m La Rioja Argentina                           | 20s - 40s | 23,80 Kč  |       |
| DHG-2474-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 704 Sanagasta (400 meters before cross) 1369 m La Rioja Argentina                           | 42s - 60s | 45,00 Kč  |       |
| DHG-2474-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 704 Sanagasta (400 meters before cross) 1369 m La Rioja Argentina                           | 100s      | 90,00 Kč  |       |
| DHG-2474-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) RF 704 Sanagasta (400 meters before cross) 1369 m La Rioja Argentina                           | 500s      | 335,00 Kč |       |
| DHG-0956-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 133.1 El Huaco 1272 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0956-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 133.1 El Huaco 1272 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-0956-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 133.1 El Huaco 1272 m La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0956-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 133.1 El Huaco 1272 m La Rioja Argentina  | 500s      | 335,00 Kč |       |
| DHG-0957-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 278.1 Anillaco 1472 m La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0957-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 278.1 Anillaco 1472 m La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0957-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 278.1 Anillaco 1472 m La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0957-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) TOM 278.1 Anillaco 1472 m La Rioja Argentina  | 500s      | 335,00 Kč |       |
| DHG-0958-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 50 Anillaco La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0958-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 50 Anillaco La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0958-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 50 Anillaco La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0958-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 50 Anillaco La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-0959-A | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 57 El Huaco La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0959-B | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 57 El Huaco La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0959-C | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 57 El Huaco La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0959-D | GYMNOCALYCIUM | kieslingii v. castaneum (dark greenish red violet brown body colour) VS 57 El Huaco La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-2292-A | GYMNOCALYCIUM | knollii (nomen nudum, long brownish to blackish turning grey as they ages spines) CH 1083 West od Tanninga Ruta 28 Cordoba Argentina                       | 20s - 40s | 25,50 Kč  |       |
| DHG-2292-B | GYMNOCALYCIUM | knollii (nomen nudum, long brownish to blackish turning grey as they ages spines) CH 1083 West od Tanninga Ruta 28 Cordoba Argentina                       | 42s - 60s | 48,00 Kč  |       |
| DHG-2292-C | GYMNOCALYCIUM | knollii (nomen nudum, long brownish to blackish turning grey as they ages spines) CH 1083 West od Tanninga Ruta 28 Cordoba Argentina                       | 100s      | 96,00 Kč  |       |
| DHG-2292-D | GYMNOCALYCIUM | knollii (nomen nudum, long brownish to blackish turning grey as they ages spines) CH 1083 West od Tanninga Ruta 28 Cordoba Argentina                       | 500s      | 359,00 Kč |       |
| DHG-0962-A | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 A Mollo Injerto 1327 m La Rioja Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-0962-B | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 A Mollo Injerto 1327 m La Rioja Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-0962-C | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 A Mollo Injerto 1327 m La Rioja Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-0962-D | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 A Mollo Injerto 1327 m La Rioja Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-0961-A | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 Mollo Injerto 1327 m La Rioja Argentina                                     | 20s - 40s | 23,80 Kč  |       |
| DHG-0961-B | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 Mollo Injerto 1327 m La Rioja Argentina                                     | 42s - 60s | 45,00 Kč  |       |
| DHG-0961-C | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 Mollo Injerto 1327 m La Rioja Argentina                                     | 100s      | 90,00 Kč  |       |
| DHG-0961-D | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) CH 1254 Mollo Injerto 1327 m La Rioja Argentina                                     | 500s      | 335,00 Kč |       |
| DHG-0964-A | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) WR 805 A Sierra Arganaraz La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0964-B | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) WR 805 A Sierra Arganaraz La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0964-C | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) WR 805 A Sierra Arganaraz La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0963-A | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) WR 805 Sierra Arganaraz La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-0963-B | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) WR 805 Sierra Arganaraz La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-0963-C | GYMNOCALYCIUM | kroenleinii (spines radial to protruding pinnate and irregularly bent) WR 805 Sierra Arganaraz La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHG-0965-A | GYMNOCALYCIUM | kroenleinii ssp. funettae (ribs wide with raised semi square chins, pinkish flowers) RER 279 Sierra de los Quinteros La Rioja Argentina                    | 20s - 40s | 25,50 Kč  |       |
| DHG-0965-B | GYMNOCALYCIUM | kroenleinii ssp. funettae (ribs wide with raised semi square chins, pinkish flowers) RER 279 Sierra de los Quinteros La Rioja Argentina                    | 42s - 60s | 48,00 Kč  |       |
| DHG-0965-C | GYMNOCALYCIUM | kroenleinii ssp. funettae (ribs wide with raised semi square chins, pinkish flowers) RER 279 Sierra de los Quinteros La Rioja Argentina                    | 100s      | 96,00 Kč  |       |
| DHG-0965-D | GYMNOCALYCIUM | kroenleinii ssp. funettae (ribs wide with raised semi square chins, pinkish flowers) RER 279 Sierra de los Quinteros La Rioja Argentina                    | 500s      | 359,00 Kč |       |
| DHG-0971-A | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) JPR 09-370/2464 Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-0971-B | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) JPR 09-370/2464 Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-0971-C | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) JPR 09-370/2464 Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-0971-D | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) JPR 09-370/2464 Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-0966-A | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 372 Cerro Colorado 3,8 km West of the village 676 m Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-0966-B | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 372 Cerro Colorado 3,8 km West of the village 676 m Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-0968-A | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 446 A Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHG-0968-B | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 446 A Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHG-0968-C | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 446 A Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina         | 100s      | 90,00 Kč  |       |
| DHG-0968-D | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 446 A Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina         | 500s      | 335,00 Kč |       |
| DHG-0967-A | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 446 Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-0967-B | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 446 Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-0967-C | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RER 446 Cerro Colorado 3,8 km of Rayo Cortado Cordoba Argentina           | 100s      | 90,00 Kč  |       |
| DHG-0970-A | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RF 959 A San Miguel Cordoba Argentina                                     | 20s - 40s | 23,80 Kč  |       |
| DHG-0970-B | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RF 959 A San Miguel Cordoba Argentina                                     | 42s - 60s | 45,00 Kč  |       |
| DHG-0970-C | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RF 959 A San Miguel Cordoba Argentina                                     | 100s      | 90,00 Kč  |       |
| DHG-0969-A | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RF 959 San Miguel Cordoba Argentina                                       | 20s - 40s | 23,80 Kč  |       |
| DHG-0969-B | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RF 959 San Miguel Cordoba Argentina                                       | 42s - 60s | 45,00 Kč  |       |
| DHG-0969-C | GYMNOCALYCIUM | kuehhasii (gray green dark gray green matt body, white dirty white bell flowers) RF 959 San Miguel Cordoba Argentina                                       | 100s      | 90,00 Kč  |       |



| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-2513-A | GYMNOCALYCIUM | kuehhasii ssp. incurvatispinum (dark gray green body, narrower ribs, special arrangement spines) RER 372 Cerro Colorado 3,8 km West 676 m Cordoba Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2513-B | GYMNOCALYCIUM | kuehhasii ssp. incurvatispinum (dark gray green body, narrower ribs, special arrangement spines) RER 372 Cerro Colorado 3,8 km West 676 m Cordoba Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2513-C | GYMNOCALYCIUM | kuehhasii ssp. incurvatispinum (dark gray green body, narrower ribs, special arrangement spines) RER 372 Cerro Colorado 3,8 km West 676 m Cordoba Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2512-A | GYMNOCALYCIUM | kuehhasii ssp. incurvatispinum (dark gray green body, narrower ribs, special arrangement spines) RER 446 Cerro Colorado 3,8 km Rayo Cortado Cordoba Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2512-B | GYMNOCALYCIUM | kuehhasii ssp. incurvatispinum (dark gray green body, narrower ribs, special arrangement spines) RER 446 Cerro Colorado 3,8 km Rayo Cortado Cordoba Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-2512-C | GYMNOCALYCIUM | kuehhasii ssp. incurvatispinum (dark gray green body, narrower ribs, special arrangement spines) RER 446 Cerro Colorado 3,8 km Rayo Cortado Cordoba Argentina | 100s      | 96,00 Kč  |       |
| DHG-2289-A | GYMNOCALYCIUM | leptanthum (form with body similar to parvulum) STO 89-278 San Martin to Dean Funes near Santa Elena Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2289-B | GYMNOCALYCIUM | leptanthum (form with body similar to parvulum) STO 89-278 San Martin to Dean Funes near Santa Elena Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-2289-C | GYMNOCALYCIUM | leptanthum (form with body similar to parvulum) STO 89-278 San Martin to Dean Funes near Santa Elena Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-2289-D | GYMNOCALYCIUM | leptanthum (form with body similar to parvulum) STO 89-278 San Martin to Dean Funes near Santa Elena Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-0972-A | GYMNOCALYCIUM | lukasikii (typical) MT 07-081 La Morena 5 km South Sierra Del Morro 1110 m San Luis Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-0972-B | GYMNOCALYCIUM | lukasikii (typical) MT 07-081 La Morena 5 km South Sierra Del Morro 1110 m San Luis Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-0972-C | GYMNOCALYCIUM | lukasikii (typical) MT 07-081 La Morena 5 km South Sierra Del Morro 1110 m San Luis Argentina   | 100s      | 96,00 Kč  |       |
| DHG-0974-A | GYMNOCALYCIUM | marsoneri ssp. australis (news, southern population, pink yellow flowers) KP 254 Pozancon 397 m Santiago de Estero Argentina                                  | 20s - 40s | 23,80 Kč  |       |
| DHG-0974-B | GYMNOCALYCIUM | marsoneri ssp. australis (news, southern population, pink yellow flowers) KP 254 Pozancon 397 m Santiago de Estero Argentina                                  | 42s - 60s | 45,00 Kč  |       |
| DHG-0974-C | GYMNOCALYCIUM | marsoneri ssp. australis (news, southern population, pink yellow flowers) KP 254 Pozancon 397 m Santiago de Estero Argentina                                  | 100s      | 90,00 Kč  |       |
| DHG-0974-D | GYMNOCALYCIUM | marsoneri ssp. australis (news, southern population, pink yellow flowers) KP 254 Pozancon 397 m Santiago de Estero Argentina                                  | 500s      | 335,00 Kč |       |
| DHG-0974-E | GYMNOCALYCIUM | marsoneri ssp. australis (news, southern population, pink yellow flowers) KP 254 Pozancon 397 m Santiago de Estero Argentina                                  | 1000s     | 569,00 Kč |       |
| DHG-0975-A | GYMNOCALYCIUM | mazanense f. Guesayan (the best curving backward stout interlacing spines) Czech Nursery Brno CZ  | 20s - 40s | 25,50 Kč  |       |
| DHG-0975-B | GYMNOCALYCIUM | mazanense f. Guesayan (the best curving backward stout interlacing spines) Czech Nursery Brno CZ  | 42s - 60s | 48,00 Kč  |       |
| DHG-0975-C | GYMNOCALYCIUM | mazanense f. Guesayan (the best curving backward stout interlacing spines) Czech Nursery Brno CZ  | 100s      | 96,00 Kč  |       |
| DHG-0975-D | GYMNOCALYCIUM | mazanense f. Guesayan (the best curving backward stout interlacing spines) Czech Nursery Brno CZ  | 500s      | 359,00 Kč |       |
| DHG-0975-E | GYMNOCALYCIUM | mazanense f. Guesayan (the best curving backward stout interlacing spines) Czech Nursery Brno CZ  | 1000s     | 610,00 Kč |       |
| DHG-0976-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) JO 179 Estancia Mazan La Rioja Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0976-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) JO 179 Estancia Mazan La Rioja Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-0976-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) JO 179 Estancia Mazan La Rioja Argentina  | 100s      | 96,00 Kč  |       |
| DHG-0976-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) JO 179 Estancia Mazan La Rioja Argentina  | 500s      | 359,00 Kč |       |
| DHG-0976-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) JO 179 Estancia Mazan La Rioja Argentina  | 1000s     | 610,00 Kč |       |
| DHG-0977-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 205 Cuesta de Sebila I. 1014 m Catamarca Argentina                                 | 20s - 40s | 25,50 Kč  |       |
| DHG-0977-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 205 Cuesta de Sebila I. 1014 m Catamarca Argentina                                 | 42s - 60s | 48,00 Kč  |       |
| DHG-0977-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 205 Cuesta de Sebila I. 1014 m Catamarca Argentina                                 | 100s      | 96,00 Kč  |       |
| DHG-0977-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 205 Cuesta de Sebila I. 1014 m Catamarca Argentina                                 | 500s      | 359,00 Kč |       |
| DHG-0977-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 205 Cuesta de Sebila I. 1014 m Catamarca Argentina                                 | 1000s     | 610,00 Kč |       |
| DHG-0978-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 206 Cuesta de Sebila II. 1031 m Catamarca Argentina                                | 20s - 40s | 25,50 Kč  |       |
| DHG-0978-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 206 Cuesta de Sebila II. 1031 m Catamarca Argentina                                | 42s - 60s | 48,00 Kč  |       |
| DHG-0978-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 206 Cuesta de Sebila II. 1031 m Catamarca Argentina                                | 100s      | 96,00 Kč  |       |
| DHG-0978-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 206 Cuesta de Sebila II. 1031 m Catamarca Argentina                                | 500s      | 359,00 Kč |       |
| DHG-0978-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 206 Cuesta de Sebila II. 1031 m Catamarca Argentina                                | 1000s     | 610,00 Kč |       |
| DHG-0982-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 A Cuesta de Sebila III. 1082 m Catamarca Argentina                             | 20s - 40s | 25,50 Kč  |       |
| DHG-0982-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 A Cuesta de Sebila III. 1082 m Catamarca Argentina                             | 42s - 60s | 48,00 Kč  |       |
| DHG-0982-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 A Cuesta de Sebila III. 1082 m Catamarca Argentina                             | 100s      | 96,00 Kč  |       |
| DHG-0982-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 A Cuesta de Sebila III. 1082 m Catamarca Argentina                             | 500s      | 359,00 Kč |       |
| DHG-0982-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 A Cuesta de Sebila III. 1082 m Catamarca Argentina                             | 1000s     | 610,00 Kč |       |
| DHG-0979-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 Cuesta de Sebila III. 1082 m Catamarca Argentina                               | 20s - 40s | 25,50 Kč  |       |
| DHG-0979-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 Cuesta de Sebila III. 1082 m Catamarca Argentina                               | 42s - 60s | 48,00 Kč  |       |
| DHG-0979-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 Cuesta de Sebila III. 1082 m Catamarca Argentina                               | 100s      | 96,00 Kč  |       |
| DHG-0979-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 Cuesta de Sebila III. 1082 m Catamarca Argentina                               | 500s      | 359,00 Kč |       |
| DHG-0979-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) KP 208 Cuesta de Sebila III. 1082 m Catamarca Argentina                               | 1000s     | 610,00 Kč |       |
| DHG-2451-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) LB 1278 Sierra Ambato 1110 m Catamarca Argentina                                      | 20s - 40s | 25,50 Kč  |       |
| DHG-2451-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) LB 1278 Sierra Ambato 1110 m Catamarca Argentina                                      | 42s - 60s | 48,00 Kč  |       |
| DHG-2451-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) LB 1278 Sierra Ambato 1110 m Catamarca Argentina                                      | 100s      | 96,00 Kč  |       |
| DHG-2451-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) LB 1278 Sierra Ambato 1110 m Catamarca Argentina                                      | 500s      | 359,00 Kč |       |
| DHG-2451-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) LB 1278 Sierra Ambato 1110 m Catamarca Argentina                                      | 1000s     | 610,00 Kč |       |
| DHG-0981-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) P 30 A Cuesta de Sebila La Rioja Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-0981-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) P 30 A Cuesta de Sebila La Rioja Argentina  | 42s - 60s | 48,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0981-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) P 30 A Cuesta de Sebila La Rioja Argentina                                    | 100s      | 96,00 Kč  |       |
| DHG-0981-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) P 30 A Cuesta de Sebila La Rioja Argentina                                    | 500s      | 359,00 Kč |       |
| DHG-0981-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) P 30 A Cuesta de Sebila La Rioja Argentina                                    | 1000s     | 610,00 Kč |       |
| DHG-2516-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan to Villa Mazan La Rioja Argentina                   | 20s - 40s | 25,50 Kč  |       |
| DHG-2516-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan to Villa Mazan La Rioja Argentina                   | 42s - 60s | 48,00 Kč  |       |
| DHG-2516-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan to Villa Mazan La Rioja Argentina                   | 100s      | 96,00 Kč  |       |
| DHG-2516-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan to Villa Mazan La Rioja Argentina                   | 500s      | 359,00 Kč |       |
| DHG-2516-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan to Villa Mazan La Rioja Argentina                   | 1000s     | 610,00 Kč |       |
| DHG-0980-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan Villa Mazan 600 m La Rioja Argentina                | 20s - 40s | 25,50 Kč  |       |
| DHG-0980-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan Villa Mazan 600 m La Rioja Argentina                | 42s - 60s | 48,00 Kč  |       |
| DHG-0980-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan Villa Mazan 600 m La Rioja Argentina                | 100s      | 96,00 Kč  |       |
| DHG-0980-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan Villa Mazan 600 m La Rioja Argentina                | 500s      | 359,00 Kč |       |
| DHG-0980-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 87-34 Sierra de Mazan Villa Mazan 600 m La Rioja Argentina                | 1000s     | 610,00 Kč |       |
| DHG-2511-A | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 94-861 East of Estancia Mazan to Rio Poman cross roads La Rioja Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2511-B | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 94-861 East of Estancia Mazan to Rio Poman cross roads La Rioja Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-2511-C | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 94-861 East of Estancia Mazan to Rio Poman cross roads La Rioja Argentina | 100s      | 96,00 Kč  |       |
| DHG-2511-D | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 94-861 East of Estancia Mazan to Rio Poman cross roads La Rioja Argentina | 500s      | 359,00 Kč |       |
| DHG-2511-E | GYMNOCALYCIUM | mazanense v. ferox (the best curving backward stout interlacing spines) STO 94-861 East of Estancia Mazan to Rio Poman cross roads La Rioja Argentina | 1000s     | 610,00 Kč |       |
| DHG-2517-A | GYMNOCALYCIUM | mesopotamicum (dark green body, greyish pink tinged bristle like flexible adressed spines) P 241 Mercedes 200 m Corrientes Argentina                  | 20s - 40s | 25,50 Kč  |       |
| DHG-2517-B | GYMNOCALYCIUM | mesopotamicum (dark green body, greyish pink tinged bristle like flexible adressed spines) P 241 Mercedes 200 m Corrientes Argentina                  | 42s - 60s | 48,00 Kč  |       |
| DHG-0983-A | GYMNOCALYCIUM | mihanovichii (Alberto Vojtech Fric, very significantly colourful body) Czech Nursery Breclav CZ   | 20s - 40s | 23,80 Kč  |       |
| DHG-0983-B | GYMNOCALYCIUM | mihanovichii (Alberto Vojtech Fric, very significantly colourful body) Czech Nursery Breclav CZ   | 42s - 60s | 45,00 Kč  |       |
| DHG-0983-C | GYMNOCALYCIUM | mihanovichii (Alberto Vojtech Fric, very significantly colourful body) Czech Nursery Breclav CZ   | 100s      | 90,00 Kč  |       |
| DHG-0983-D | GYMNOCALYCIUM | mihanovichii (Alberto Vojtech Fric, very significantly colourful body) Czech Nursery Breclav CZ   | 500s      | 335,00 Kč |       |
| DHG-0983-E | GYMNOCALYCIUM | mihanovichii (Alberto Vojtech Fric, very significantly colourful body) Czech Nursery Breclav CZ   | 1000s     | 569,00 Kč |       |
| DHG-2290-A | GYMNOCALYCIUM | miltii (milky white to pale pink flowers) CH 1061 South of Villa del Carmen Ruta 1 San Luis Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2290-B | GYMNOCALYCIUM | miltii (milky white to pale pink flowers) CH 1061 South of Villa del Carmen Ruta 1 San Luis Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2290-C | GYMNOCALYCIUM | miltii (milky white to pale pink flowers) CH 1061 South of Villa del Carmen Ruta 1 San Luis Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2369-A | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) KL 7 Rio de los Sauces Alpa Corral 749 m Cordoba Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHG-2369-B | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) KL 7 Rio de los Sauces Alpa Corral 749 m Cordoba Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHG-2369-C | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) KL 7 Rio de los Sauces Alpa Corral 749 m Cordoba Argentina              | 100s      | 90,00 Kč  |       |
| DHG-2369-D | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) KL 7 Rio de los Sauces Alpa Corral 749 m Cordoba Argentina              | 500s      | 335,00 Kč |       |
| DHG-2369-E | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) KL 7 Rio de los Sauces Alpa Corral 749 m Cordoba Argentina              | 1000s     | 569,00 Kč |       |
| DHG-0655-A | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) P 104 C Alpa Corral Cordoba Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-0655-B | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) P 104 C Alpa Corral Cordoba Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-0655-C | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) P 104 C Alpa Corral Cordoba Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-0655-D | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) P 104 C Alpa Corral Cordoba Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-0655-E | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) P 104 C Alpa Corral Cordoba Argentina                                   | 1000s     | 569,00 Kč |       |
| DHG-0996-A | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) RF(RER) Los Molles Rio Cuarto Cordoba Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHG-0996-B | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) RF(RER) Los Molles Rio Cuarto Cordoba Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-0996-C | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) RF(RER) Los Molles Rio Cuarto Cordoba Argentina                         | 100s      | 90,00 Kč  |       |
| DHG-0996-D | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) RF(RER) Los Molles Rio Cuarto Cordoba Argentina                         | 500s      | 335,00 Kč |       |
| DHG-0996-E | GYMNOCALYCIUM | monvillei ssp. achirasense (radial spines almost flat against the plant body) RF(RER) Los Molles Rio Cuarto Cordoba Argentina                         | 1000s     | 569,00 Kč |       |
| DHG-0993-A | GYMNOCALYCIUM | monvillei ssp. achirasense f. gertrudae (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                            | 20s - 40s | 23,80 Kč  |       |
| DHG-0993-B | GYMNOCALYCIUM | monvillei ssp. achirasense f. gertrudae (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                            | 42s - 60s | 45,00 Kč  |       |
| DHG-0993-C | GYMNOCALYCIUM | monvillei ssp. achirasense f. gertrudae (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                            | 100s      | 90,00 Kč  |       |
| DHG-0993-D | GYMNOCALYCIUM | monvillei ssp. achirasense f. gertrudae (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                            | 500s      | 335,00 Kč |       |
| DHG-0993-E | GYMNOCALYCIUM | monvillei ssp. achirasense f. gertrudae (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                            | 1000s     | 569,00 Kč |       |
| DHG-0994-A | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-82/206 Czech Nursery Hradec Kralove CZ         | 20s - 40s | 23,80 Kč  |       |
| DHG-0994-B | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-82/206 Czech Nursery Hradec Kralove CZ         | 42s - 60s | 45,00 Kč  |       |
| DHG-0994-C | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-82/206 Czech Nursery Hradec Kralove CZ         | 100s      | 90,00 Kč  |       |
| DHG-0994-D | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-82/206 Czech Nursery Hradec Kralove CZ         | 500s      | 335,00 Kč |       |
| DHG-0994-E | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-82/206 Czech Nursery Hradec Kralove CZ         | 1000s     | 569,00 Kč |       |
| DHG-0995-A | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-83/207 Cerro La Mogote San Luis Argentina      | 20s - 40s | 23,80 Kč  |       |
| DHG-0995-B | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-83/207 Cerro La Mogote San Luis Argentina      | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-0995-C | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-83/207 Cerro La Mogote San Luis Argentina          | 100s      | 90,00 Kč  |       |
| DHG-0995-D | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-83/207 Cerro La Mogote San Luis Argentina          | 500s      | 335,00 Kč |       |
| DHG-0995-E | GYMNOCALYCIUM | monvillei ssp. achirasense f. villamercedense (radial spines almost flat against the plant body) GN 88-83/207 Cerro La Mogote San Luis Argentina          | 1000s     | 569,00 Kč |       |
| DHG-0997-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. echinatum (radial spines almost flat against the plant body) LF 6 El Volcan San Luis Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-0997-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. echinatum (radial spines almost flat against the plant body) LF 6 El Volcan San Luis Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-0997-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. echinatum (radial spines almost flat against the plant body) LF 6 El Volcan San Luis Argentina                              | 100s      | 90,00 Kč  |       |
| DHG-0997-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. echinatum (radial spines almost flat against the plant body) LF 6 El Volcan San Luis Argentina                              | 500s      | 335,00 Kč |       |
| DHG-0997-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. echinatum (radial spines almost flat against the plant body) LF 6 El Volcan San Luis Argentina                              | 1000s     | 569,00 Kč |       |
| DHG-0998-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 312 Inti Huasi I. 893 m Cordoba Argentina                   | 20s - 40s | 23,80 Kč  |       |
| DHG-0998-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 312 Inti Huasi I. 893 m Cordoba Argentina                   | 42s - 60s | 45,00 Kč  |       |
| DHG-0998-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 312 Inti Huasi I. 893 m Cordoba Argentina                   | 100s      | 90,00 Kč  |       |
| DHG-0998-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 312 Inti Huasi I. 893 m Cordoba Argentina                   | 500s      | 335,00 Kč |       |
| DHG-0998-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 312 Inti Huasi I. 893 m Cordoba Argentina                   | 1000s     | 569,00 Kč |       |
| DHG-0999-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 320 Inti Huasi alt 937 m Cordoba Argentina                  | 20s - 40s | 23,80 Kč  |       |
| DHG-0999-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 320 Inti Huasi alt 937 m Cordoba Argentina                  | 42s - 60s | 45,00 Kč  |       |
| DHG-0999-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 320 Inti Huasi alt 937 m Cordoba Argentina                  | 100s      | 90,00 Kč  |       |
| DHG-0999-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 320 Inti Huasi alt 937 m Cordoba Argentina                  | 500s      | 335,00 Kč |       |
| DHG-0999-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) KP 320 Inti Huasi alt 937 m Cordoba Argentina                  | 1000s     | 569,00 Kč |       |
| DHG-1000-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) LF 7 Suyque Nuevo 1550 m San Luis Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHG-1000-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) LF 7 Suyque Nuevo 1550 m San Luis Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHG-1000-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) LF 7 Suyque Nuevo 1550 m San Luis Argentina                    | 100s      | 90,00 Kč  |       |
| DHG-1000-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) LF 7 Suyque Nuevo 1550 m San Luis Argentina                    | 500s      | 335,00 Kč |       |
| DHG-1000-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. gertrudae (radial spines almost flat against the plant body) LF 7 Suyque Nuevo 1550 m San Luis Argentina                    | 1000s     | 569,00 Kč |       |
| DHG-0656-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                              | 20s - 40s | 23,80 Kč  |       |
| DHG-0656-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                              | 42s - 60s | 45,00 Kč  |       |
| DHG-0656-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                              | 100s      | 90,00 Kč  |       |
| DHG-0656-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                              | 500s      | 335,00 Kč |       |
| DHG-0656-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) Czech Nursery Hradec Kralove CZ                              | 1000s     | 569,00 Kč |       |
| DHG-0657-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) GN 88-117/286 Czech Nursery Hradec Kralove CZ                | 20s - 40s | 23,80 Kč  |       |
| DHG-0657-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) GN 88-117/286 Czech Nursery Hradec Kralove CZ                | 42s - 60s | 45,00 Kč  |       |
| DHG-0657-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) GN 88-117/286 Czech Nursery Hradec Kralove CZ                | 100s      | 90,00 Kč  |       |
| DHG-0657-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) GN 88-117/286 Czech Nursery Hradec Kralove CZ                | 500s      | 335,00 Kč |       |
| DHG-0657-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. chacrasense (radial spines almost flat against the plant body) GN 88-117/286 Czech Nursery Hradec Kralove CZ                | 1000s     | 569,00 Kč |       |
| DHG-2967-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. kainradliae (dark and rigid spination, gently pink flowers) GN 90-270/867 Piedra Blanca San Luis Argentina                  | 20s - 40s | 23,80 Kč  |       |
| DHG-2967-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. kainradliae (dark and rigid spination, gently pink flowers) GN 90-270/867 Piedra Blanca San Luis Argentina                  | 42s - 60s | 45,00 Kč  |       |
| DHG-2967-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. kainradliae (dark and rigid spination, gently pink flowers) GN 90-270/867 Piedra Blanca San Luis Argentina                  | 100s      | 90,00 Kč  |       |
| DHG-2967-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. kainradliae (dark and rigid spination, gently pink flowers) GN 90-270/867 Piedra Blanca San Luis Argentina                  | 500s      | 335,00 Kč |       |
| DHG-2967-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. kainradliae (dark and rigid spination, gently pink flowers) GN 90-270/867 Piedra Blanca San Luis Argentina                  | 1000s     | 569,00 Kč |       |
| DHG-0658-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) LB 332 Las Albahacas Sierra de Comechingones Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-0658-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) LB 332 Las Albahacas Sierra de Comechingones Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-0658-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) LB 332 Las Albahacas Sierra de Comechingones Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHG-0658-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) LB 332 Las Albahacas Sierra de Comechingones Cordoba Argentina | 500s      | 335,00 Kč |       |
| DHG-0658-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) LB 332 Las Albahacas Sierra de Comechingones Cordoba Argentina | 1000s     | 569,00 Kč |       |
| DHG-1001-A | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) RF(RER) Los Molles km 1 Rio Cuarto Cordoba Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-1001-B | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) RF(RER) Los Molles km 1 Rio Cuarto Cordoba Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-1001-C | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) RF(RER) Los Molles km 1 Rio Cuarto Cordoba Argentina           | 100s      | 90,00 Kč  |       |
| DHG-1001-D | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) RF(RER) Los Molles km 1 Rio Cuarto Cordoba Argentina           | 500s      | 335,00 Kč |       |
| DHG-1001-E | GYMNOCALYCIUM | monvillei ssp. achirasense v. orientale (radial spines almost flat against the plant body) RF(RER) Los Molles km 1 Rio Cuarto Cordoba Argentina           | 1000s     | 569,00 Kč |       |
| DHG-1005-A | GYMNOCALYCIUM | morroense (blue silver brown body) GN 88-80/201 La Toma 1000 m San Luis Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-1005-B | GYMNOCALYCIUM | morroense (blue silver brown body) GN 88-80/201 La Toma 1000 m San Luis Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-1005-C | GYMNOCALYCIUM | morroense (blue silver brown body) GN 88-80/201 La Toma 1000 m San Luis Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2318-A | GYMNOCALYCIUM | morroense (blue silver brown body) KL 213 Arroyo Las Canas 720 m San Luis Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2318-B | GYMNOCALYCIUM | morroense (blue silver brown body) KL 213 Arroyo Las Canas 720 m San Luis Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2318-C | GYMNOCALYCIUM | morroense (blue silver brown body) KL 213 Arroyo Las Canas 720 m San Luis Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2307-A | GYMNOCALYCIUM | morroense (blue silver brown body) KL 48 Rio Conlara about 17 km from La Toma 990 m San Luis Argentina  | 20s - 40s | 25,50 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-2307-B | GYMNOCALYCIUM | morroense (blue silver brown body) KL 48 Rio Conlara about 17 km from La Toma 990 m San Luis Argentina                     | 42s - 60s | 48,00 Kč  |       |
| DHG-2307-C | GYMNOCALYCIUM | morroense (blue silver brown body) KL 48 Rio Conlara about 17 km from La Toma 990 m San Luis Argentina                     | 100s      | 96,00 Kč  |       |
| DHG-2306-A | GYMNOCALYCIUM | morroense (blue silver brown body) KL 54 Sierra Felipe Embalse 860 m San Luis Argentina                                    | 20s - 40s | 25,50 Kč  |       |
| DHG-2306-B | GYMNOCALYCIUM | morroense (blue silver brown body) KL 54 Sierra Felipe Embalse 860 m San Luis Argentina                                    | 42s - 60s | 48,00 Kč  |       |
| DHG-2306-C | GYMNOCALYCIUM | morroense (blue silver brown body) KL 54 Sierra Felipe Embalse 860 m San Luis Argentina                                    | 100s      | 96,00 Kč  |       |
| DHG-2280-A | GYMNOCALYCIUM | morroense (blue silver brown body) KL 80 Cruz Brillante 1320 m San Luis Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-2280-B | GYMNOCALYCIUM | morroense (blue silver brown body) KL 80 Cruz Brillante 1320 m San Luis Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-2280-C | GYMNOCALYCIUM | morroense (blue silver brown body) KL 80 Cruz Brillante 1320 m San Luis Argentina  | 100s      | 96,00 Kč  |       |
| DHG-2120-A | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-087 La Toma 17 km North Rio Conlara 990 m San Luis Argentina                      | 20s - 40s | 25,50 Kč  |       |
| DHG-2120-B | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-087 La Toma 17 km North Rio Conlara 990 m San Luis Argentina                      | 42s - 60s | 48,00 Kč  |       |
| DHG-2120-C | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-087 La Toma 17 km North Rio Conlara 990 m San Luis Argentina                      | 100s      | 96,00 Kč  |       |
| DHG-2509-A | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-104 El Mollecito Cerros Del Rosario 1116 m San Luis Argentina                     | 20s - 40s | 25,50 Kč  |       |
| DHG-2509-B | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-104 El Mollecito Cerros Del Rosario 1116 m San Luis Argentina                     | 42s - 60s | 48,00 Kč  |       |
| DHG-2509-C | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-104 El Mollecito Cerros Del Rosario 1116 m San Luis Argentina                     | 100s      | 96,00 Kč  |       |
| DHG-2510-A | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-78 between La Esquina and Los Morillos Sierra del Morro 1070 m San Luis Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2510-B | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-78 between La Esquina and Los Morillos Sierra del Morro 1070 m San Luis Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-2510-C | GYMNOCALYCIUM | morroense (blue silver brown body) MT 07-78 between La Esquina and Los Morillos Sierra del Morro 1070 m San Luis Argentina | 100s      | 96,00 Kč  |       |
| DHG-1006-A | GYMNOCALYCIUM | morroense (blue silver brown body) TOM 07-211/1 Membrillos (1 km North) alt 1245 m San Luis Argentina                      | 20s - 40s | 25,50 Kč  |       |
| DHG-1006-B | GYMNOCALYCIUM | morroense (blue silver brown body) TOM 07-211/1 Membrillos (1 km North) alt 1245 m San Luis Argentina                      | 42s - 60s | 48,00 Kč  |       |
| DHG-1006-C | GYMNOCALYCIUM | morroense (blue silver brown body) TOM 07-211/1 Membrillos (1 km North) alt 1245 m San Luis Argentina                      | 100s      | 96,00 Kč  |       |
| DHG-1007-A | GYMNOCALYCIUM | mostii (thick blue green stems , fuzzy spines , pink flowers) STO 90-345/3 Sierra Chica La Falda 1060 m Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1007-B | GYMNOCALYCIUM | mostii (thick blue green stems , fuzzy spines , pink flowers) STO 90-345/3 Sierra Chica La Falda 1060 m Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1007-C | GYMNOCALYCIUM | mostii (thick blue green stems , fuzzy spines , pink flowers) STO 90-345/3 Sierra Chica La Falda 1060 m Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1007-D | GYMNOCALYCIUM | mostii (thick blue green stems , fuzzy spines , pink flowers) STO 90-345/3 Sierra Chica La Falda 1060 m Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1007-E | GYMNOCALYCIUM | mostii (thick blue green stems , fuzzy spines , pink flowers) STO 90-345/3 Sierra Chica La Falda 1060 m Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-1008-A | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JL 47 North of Ischilin Cordoba Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-1008-B | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JL 47 North of Ischilin Cordoba Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-1008-C | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JL 47 North of Ischilin Cordoba Argentina                      | 100s      | 90,00 Kč  |       |
| DHG-1008-D | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JL 47 North of Ischilin Cordoba Argentina                      | 500s      | 335,00 Kč |       |
| DHG-1008-E | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JL 47 North of Ischilin Cordoba Argentina                      | 1000s     | 569,00 Kč |       |
| DHG-1009-A | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JO 151 Ascochinga to Tres Cascadas 990 m Cordoba Argentina     | 20s - 40s | 23,80 Kč  |       |
| DHG-1009-B | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JO 151 Ascochinga to Tres Cascadas 990 m Cordoba Argentina     | 42s - 60s | 45,00 Kč  |       |
| DHG-1009-C | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JO 151 Ascochinga to Tres Cascadas 990 m Cordoba Argentina     | 100s      | 90,00 Kč  |       |
| DHG-1009-D | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JO 151 Ascochinga to Tres Cascadas 990 m Cordoba Argentina     | 500s      | 335,00 Kč |       |
| DHG-1009-E | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) JO 151 Ascochinga to Tres Cascadas 990 m Cordoba Argentina     | 1000s     | 569,00 Kč |       |
| DHG-1010-A | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) P 176 East of Copina 1300 m Cordoba Argentina                  | 20s - 40s | 23,80 Kč  |       |
| DHG-1010-B | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) P 176 East of Copina 1300 m Cordoba Argentina                  | 42s - 60s | 45,00 Kč  |       |
| DHG-1010-C | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) P 176 East of Copina 1300 m Cordoba Argentina                  | 100s      | 90,00 Kč  |       |
| DHG-1010-D | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) P 176 East of Copina 1300 m Cordoba Argentina                  | 500s      | 335,00 Kč |       |
| DHG-1010-E | GYMNOCALYCIUM | mostii (thick blue green stems, fuzzy spines, pink flowers) P 176 East of Copina 1300 m Cordoba Argentina                  | 1000s     | 569,00 Kč |       |
| DHG-1016-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 131 Dorothea Muhr Cordoba Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-1016-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 131 Dorothea Muhr Cordoba Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-1016-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 131 Dorothea Muhr Cordoba Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-1016-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 131 Dorothea Muhr Cordoba Argentina                                | 500s      | 335,00 Kč |       |
| DHG-1016-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 131 Dorothea Muhr Cordoba Argentina                                | 1000s     | 569,00 Kč |       |
| DHG-1022-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 44 A Dorothea Muhr Argentina Czech Nursery Brno CZ                 | 20s - 40s | 23,80 Kč  |       |
| DHG-1022-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 44 A Dorothea Muhr Argentina Czech Nursery Brno CZ                 | 42s - 60s | 45,00 Kč  |       |
| DHG-1022-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 44 A Dorothea Muhr Argentina Czech Nursery Brno CZ                 | 100s      | 90,00 Kč  |       |
| DHG-1022-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 44 A Dorothea Muhr Argentina Czech Nursery Brno CZ                 | 500s      | 335,00 Kč |       |
| DHG-1022-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) B 44 A Dorothea Muhr Argentina Czech Nursery Brno CZ                 | 1000s     | 569,00 Kč |       |
| DHG-1017-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) Hans Till 805 Czech Nursery Brno CZ                                  | 20s - 40s | 23,80 Kč  |       |
| DHG-1017-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) Hans Till 805 Czech Nursery Brno CZ                                  | 42s - 60s | 45,00 Kč  |       |
| DHG-1017-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) Hans Till 805 Czech Nursery Brno CZ                                  | 100s      | 90,00 Kč  |       |
| DHG-1017-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) Hans Till 805 Czech Nursery Brno CZ                                  | 500s      | 335,00 Kč |       |
| DHG-1017-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) Hans Till 805 Czech Nursery Brno CZ                                  | 1000s     | 569,00 Kč |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-1018-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JO 163 Ischilin Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1018-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JO 163 Ischilin Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1018-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JO 163 Ischilin Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1018-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JO 163 Ischilin Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1018-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JO 163 Ischilin Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1019-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JS 156 Ischilin Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1019-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JS 156 Ischilin Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1019-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JS 156 Ischilin Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1019-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JS 156 Ischilin Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1019-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) JS 156 Ischilin Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1011-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KBA 18 A Sierra Massa 720 m Cordoba Argentina                               | 20s - 40s | 23,80 Kč  |       |
| DHG-1011-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KBA 18 A Sierra Massa 720 m Cordoba Argentina                               | 42s - 60s | 45,00 Kč  |       |
| DHG-1011-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KBA 18 A Sierra Massa 720 m Cordoba Argentina                               | 100s      | 90,00 Kč  |       |
| DHG-1011-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KBA 18 A Sierra Massa 720 m Cordoba Argentina                               | 500s      | 335,00 Kč |       |
| DHG-1011-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KBA 18 A Sierra Massa 720 m Cordoba Argentina                               | 1000s     | 569,00 Kč |       |
| DHG-1012-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 332 Las Talas 871 m Cordoba Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHG-1012-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 332 Las Talas 871 m Cordoba Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHG-1012-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 332 Las Talas 871 m Cordoba Argentina                                    | 100s      | 90,00 Kč  |       |
| DHG-1012-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 332 Las Talas 871 m Cordoba Argentina                                    | 500s      | 335,00 Kč |       |
| DHG-1012-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 332 Las Talas 871 m Cordoba Argentina                                    | 1000s     | 569,00 Kč |       |
| DHG-1013-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 336 Las Talas I. alt 987 m Cordoba Argentina                             | 20s - 40s | 23,80 Kč  |       |
| DHG-1013-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 336 Las Talas I. alt 987 m Cordoba Argentina                             | 42s - 60s | 45,00 Kč  |       |
| DHG-1013-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 336 Las Talas I. alt 987 m Cordoba Argentina                             | 100s      | 90,00 Kč  |       |
| DHG-1013-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 336 Las Talas I. alt 987 m Cordoba Argentina                             | 500s      | 335,00 Kč |       |
| DHG-1013-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 336 Las Talas I. alt 987 m Cordoba Argentina                             | 1000s     | 569,00 Kč |       |
| DHG-1014-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 338 Las Talas II. alt 925 m Cordoba Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-1014-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 338 Las Talas II. alt 925 m Cordoba Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-1014-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 338 Las Talas II. alt 925 m Cordoba Argentina                            | 100s      | 90,00 Kč  |       |
| DHG-1014-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 338 Las Talas II. alt 925 m Cordoba Argentina                            | 500s      | 335,00 Kč |       |
| DHG-1014-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 338 Las Talas II. alt 925 m Cordoba Argentina                            | 1000s     | 569,00 Kč |       |
| DHG-1015-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 339 West of Las Talas III. on near small viaduct 905 m Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-1015-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 339 West of Las Talas III. on near small viaduct 905 m Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-1015-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 339 West of Las Talas III. on near small viaduct 905 m Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHG-1015-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 339 West of Las Talas III. on near small viaduct 905 m Cordoba Argentina | 500s      | 335,00 Kč |       |
| DHG-1015-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) KP 339 West of Las Talas III. on near small viaduct 905 m Cordoba Argentina | 1000s     | 569,00 Kč |       |
| DHG-1020-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) LF 83 Ischilin 1000 m Cordoba Argentina                                     | 20s - 40s | 23,80 Kč  |       |
| DHG-1020-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) LF 83 Ischilin 1000 m Cordoba Argentina                                     | 42s - 60s | 45,00 Kč  |       |
| DHG-1020-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) LF 83 Ischilin 1000 m Cordoba Argentina                                     | 100s      | 90,00 Kč  |       |
| DHG-1020-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) LF 83 Ischilin 1000 m Cordoba Argentina                                     | 500s      | 335,00 Kč |       |
| DHG-1020-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) LF 83 Ischilin 1000 m Cordoba Argentina                                     | 1000s     | 569,00 Kč |       |
| DHG-1021-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) P 380 Sauce Puncu 1000 m Sierra Tulumba Cordoba Argentina                   | 20s - 40s | 23,80 Kč  |       |
| DHG-1021-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) P 380 Sauce Puncu 1000 m Sierra Tulumba Cordoba Argentina                   | 42s - 60s | 45,00 Kč  |       |
| DHG-1021-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) P 380 Sauce Puncu 1000 m Sierra Tulumba Cordoba Argentina                   | 100s      | 90,00 Kč  |       |
| DHG-1021-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) P 380 Sauce Puncu 1000 m Sierra Tulumba Cordoba Argentina                   | 500s      | 335,00 Kč |       |
| DHG-1021-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) P 380 Sauce Puncu 1000 m Sierra Tulumba Cordoba Argentina                   | 1000s     | 569,00 Kč |       |
| DHG-1023-A | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) STO 87-2/3 Santa Catalina 850 m Sierra Ischilin Cordoba Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-1023-B | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) STO 87-2/3 Santa Catalina 850 m Sierra Ischilin Cordoba Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-1023-C | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) STO 87-2/3 Santa Catalina 850 m Sierra Ischilin Cordoba Argentina           | 100s      | 90,00 Kč  |       |
| DHG-1023-D | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) STO 87-2/3 Santa Catalina 850 m Sierra Ischilin Cordoba Argentina           | 500s      | 335,00 Kč |       |
| DHG-1023-E | GYMNOCALYCIUM | mostii v. generi (valnicekianum, glaucous green body) STO 87-2/3 Santa Catalina 850 m Sierra Ischilin Cordoba Argentina           | 1000s     | 569,00 Kč |       |
| DHG-1024-A | GYMNOCALYCIUM | mostii v. kurtzianum (upward curving centrals) KLA 7 A La Cumbre II. Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1024-B | GYMNOCALYCIUM | mostii v. kurtzianum (upward curving centrals) KLA 7 A La Cumbre II. Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1024-C | GYMNOCALYCIUM | mostii v. kurtzianum (upward curving centrals) KLA 7 A La Cumbre II. Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1024-D | GYMNOCALYCIUM | mostii v. kurtzianum (upward curving centrals) KLA 7 A La Cumbre II. Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1027-A | GYMNOCALYCIUM | nataliae (smaller form with robust root, large pink flowers) KFF 1171 San Isidro 925 m San Luis Argentina                         | 20s - 40s | 25,50 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1028-A | GYMNOCALYCIUM | nataliae (smaller form with robust root, large pink flowers) MT 7-095 San Isidro 927 m Sierra San Luis Argentina                               | 20s - 40s | 25,50 Kč  |       |
| DHG-1025-A | GYMNOCALYCIUM | nataliae (smaller form with robust root, large pink flowers) RF 512 Estancia de Fomento Ganadero 992 m San Luis Argentina                      | 20s - 40s | 25,50 Kč  |       |
| DHG-1026-A | GYMNOCALYCIUM | nataliae (smaller form with robust root, large pink flowers) STO 1596/1 Estancia de Fomento Ganadero Las Aguadas San Luis Argentina            | 20s - 40s | 25,50 Kč  |       |
| DHG-2452-A | GYMNOCALYCIUM | nataliae (smaller form with robust root, large pink flowers) TOM 09-402/1 about 2 km South East of Pozo del Espinillo 944 m San Luis Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-1029-A | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) GN 89-77/363 Suyuque Nuevo San Luis Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-1029-B | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) GN 89-77/363 Suyuque Nuevo San Luis Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-1029-C | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) GN 89-77/363 Suyuque Nuevo San Luis Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-1030-A | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) LB 289 Villa de la Quebrada San Luis Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-1030-B | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) LB 289 Villa de la Quebrada San Luis Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-1030-C | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) LB 289 Villa de la Quebrada San Luis Argentina                      | 100s      | 90,00 Kč  |       |
| DHG-1031-A | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) STO 92-541/1 Hipolito 800 m San Luis Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-1031-B | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) STO 92-541/1 Hipolito 800 m San Luis Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-1031-C | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) STO 92-541/1 Hipolito 800 m San Luis Argentina                      | 100s      | 90,00 Kč  |       |
| DHG-1032-A | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) VS 7 Suyuque Nuevo San Luis Argentina                               | 20s - 40s | 23,80 Kč  |       |
| DHG-1032-B | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) VS 7 Suyuque Nuevo San Luis Argentina                               | 42s - 60s | 45,00 Kč  |       |
| DHG-1032-C | GYMNOCALYCIUM | neuhuberi (usually yellowish orange brown spines, beautiful lilac flowers) VS 7 Suyuque Nuevo San Luis Argentina                               | 100s      | 90,00 Kč  |       |
| DHG-1033-A | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) Czech Nursery Benesov CZ  | 20s - 40s | 25,50 Kč  |       |
| DHG-1033-B | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) Czech Nursery Benesov CZ  | 42s - 60s | 48,00 Kč  |       |
| DHG-1033-C | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) Czech Nursery Benesov CZ  | 100s      | 96,00 Kč  |       |
| DHG-1033-D | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) Czech Nursery Benesov CZ  | 500s      | 359,00 Kč |       |
| DHG-1273-A | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LAU 485 Mazan 1600 m La Rioja Argentina                             | 20s - 40s | 25,50 Kč  |       |
| DHG-1273-B | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LAU 485 Mazan 1600 m La Rioja Argentina                             | 42s - 60s | 48,00 Kč  |       |
| DHG-1273-C | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LAU 485 Mazan 1600 m La Rioja Argentina                             | 100s      | 96,00 Kč  |       |
| DHG-1273-D | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LAU 485 Mazan 1600 m La Rioja Argentina                             | 500s      | 359,00 Kč |       |
| DHG-2199-A | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 105 Estancia Mazan 1400 m La Rioja Argentina                     | 20s - 40s | 25,50 Kč  |       |
| DHG-2199-B | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 105 Estancia Mazan 1400 m La Rioja Argentina                     | 42s - 60s | 48,00 Kč  |       |
| DHG-2199-C | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 105 Estancia Mazan 1400 m La Rioja Argentina                     | 100s      | 96,00 Kč  |       |
| DHG-2199-D | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 105 Estancia Mazan 1400 m La Rioja Argentina                     | 500s      | 359,00 Kč |       |
| DHG-2507-A | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 19 A Guandacol 1250 m La Rioja Argentina                         | 20s - 40s | 25,50 Kč  |       |
| DHG-2507-B | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 19 A Guandacol 1250 m La Rioja Argentina                         | 42s - 60s | 48,00 Kč  |       |
| DHG-2507-C | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 19 A Guandacol 1250 m La Rioja Argentina                         | 100s      | 96,00 Kč  |       |
| DHG-2507-D | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) LF 19 A Guandacol 1250 m La Rioja Argentina                         | 500s      | 359,00 Kč |       |
| DHG-2966-A | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 88-124 East of Aimogasta 900 m La Rioja Argentina               | 20s - 40s | 25,50 Kč  |       |
| DHG-2966-B | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 88-124 East of Aimogasta 900 m La Rioja Argentina               | 42s - 60s | 48,00 Kč  |       |
| DHG-2966-C | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 88-124 East of Aimogasta 900 m La Rioja Argentina               | 100s      | 96,00 Kč  |       |
| DHG-2966-D | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 88-124 East of Aimogasta 900 m La Rioja Argentina               | 500s      | 359,00 Kč |       |
| DHG-2508-A | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 89-244 La Pena La Rioja Argentina                               | 20s - 40s | 25,50 Kč  |       |
| DHG-2508-B | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 89-244 La Pena La Rioja Argentina                               | 42s - 60s | 48,00 Kč  |       |
| DHG-2508-C | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 89-244 La Pena La Rioja Argentina                               | 100s      | 96,00 Kč  |       |
| DHG-2508-D | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) STO 89-244 La Pena La Rioja Argentina                               | 500s      | 359,00 Kč |       |
| DHG-2506-A | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) WR 121 A Famatina to Velasco La Rioja Argentina                     | 20s - 40s | 25,50 Kč  |       |
| DHG-2506-B | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) WR 121 A Famatina to Velasco La Rioja Argentina                     | 42s - 60s | 48,00 Kč  |       |
| DHG-2506-C | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) WR 121 A Famatina to Velasco La Rioja Argentina                     | 100s      | 96,00 Kč  |       |
| DHG-2506-D | GYMNOCALYCIUM | nidulans sensu Fric 1935 (8 cm long dense curved and twisted heavy spines) WR 121 A Famatina to Velasco La Rioja Argentina                     | 500s      | 359,00 Kč |       |
| DHG-1035-A | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) JO 164 El Portezuello Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1035-B | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) JO 164 El Portezuello Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1035-C | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) JO 164 El Portezuello Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1035-D | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) JO 164 El Portezuello Catamarca Argentina   | 500s      | 335,00 Kč |       |
| DHG-1035-E | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) JO 164 El Portezuello Catamarca Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1034-A | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) KP 209 South of Yocan 615 m Catamarca Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-1034-B | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) KP 209 South of Yocan 615 m Catamarca Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-1034-C | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) KP 209 South of Yocan 615 m Catamarca Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-1034-D | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) KP 209 South of Yocan 615 m Catamarca Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-1034-E | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) KP 209 South of Yocan 615 m Catamarca Argentina                                   | 1000s     | 569,00 Kč |       |
| DHG-3003-A | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 71 Monte Portrero 1100 m Catamarca Argentina                                   | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-3003-B | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 71 Monte Portrero 1100 m Catamarca Argentina                                     | 42s - 60s | 45,00 Kč  |       |
| DHG-3003-C | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 71 Monte Portrero 1100 m Catamarca Argentina                                     | 100s      | 90,00 Kč  |       |
| DHG-3003-D | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 71 Monte Portrero 1100 m Catamarca Argentina                                     | 500s      | 335,00 Kč |       |
| DHG-3003-E | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 71 Monte Portrero 1100 m Catamarca Argentina                                     | 1000s     | 569,00 Kč |       |
| DHG-3004-A | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 72 Cuesta El Portezuelo 900 m Catamarca Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-3004-B | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 72 Cuesta El Portezuelo 900 m Catamarca Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-3004-C | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 72 Cuesta El Portezuelo 900 m Catamarca Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-3004-D | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 72 Cuesta El Portezuelo 900 m Catamarca Argentina                                | 500s      | 335,00 Kč |       |
| DHG-3004-E | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) LF 72 Cuesta El Portezuelo 900 m Catamarca Argentina                                | 1000s     | 569,00 Kč |       |
| DHG-1036-A | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) P 132 North of El Portezuelo 800 m Catamarca Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-1036-B | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) P 132 North of El Portezuelo 800 m Catamarca Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-1036-C | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) P 132 North of El Portezuelo 800 m Catamarca Argentina                              | 100s      | 90,00 Kč  |       |
| DHG-1036-D | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) P 132 North of El Portezuelo 800 m Catamarca Argentina                              | 500s      | 335,00 Kč |       |
| DHG-1036-E | GYMNOCALYCIUM | nigriareolatum (strong curved spines set on darkish areoles) P 132 North of El Portezuelo 800 m Catamarca Argentina                              | 1000s     | 569,00 Kč |       |
| DHG-2505-A | GYMNOCALYCIUM | nigriareolatum v. simoi (strongly pressed, like if felted coated occur rigid whitish spines) CH 1113 A San Jose North Ruta 1 Catamarca Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-2505-B | GYMNOCALYCIUM | nigriareolatum v. simoi (strongly pressed, like if felted coated occur rigid whitish spines) CH 1113 A San Jose North Ruta 1 Catamarca Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-1037-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 304 A Villa Quilino I. 447 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1037-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 304 A Villa Quilino I. 447 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1037-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 304 A Villa Quilino I. 447 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1037-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 304 A Villa Quilino I. 447 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1037-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 304 A Villa Quilino I. 447 m Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1038-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 306 B Villa Quilino II. 447 m Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1038-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 306 B Villa Quilino II. 447 m Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1038-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 306 B Villa Quilino II. 447 m Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1038-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 306 B Villa Quilino II. 447 m Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1038-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 306 B Villa Quilino II. 447 m Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-1039-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 308 La Isabela 654 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1039-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 308 La Isabela 654 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1039-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 308 La Isabela 654 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1039-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 308 La Isabela 654 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1039-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 308 La Isabela 654 m Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1040-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 310 San Pedro de Toyos 601 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1040-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 310 San Pedro de Toyos 601 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1040-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 310 San Pedro de Toyos 601 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1040-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 310 San Pedro de Toyos 601 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1040-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 310 San Pedro de Toyos 601 m Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1041-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 324 San Jose de la Dormida 493 m Cordoba Argentina                                       | 20s - 40s | 23,80 Kč  |       |
| DHG-1041-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 324 San Jose de la Dormida 493 m Cordoba Argentina                                       | 42s - 60s | 45,00 Kč  |       |
| DHG-1041-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 324 San Jose de la Dormida 493 m Cordoba Argentina                                       | 100s      | 90,00 Kč  |       |
| DHG-1041-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 324 San Jose de la Dormida 493 m Cordoba Argentina                                       | 500s      | 335,00 Kč |       |
| DHG-1041-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 324 San Jose de la Dormida 493 m Cordoba Argentina                                       | 1000s     | 569,00 Kč |       |
| DHG-1042-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 325 Simbolar (quarry) 511 m Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1042-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 325 Simbolar (quarry) 511 m Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1042-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 325 Simbolar (quarry) 511 m Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1042-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 325 Simbolar (quarry) 511 m Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1042-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 325 Simbolar (quarry) 511 m Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-1043-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 329 Cerro de La Cruz 575 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1043-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 329 Cerro de La Cruz 575 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1043-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 329 Cerro de La Cruz 575 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1043-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 329 Cerro de La Cruz 575 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1043-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) KP 329 Cerro de La Cruz 575 m Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1044-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) PEM 50 Quilino (South) Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1044-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) PEM 50 Quilino (South) Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1044-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) PEM 50 Quilino (South) Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1044-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) PEM 50 Quilino (South) Cordoba Argentina  | 500s      | 335,00 Kč |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1044-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) PEM 50 Quilino (South) Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-1047-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 A South of Quilino to Dean Funes I. Cordoba Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-1047-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 A South of Quilino to Dean Funes I. Cordoba Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-1047-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 A South of Quilino to Dean Funes I. Cordoba Argentina                              | 100s      | 90,00 Kč  |       |
| DHG-1047-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 A South of Quilino to Dean Funes I. Cordoba Argentina                              | 500s      | 335,00 Kč |       |
| DHG-1047-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 A South of Quilino to Dean Funes I. Cordoba Argentina                              | 1000s     | 569,00 Kč |       |
| DHG-1045-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 Quilino Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1045-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 Quilino Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1045-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 Quilino Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1045-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 Quilino Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1045-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 Quilino Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-1046-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 South of Quilino to Dean Funes I. Cordoba Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-1046-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 South of Quilino to Dean Funes I. Cordoba Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-1046-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 South of Quilino to Dean Funes I. Cordoba Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-1046-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 South of Quilino to Dean Funes I. Cordoba Argentina                                | 500s      | 335,00 Kč |       |
| DHG-1046-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 348 South of Quilino to Dean Funes I. Cordoba Argentina                                | 1000s     | 569,00 Kč |       |
| DHG-1048-A | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 967 Orcosuni Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1048-B | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 967 Orcosuni Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1048-C | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 967 Orcosuni Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1048-D | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 967 Orcosuni Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1048-E | GYMNOCALYCIUM | obductum Piltz (many black areols with short spines) RF 967 Orcosuni Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1050-A | GYMNOCALYCIUM | occultum (noticeably flatten body) CH 1174 Los Angeles to Miraflores 633 m Catamarca Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-1050-B | GYMNOCALYCIUM | occultum (noticeably flatten body) CH 1174 Los Angeles to Miraflores 633 m Catamarca Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-1050-C | GYMNOCALYCIUM | occultum (noticeably flatten body) CH 1174 Los Angeles to Miraflores 633 m Catamarca Argentina   | 100s      | 96,00 Kč  |       |
| DHG-1050-D | GYMNOCALYCIUM | occultum (noticeably flatten body) CH 1174 Los Angeles to Miraflores 633 m Catamarca Argentina   | 500s      | 359,00 Kč |       |
| DHG-2119-A | GYMNOCALYCIUM | occultum (noticeably flatten body) LF 76 Miraflores 1000 m Catamarca Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2119-B | GYMNOCALYCIUM | occultum (noticeably flatten body) LF 76 Miraflores 1000 m Catamarca Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2119-C | GYMNOCALYCIUM | occultum (noticeably flatten body) LF 76 Miraflores 1000 m Catamarca Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2119-D | GYMNOCALYCIUM | occultum (noticeably flatten body) LF 76 Miraflores 1000 m Catamarca Argentina   | 500s      | 359,00 Kč |       |
| DHG-1049-A | GYMNOCALYCIUM | occultum (noticeably flatten body) P 131 Tres Puentes 700 m Catamarca Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-1049-B | GYMNOCALYCIUM | occultum (noticeably flatten body) P 131 Tres Puentes 700 m Catamarca Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-1049-C | GYMNOCALYCIUM | occultum (noticeably flatten body) P 131 Tres Puentes 700 m Catamarca Argentina  | 100s      | 96,00 Kč  |       |
| DHG-1049-D | GYMNOCALYCIUM | occultum (noticeably flatten body) P 131 Tres Puentes 700 m Catamarca Argentina  | 500s      | 359,00 Kč |       |
| DHG-1051-A | GYMNOCALYCIUM | odoratum (nomen nudum, stiff white spines, now walterii) JIR 356/00 Czech Nursery Brno CZ  | 20s - 40s | 23,80 Kč  |       |
| DHG-1051-B | GYMNOCALYCIUM | odoratum (nomen nudum, stiff white spines, now walterii) JIR 356/00 Czech Nursery Brno CZ  | 42s - 60s | 45,00 Kč  |       |
| DHG-2117-A | GYMNOCALYCIUM | ochoterenae (flattened brown body, slightly curved spines bent back on the body) MT 07-157 Las Chilcas 681 m San Luis Argentina                | 20s - 40s | 23,80 Kč  |       |
| DHG-2117-B | GYMNOCALYCIUM | ochoterenae (flattened brown body, slightly curved spines bent back on the body) MT 07-157 Las Chilcas 681 m San Luis Argentina                | 42s - 60s | 45,00 Kč  |       |
| DHG-2117-C | GYMNOCALYCIUM | ochoterenae (flattened brown body, slightly curved spines bent back on the body) MT 07-157 Las Chilcas 681 m San Luis Argentina                | 100s      | 90,00 Kč  |       |
| DHG-2117-D | GYMNOCALYCIUM | ochoterenae (flattened brown body, slightly curved spines bent back on the body) MT 07-157 Las Chilcas 681 m San Luis Argentina                | 500s      | 335,00 Kč |       |
| DHG-2117-E | GYMNOCALYCIUM | ochoterenae (flattened brown body, slightly curved spines bent back on the body) MT 07-157 Las Chilcas 681 m San Luis Argentina                | 1000s     | 569,00 Kč |       |
| DHG-2196-A | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) JS 284 Pozo del Molle San Luis Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-2196-B | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) JS 284 Pozo del Molle San Luis Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-2196-C | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) JS 284 Pozo del Molle San Luis Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-2500-A | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) LB 389 North of San Francisco del Monte de Oro 700 m San Luis Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-2500-B | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) LB 389 North of San Francisco del Monte de Oro 700 m San Luis Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-2500-C | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) LB 389 North of San Francisco del Monte de Oro 700 m San Luis Argentina | 100s      | 90,00 Kč  |       |
| DHG-2501-A | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) VS 13 Pozo del Mole 900 m San Luis Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-2501-B | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) VS 13 Pozo del Mole 900 m San Luis Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-2501-C | GYMNOCALYCIUM | ochoterenae v. cinereum (dark greyish green stem, cream white flowers) VS 13 Pozo del Mole 900 m San Luis Argentina                            | 100s      | 90,00 Kč  |       |
| DHG-1055-A | GYMNOCALYCIUM | ochoterenae v. varispinum (recurving variable colour of radial spines) Czech Nursery Kyjovice CZ   | 20s - 40s | 23,80 Kč  |       |
| DHG-1055-B | GYMNOCALYCIUM | ochoterenae v. varispinum (recurving variable colour of radial spines) Czech Nursery Kyjovice CZ   | 42s - 60s | 45,00 Kč  |       |
| DHG-1059-A | GYMNOCALYCIUM | papschii (white brown hairy spines, tall flowers) VS 884 San Javier 940 m Cordoba Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-1059-B | GYMNOCALYCIUM | papschii (white brown hairy spines, tall flowers) VS 884 San Javier 940 m Cordoba Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-1062-A | GYMNOCALYCIUM | parvulum (low compressed body, light corner to light brown spines) HV 664 Ambul Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1062-B | GYMNOCALYCIUM | parvulum (low compressed body, light corner to light brown spines) HV 664 Ambul Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |



| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1062-C | GYMNOCALYCIUM | parvulum (low compressed body, light corner to light brown spines) HV 664 Ambul Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-2277-A | GYMNOCALYCIUM | parvulum f. proliferum (wispy pinkish brown spider spines) KL 239 Panalholma 100 m (East of table) Cordoba Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-2277-B | GYMNOCALYCIUM | parvulum f. proliferum (wispy pinkish brown spider spines) KL 239 Panalholma 100 m (East of table) Cordoba Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-2277-C | GYMNOCALYCIUM | parvulum f. proliferum (wispy pinkish brown spider spines) KL 239 Panalholma 100 m (East of table) Cordoba Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-2277-D | GYMNOCALYCIUM | parvulum f. proliferum (wispy pinkish brown spider spines) KL 239 Panalholma 100 m (East of table) Cordoba Argentina                       | 500s      | 335,00 Kč |       |
| DHG-2277-E | GYMNOCALYCIUM | parvulum f. proliferum (wispy pinkish brown spider spines) KL 239 Panalholma 100 m (East of table) Cordoba Argentina                       | 1000s     | 569,00 Kč |       |
| DHG-1063-A | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 A Sierra Copacabana I. Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1063-B | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 A Sierra Copacabana I. Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1063-C | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 A Sierra Copacabana I. Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1063-D | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 A Sierra Copacabana I. Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1063-E | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 A Sierra Copacabana I. Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1066-A | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 B Sierra Copacabana I. Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1066-B | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 B Sierra Copacabana I. Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1066-C | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 B Sierra Copacabana I. Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1066-D | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 B Sierra Copacabana I. Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1066-E | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 21 B Sierra Copacabana I. Cordoba Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1064-A | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 23 A Sierra Copacabana III. Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-1064-B | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 23 A Sierra Copacabana III. Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-1064-C | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 23 A Sierra Copacabana III. Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHG-1064-D | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 23 A Sierra Copacabana III. Cordoba Argentina | 500s      | 335,00 Kč |       |
| DHG-1064-E | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) KLA 23 A Sierra Copacabana III. Cordoba Argentina | 1000s     | 569,00 Kč |       |
| DHG-1065-A | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) PL 23 A Sierra Copacabana III. Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1065-B | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) PL 23 A Sierra Copacabana III. Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1065-C | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) PL 23 A Sierra Copacabana III. Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1065-D | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) PL 23 A Sierra Copacabana III. Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1065-E | GYMNOCALYCIUM | parvulum ssp. agnesiae (the ribs have distinctive bumps with chins, spider hairy spines) PL 23 A Sierra Copacabana III. Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-1067-A | GYMNOCALYCIUM | parvulum ssp. amoenum (very offspringing body, spines mostly light brown to pink) CH 1306 La Mudana 1211 m Cordoba Argentina               | 20s - 40s | 23,80 Kč  |       |
| DHG-1067-B | GYMNOCALYCIUM | parvulum ssp. amoenum (very offspringing body, spines mostly light brown to pink) CH 1306 La Mudana 1211 m Cordoba Argentina               | 42s - 60s | 45,00 Kč  |       |
| DHG-1067-C | GYMNOCALYCIUM | parvulum ssp. amoenum (very offspringing body, spines mostly light brown to pink) CH 1306 La Mudana 1211 m Cordoba Argentina               | 100s      | 90,00 Kč  |       |
| DHG-2499-A | GYMNOCALYCIUM | parvulum ssp. amoenum (very offspringing body, spines mostly light brown to pink) RF 549 Las Palmas North West 1084 m Cordoba Argentina    | 20s - 40s | 23,80 Kč  |       |
| DHG-2499-B | GYMNOCALYCIUM | parvulum ssp. amoenum (very offspringing body, spines mostly light brown to pink) RF 549 Las Palmas North West 1084 m Cordoba Argentina    | 42s - 60s | 45,00 Kč  |       |
| DHG-2499-C | GYMNOCALYCIUM | parvulum ssp. amoenum (very offspringing body, spines mostly light brown to pink) RF 549 Las Palmas North West 1084 m Cordoba Argentina    | 100s      | 90,00 Kč  |       |
| DHG-0837-A | GYMNOCALYCIUM | pflanzii v. eytianum (peculiar spine clusters characteristically bent backward) KK 520 Eyti 1200 m Santa Cruz Bolivia                      | 20s - 40s | 23,80 Kč  |       |
| DHG-0837-B | GYMNOCALYCIUM | pflanzii v. eytianum (peculiar spine clusters characteristically bent backward) KK 520 Eyti 1200 m Santa Cruz Bolivia                      | 42s - 60s | 45,00 Kč  |       |
| DHG-0837-C | GYMNOCALYCIUM | pflanzii v. eytianum (peculiar spine clusters characteristically bent backward) KK 520 Eyti 1200 m Santa Cruz Bolivia                      | 100s      | 90,00 Kč  |       |
| DHG-0837-D | GYMNOCALYCIUM | pflanzii v. eytianum (peculiar spine clusters characteristically bent backward) KK 520 Eyti 1200 m Santa Cruz Bolivia                      | 500s      | 335,00 Kč |       |
| DHG-0837-E | GYMNOCALYCIUM | pflanzii v. eytianum (peculiar spine clusters characteristically bent backward) KK 520 Eyti 1200 m Santa Cruz Bolivia                      | 1000s     | 569,00 Kč |       |
| DHG-1072-A | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 16 Los Terrones (bellow from top 2) Cordoba Argentina                                       | 20s - 40s | 34,00 Kč  |       |
| DHG-1072-B | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 16 Los Terrones (bellow from top 2) Cordoba Argentina                                       | 42s - 60s | 64,00 Kč  |       |
| DHG-1072-C | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 16 Los Terrones (bellow from top 2) Cordoba Argentina                                       | 100s      | 128,00 Kč |       |
| DHG-1072-D | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 16 Los Terrones (bellow from top 2) Cordoba Argentina                                       | 500s      | 479,00 Kč |       |
| DHG-1073-A | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 A Los Terrones (top of private hills) Cordoba Argentina                                  | 20s - 40s | 34,00 Kč  |       |
| DHG-1073-B | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 A Los Terrones (top of private hills) Cordoba Argentina                                  | 42s - 60s | 64,00 Kč  |       |
| DHG-1073-C | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 A Los Terrones (top of private hills) Cordoba Argentina                                  | 100s      | 128,00 Kč |       |
| DHG-1073-D | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 A Los Terrones (top of private hills) Cordoba Argentina                                  | 500s      | 479,00 Kč |       |
| DHG-1074-A | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 Los Terrones 1271 m Cordoba Argentina  | 20s - 40s | 34,00 Kč  |       |
| DHG-1074-B | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 Los Terrones 1271 m Cordoba Argentina  | 42s - 60s | 64,00 Kč  |       |
| DHG-1074-C | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 Los Terrones 1271 m Cordoba Argentina  | 100s      | 128,00 Kč |       |
| DHG-1074-D | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) KLA 17 Los Terrones 1271 m Cordoba Argentina  | 500s      | 479,00 Kč |       |
| DHG-1075-A | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 14 Los Terrones (just in top private hill) Cordoba Argentina                                 | 20s - 40s | 34,00 Kč  |       |
| DHG-1075-B | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 14 Los Terrones (just in top private hill) Cordoba Argentina                                 | 42s - 60s | 64,00 Kč  |       |
| DHG-1075-C | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 14 Los Terrones (just in top private hill) Cordoba Argentina                                 | 100s      | 128,00 Kč |       |
| DHG-1075-D | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 14 Los Terrones (just in top private hill) Cordoba Argentina                                 | 500s      | 479,00 Kč |       |
| DHG-1076-A | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 15 Los Terrones (just in bellow top private hill) Cordoba Argentina                          | 20s - 40s | 34,00 Kč  |       |
| DHG-1076-B | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 15 Los Terrones (just in bellow top private hill) Cordoba Argentina                          | 42s - 60s | 64,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-1076-C | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 15 Los Terrones (just in bellow top private hill) Cordoba Argentina   | 100s      | 128,00 Kč |       |
| DHG-1076-D | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 15 Los Terrones (just in bellow top private hill) Cordoba Argentina   | 500s      | 479,00 Kč |       |
| DHG-1077-A | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 17 Los Terrones (left side bellow) 1271 m Cordoba Argentina   | 20s - 40s | 34,00 Kč  |       |
| DHG-1077-B | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 17 Los Terrones (left side bellow) 1271 m Cordoba Argentina   | 42s - 60s | 64,00 Kč  |       |
| DHG-1077-C | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 17 Los Terrones (left side bellow) 1271 m Cordoba Argentina   | 100s      | 128,00 Kč |       |
| DHG-1077-D | GYMNOCALYCIUM | pinalii (fresh new species, long centrals) PL 17 Los Terrones (left side bellow) 1271 m Cordoba Argentina   | 500s      | 479,00 Kč |       |
| DHG-1078-A | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 401 Cordoba (Catamarca) Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1078-B | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 401 Cordoba (Catamarca) Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1078-C | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 401 Cordoba (Catamarca) Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1078-D | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 401 Cordoba (Catamarca) Argentina  | 500s      | 335,00 Kč |       |
| DHG-1078-E | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 401 Cordoba (Catamarca) Argentina  | 1000s     | 569,00 Kč |       |
| DHG-1079-A | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 993 La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1079-B | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 993 La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1079-C | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 993 La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1079-D | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 993 La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-1079-E | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) FB 993 La Rioja Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1080-A | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) CH 1171 Salinas Grandes 206 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1080-B | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) CH 1171 Salinas Grandes 206 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1080-C | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) CH 1171 Salinas Grandes 206 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1080-D | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) CH 1171 Salinas Grandes 206 m Catamarca Argentina   | 500s      | 335,00 Kč |       |
| DHG-1080-E | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) CH 1171 Salinas Grandes 206 m Catamarca Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1081-A | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) LB 1161 Ramblones 400 m Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1081-B | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) LB 1161 Ramblones 400 m Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1081-C | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) LB 1161 Ramblones 400 m Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1081-D | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) LB 1161 Ramblones 400 m Catamarca Argentina   | 500s      | 335,00 Kč |       |
| DHG-1081-E | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) LB 1161 Ramblones 400 m Catamarca Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1082-A | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) P 216 East of Sierra Malanzan 750 m La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1082-B | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) P 216 East of Sierra Malanzan 750 m La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1082-C | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) P 216 East of Sierra Malanzan 750 m La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1082-D | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) P 216 East of Sierra Malanzan 750 m La Rioja Argentina  | 500s      | 335,00 Kč |       |
| DHG-1082-E | GYMNOCALYCIUM | platygonum (depressed brownish grey stem) P 216 East of Sierra Malanzan 750 m La Rioja Argentina  | 1000s     | 569,00 Kč |       |
| DHG-2122-A | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) MT 07-108 Los Membrillos (South) 1156 San Luis Argentina                  | 20s - 40s | 25,50 Kč  |       |
| DHG-2122-B | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) MT 07-108 Los Membrillos (South) 1156 San Luis Argentina                  | 42s - 60s | 48,00 Kč  |       |
| DHG-2496-A | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) MT 08-451 Saladillo about 5 km before San Luis Capital San Luis Argentina | 20s - 40s | 25,50 Kč  |       |
| DHG-2496-B | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) MT 08-451 Saladillo about 5 km before San Luis Capital San Luis Argentina | 42s - 60s | 48,00 Kč  |       |
| DHG-2495-A | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) RF 425 Ruta 10 about 1 km North of Los Membrillos San Luis Argentina      | 20s - 40s | 25,50 Kč  |       |
| DHG-2495-B | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) RF 425 Ruta 10 about 1 km North of Los Membrillos San Luis Argentina      | 42s - 60s | 48,00 Kč  |       |
| DHG-2497-A | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) STO 99-1590 Loma Alta Road to Buena Vista San Luis Argentina              | 20s - 40s | 25,50 Kč  |       |
| DHG-2497-B | GYMNOCALYCIUM | poeschlii (chocolate dark green body, very curved lila pink coloured flower leaves) STO 99-1590 Loma Alta Road to Buena Vista San Luis Argentina              | 42s - 60s | 48,00 Kč  |       |
| DHG-1088-A | GYMNOCALYCIUM | ponomarevae (news, light blooms) RF 906 A Tintigasta 6,5 km South West RP 42 to El Alto Catamarca Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-1088-B | GYMNOCALYCIUM | ponomarevae (news, light blooms) RF 906 A Tintigasta 6,5 km South West RP 42 to El Alto Catamarca Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-1088-C | GYMNOCALYCIUM | ponomarevae (news, light blooms) RF 906 A Tintigasta 6,5 km South West RP 42 to El Alto Catamarca Argentina   | 100s      | 96,00 Kč  |       |
| DHG-1087-A | GYMNOCALYCIUM | ponomarevae (news, light blooms) RF 906 Tintigasta 6,5 km South West RP 42 to El Alto Catamarca Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-1087-B | GYMNOCALYCIUM | ponomarevae (news, light blooms) RF 906 Tintigasta 6,5 km South West RP 42 to El Alto Catamarca Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-1090-A | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) LF 81 Quilino 600 m Cordoba Argentina                                      | 20s - 40s | 25,50 Kč  |       |
| DHG-1090-B | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) LF 81 Quilino 600 m Cordoba Argentina                                      | 42s - 60s | 48,00 Kč  |       |
| DHG-1090-C | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) LF 81 Quilino 600 m Cordoba Argentina                                      | 100s      | 96,00 Kč  |       |
| DHG-1092-A | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) STO 1581 A South of Quilino Cordoba Argentina                              | 20s - 40s | 25,50 Kč  |       |
| DHG-1092-B | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) STO 1581 A South of Quilino Cordoba Argentina                              | 42s - 60s | 48,00 Kč  |       |
| DHG-1092-C | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) STO 1581 A South of Quilino Cordoba Argentina                              | 100s      | 96,00 Kč  |       |
| DHG-1091-A | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) STO 1581 South of Quilino Cordoba Argentina                                | 20s - 40s | 25,50 Kč  |       |
| DHG-1091-B | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) STO 1581 South of Quilino Cordoba Argentina                                | 42s - 60s | 48,00 Kč  |       |
| DHG-1091-C | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) STO 1581 South of Quilino Cordoba Argentina                                | 100s      | 96,00 Kč  |       |
| DHG-2195-A | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) VS 141 Quilino 600 m Cordoba Argentina                                     | 20s - 40s | 25,50 Kč  |       |
| DHG-2195-B | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) VS 141 Quilino 600 m Cordoba Argentina                                     | 42s - 60s | 48,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|---|-----------|-----------|-------|
| DHG-2195-C | GYMNOCALYCIUM | prochazkianum (silver dark gray brownish matt body, ribs grooved on a square bump) VS 141 Quilino 600 m Cordoba Argentina                                   | 100s      | 96,00 Kč  |       |
| DHG-1094-A | GYMNOCALYCIUM | prochazkianum f. albispinum (silver dark gray brownish matt body, ribs grooved on a square bump) KFF 1202 A Quilino II. 437 m Cordoba Argentina             | 20s - 40s | 34,00 Kč  |       |
| DHG-1094-B | GYMNOCALYCIUM | prochazkianum f. albispinum (silver dark gray brownish matt body, ribs grooved on a square bump) KFF 1202 A Quilino II. 437 m Cordoba Argentina             | 42s - 60s | 64,00 Kč  |       |
| DHG-1094-C | GYMNOCALYCIUM | prochazkianum f. albispinum (silver dark gray brownish matt body, ribs grooved on a square bump) KFF 1202 A Quilino II. 437 m Cordoba Argentina             | 100s      | 128,00 Kč |       |
| DHG-1093-A | GYMNOCALYCIUM | prochazkianum f. albispinum (silver dark gray brownish matt body, ribs grooved on a square bump) KFF 1202 Quilino II. 437 m Cordoba Argentina               | 20s - 40s | 34,00 Kč  |       |
| DHG-1093-B | GYMNOCALYCIUM | prochazkianum f. albispinum (silver dark gray brownish matt body, ribs grooved on a square bump) KFF 1202 Quilino II. 437 m Cordoba Argentina               | 42s - 60s | 64,00 Kč  |       |
| DHG-1093-C | GYMNOCALYCIUM | prochazkianum f. albispinum (silver dark gray brownish matt body, ribs grooved on a square bump) KFF 1202 Quilino II. 437 m Cordoba Argentina               | 100s      | 128,00 Kč |       |
| DHG-2320-A | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) DV 60 Dirk Jan van Vliet Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2320-B | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) DV 60 Dirk Jan van Vliet Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-2320-C | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) DV 60 Dirk Jan van Vliet Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-2320-D | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) DV 60 Dirk Jan van Vliet Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1101-A | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) FR 1097 Termas de Zapallar Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1101-B | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) FR 1097 Termas de Zapallar Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1101-C | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) FR 1097 Termas de Zapallar Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1101-D | GYMNOCALYCIUM | quehlianum (reddish to dark bluish green body, pale pink white flowers) FR 1097 Termas de Zapallar Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1111-A | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 92-31/79 A Arroyo de Ventana 400 m Rio Negro Argentina                | 20s - 40s | 23,80 Kč  |       |
| DHG-1111-B | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 92-31/79 A Arroyo de Ventana 400 m Rio Negro Argentina                | 42s - 60s | 45,00 Kč  |       |
| DHG-1111-C | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 92-31/79 A Arroyo de Ventana 400 m Rio Negro Argentina                | 100s      | 90,00 Kč  |       |
| DHG-1110-A | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 92-31/79 Arroyo de Ventana 400 m Rio Negro Argentina                  | 20s - 40s | 23,80 Kč  |       |
| DHG-1110-B | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 92-31/79 Arroyo de Ventana 400 m Rio Negro Argentina                  | 42s - 60s | 45,00 Kč  |       |
| DHG-1110-C | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 92-31/79 Arroyo de Ventana 400 m Rio Negro Argentina                  | 100s      | 90,00 Kč  |       |
| DHG-1108-A | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 95-113/273 A Cerro Tres Picos Buenos Aires Argentina                  | 20s - 40s | 23,80 Kč  |       |
| DHG-1108-B | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 95-113/273 A Cerro Tres Picos Buenos Aires Argentina                  | 42s - 60s | 45,00 Kč  |       |
| DHG-1108-C | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 95-113/273 A Cerro Tres Picos Buenos Aires Argentina                  | 100s      | 90,00 Kč  |       |
| DHG-1107-A | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 95-113/273 Cerro Tres Picos Buenos Aires Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHG-1107-B | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 95-113/273 Cerro Tres Picos Buenos Aires Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHG-1107-C | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) JPR 95-113/273 Cerro Tres Picos Buenos Aires Argentina                    | 100s      | 90,00 Kč  |       |
| DHG-1109-A | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) WP 89-17/19 Cerro Tres Picos Buenos Aires Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-1109-B | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) WP 89-17/19 Cerro Tres Picos Buenos Aires Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-1109-C | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) WP 89-17/19 Cerro Tres Picos Buenos Aires Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-2116-A | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) WP 89-22/25 Sierra Bravard Cerro Barancoso 700 m Buenos Aires Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2116-B | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) WP 89-22/25 Sierra Bravard Cerro Barancoso 700 m Buenos Aires Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2116-C | GYMNOCALYCIUM | reductum (black colour of the body and black stout spines, bigger yellow flowers) WP 89-22/25 Sierra Bravard Cerro Barancoso 700 m Buenos Aires Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2494-A | GYMNOCALYCIUM | reductum v. leucodyction (black colour of the body, black stout spines, bigger yellow flowers) JPR 95-17/45 Cerro de las Tunas 450 m Buenos Aires Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-2494-B | GYMNOCALYCIUM | reductum v. leucodyction (black colour of the body, black stout spines, bigger yellow flowers) JPR 95-17/45 Cerro de las Tunas 450 m Buenos Aires Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-2494-C | GYMNOCALYCIUM | reductum v. leucodyction (black colour of the body, black stout spines, bigger yellow flowers) JPR 95-17/45 Cerro de las Tunas 450 m Buenos Aires Argentina | 100s      | 90,00 Kč  |       |
| DHG-2453-A | GYMNOCALYCIUM | rhodanthemum (pale brown curved spines) LF 18 Chilecito 1300 m La Rioja Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2453-B | GYMNOCALYCIUM | rhodanthemum (pale brown curved spines) LF 18 Chilecito 1300 m La Rioja Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2453-C | GYMNOCALYCIUM | rhodanthemum (pale brown curved spines) LF 18 Chilecito 1300 m La Rioja Argentina   | 100s      | 96,00 Kč  |       |
| DHG-1112-A | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) GN 93-657/1811 Cerro Negro 1490 m La Rioja Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-1112-B | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) GN 93-657/1811 Cerro Negro 1490 m La Rioja Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-1112-C | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) GN 93-657/1811 Cerro Negro 1490 m La Rioja Argentina  | 100s      | 96,00 Kč  |       |
| DHG-2283-A | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) CH 1408 Crossroads Famatina to Chilecito 1303 m La Rioja Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHG-2283-B | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) CH 1408 Crossroads Famatina to Chilecito 1303 m La Rioja Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-2283-C | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) CH 1408 Crossroads Famatina to Chilecito 1303 m La Rioja Argentina  | 100s      | 96,00 Kč  |       |
| DHG-2293-A | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) CH 992 Pituil to Guadacol 1182 m La Rioja Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2293-B | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) CH 992 Pituil to Guadacol 1182 m La Rioja Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2293-C | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) CH 992 Pituil to Guadacol 1182 m La Rioja Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2491-A | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) P 79 Chilecito La Rioja Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2491-B | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) P 79 Chilecito La Rioja Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2491-C | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) P 79 Chilecito La Rioja Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2492-A | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) STO 92-511/1 Famatina 1150 m La Rioja Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-2492-B | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) STO 92-511/1 Famatina 1150 m La Rioja Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-2492-C | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) STO 92-511/1 Famatina 1150 m La Rioja Argentina   | 100s      | 96,00 Kč  |       |
| DHG-2493-A | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) VS 801 about 2 km South of Pituil 1336 m La Rioja Argentina   | 20s - 40s | 25,50 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-2493-B | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) VS 801 about 2 km South of Pituil 1336 m La Rioja Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHG-2493-C | GYMNOCALYCIUM | rhodantherum (pale brown curved spines) VS 801 about 2 km South of Pituil 1336 m La Rioja Argentina  | 100s      | 96,00 Kč  |       |
| DHG-1113-A | GYMNOCALYCIUM | rhodantherum f. albispinum (mostly white spined plants) KP 74 Famatina to Pituil 1161 m La Rioja Argentina   | 20s - 40s | 25,50 Kč  |       |
| DHG-1113-B | GYMNOCALYCIUM | rhodantherum f. albispinum (mostly white spined plants) KP 74 Famatina to Pituil 1161 m La Rioja Argentina   | 42s - 60s | 48,00 Kč  |       |
| DHG-1113-C | GYMNOCALYCIUM | rhodantherum f. albispinum (mostly white spined plants) KP 74 Famatina to Pituil 1161 m La Rioja Argentina   | 100s      | 96,00 Kč  |       |
| DHG-1114-A | GYMNOCALYCIUM | riojense (greenish brown chocolate body) H.Till & W.Till (typical old type) Czech nursery Breclav CZ   | 20s - 40s | 23,80 Kč  |       |
| DHG-1114-B | GYMNOCALYCIUM | riojense (greenish brown chocolate body) H.Till & W.Till (typical old type) Czech nursery Breclav CZ   | 42s - 60s | 45,00 Kč  |       |
| DHG-1114-C | GYMNOCALYCIUM | riojense (greenish brown chocolate body) H.Till & W.Till (typical old type) Czech nursery Breclav CZ   | 100s      | 90,00 Kč  |       |
| DHG-2279-A | GYMNOCALYCIUM | riojense (greenish brown chocolate body) CH 1240 Amana Minas 1300 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2279-B | GYMNOCALYCIUM | riojense (greenish brown chocolate body) CH 1240 Amana Minas 1300 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2279-C | GYMNOCALYCIUM | riojense (greenish brown chocolate body) CH 1240 Amana Minas 1300 m La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1116-A | GYMNOCALYCIUM | riojense ssp. guasayanense f. nova (chocolate plum silver body) KP 297 Ciudad Recreo 235 m Santiago de Estero Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-1116-B | GYMNOCALYCIUM | riojense ssp. guasayanense f. nova (chocolate plum silver body) KP 297 Ciudad Recreo 235 m Santiago de Estero Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-1116-C | GYMNOCALYCIUM | riojense ssp. guasayanense f. nova (chocolate plum silver body) KP 297 Ciudad Recreo 235 m Santiago de Estero Argentina                            | 100s      | 90,00 Kč  |       |
| DHG-1116-D | GYMNOCALYCIUM | riojense ssp. guasayanense f. nova (chocolate plum silver body) KP 297 Ciudad Recreo 235 m Santiago de Estero Argentina                            | 500s      | 335,00 Kč |       |
| DHG-1116-E | GYMNOCALYCIUM | riojense ssp. guasayanense f. nova (chocolate plum silver body) KP 297 Ciudad Recreo 235 m Santiago de Estero Argentina                            | 1000s     | 569,00 Kč |       |
| DHG-1117-A | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) KP 258 Villa Guasayan 489 m Santiago de Estero Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-1117-B | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) KP 258 Villa Guasayan 489 m Santiago de Estero Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-1117-C | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) KP 258 Villa Guasayan 489 m Santiago de Estero Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-1117-D | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) KP 258 Villa Guasayan 489 m Santiago de Estero Argentina                                | 500s      | 335,00 Kč |       |
| DHG-1117-E | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) KP 258 Villa Guasayan 489 m Santiago de Estero Argentina                                | 1000s     | 569,00 Kč |       |
| DHG-1118-A | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) STO 89-273/2 Guasayan Santiago de Estero Argentina                                      | 20s - 40s | 23,80 Kč  |       |
| DHG-1118-B | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) STO 89-273/2 Guasayan Santiago de Estero Argentina                                      | 42s - 60s | 45,00 Kč  |       |
| DHG-1118-C | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) STO 89-273/2 Guasayan Santiago de Estero Argentina                                      | 100s      | 90,00 Kč  |       |
| DHG-1118-D | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) STO 89-273/2 Guasayan Santiago de Estero Argentina                                      | 500s      | 335,00 Kč |       |
| DHG-1118-E | GYMNOCALYCIUM | riojense ssp. guasayanense typical (chocolate silver body) STO 89-273/2 Guasayan Santiago de Estero Argentina                                      | 1000s     | 569,00 Kč |       |
| DHG-1119-A | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) JPR 95-140/413 Usno 950 m San Juan Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-1119-B | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) JPR 95-140/413 Usno 950 m San Juan Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-1119-C | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) JPR 95-140/413 Usno 950 m San Juan Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-1119-D | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) JPR 95-140/413 Usno 950 m San Juan Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-1120-A | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) KP 204 Talampaya 1285 m p La Rioja   | 20s - 40s | 23,80 Kč  |       |
| DHG-1120-B | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) KP 204 Talampaya 1285 m p La Rioja   | 42s - 60s | 45,00 Kč  |       |
| DHG-1120-C | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) KP 204 Talampaya 1285 m p La Rioja   | 100s      | 90,00 Kč  |       |
| DHG-1120-D | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) KP 204 Talampaya 1285 m p La Rioja   | 500s      | 335,00 Kč |       |
| DHG-1121-A | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) STO 90-313 East of Valle de la Luna La Rioja Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHG-1121-B | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) STO 90-313 East of Valle de la Luna La Rioja Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-1121-C | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) STO 90-313 East of Valle de la Luna La Rioja Argentina                         | 100s      | 90,00 Kč  |       |
| DHG-1121-D | GYMNOCALYCIUM | riojense ssp. kozelskyanum (chocolate body, three long dark spines) STO 90-313 East of Valle de la Luna La Rioja Argentina                         | 500s      | 335,00 Kč |       |
| DHG-2202-A | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 87-8/2 Sierra Brava 350 m Catamarca Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHG-2202-B | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 87-8/2 Sierra Brava 350 m Catamarca Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHG-2202-C | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 87-8/2 Sierra Brava 350 m Catamarca Argentina                                | 100s      | 90,00 Kč  |       |
| DHG-2202-D | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 87-8/2 Sierra Brava 350 m Catamarca Argentina                                | 500s      | 335,00 Kč |       |
| DHG-1122-A | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 88-121/1 Teleritos to San Martin 380 m Catamarca Argentina                   | 20s - 40s | 23,80 Kč  |       |
| DHG-1122-B | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 88-121/1 Teleritos to San Martin 380 m Catamarca Argentina                   | 42s - 60s | 45,00 Kč  |       |
| DHG-1122-C | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 88-121/1 Teleritos to San Martin 380 m Catamarca Argentina                   | 100s      | 90,00 Kč  |       |
| DHG-1122-D | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 88-121/1 Teleritos to San Martin 380 m Catamarca Argentina                   | 500s      | 335,00 Kč |       |
| DHG-1122-E | GYMNOCALYCIUM | riojense ssp. paucispinum (epidermis slate gray dark brown green) STO 88-121/1 Teleritos to San Martin 380 m Catamarca Argentina                   | 1000s     | 569,00 Kč |       |
| DHG-2297-A | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) CH 1101 about 3,5 km North El Banado Ramblones Catamarca Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-2297-B | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) CH 1101 about 3,5 km North El Banado Ramblones Catamarca Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-2297-C | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) CH 1101 about 3,5 km North El Banado Ramblones Catamarca Argentina | 100s      | 90,00 Kč  |       |
| DHG-2297-D | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) CH 1101 about 3,5 km North El Banado Ramblones Catamarca Argentina | 500s      | 335,00 Kč |       |
| DHG-2297-E | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) CH 1101 about 3,5 km North El Banado Ramblones Catamarca Argentina | 1000s     | 569,00 Kč |       |
| DHG-1123-A | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 272 Icano III. 482 Catamarca Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHG-1123-B | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 272 Icano III. 482 Catamarca Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHG-1123-C | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 272 Icano III. 482 Catamarca Argentina                          | 100s      | 90,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1123-D | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 272 Icano III. 482 Catamarca Argentina        | 500s      | 335,00 Kč |       |
| DHG-1123-E | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 272 Icano III. 482 Catamarca Argentina        | 1000s     | 569,00 Kč |       |
| DHG-1124-A | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 283 Ancasti 865 m Catamarca Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHG-1124-B | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 283 Ancasti 865 m Catamarca Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHG-1124-C | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 283 Ancasti 865 m Catamarca Argentina         | 100s      | 90,00 Kč  |       |
| DHG-1124-D | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 283 Ancasti 865 m Catamarca Argentina         | 500s      | 335,00 Kč |       |
| DHG-1124-E | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 283 Ancasti 865 m Catamarca Argentina         | 1000s     | 569,00 Kč |       |
| DHG-1125-A | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 294 Ipizca II. 780 m Catamarca Argentina      | 20s - 40s | 23,80 Kč  |       |
| DHG-1125-B | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 294 Ipizca II. 780 m Catamarca Argentina      | 42s - 60s | 45,00 Kč  |       |
| DHG-1125-C | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 294 Ipizca II. 780 m Catamarca Argentina      | 100s      | 90,00 Kč  |       |
| DHG-1125-D | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 294 Ipizca II. 780 m Catamarca Argentina      | 500s      | 335,00 Kč |       |
| DHG-1125-E | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (three spider like spines per areoles) KP 294 Ipizca II. 780 m Catamarca Argentina      | 1000s     | 569,00 Kč |       |
| DHG-1126-A | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (typical three central spines) JO 134 Icano Catamarca Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHG-1126-B | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (typical three central spines) JO 134 Icano Catamarca Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-1126-C | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (typical three central spines) JO 134 Icano Catamarca Argentina                         | 100s      | 90,00 Kč  |       |
| DHG-1126-D | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (typical three central spines) JO 134 Icano Catamarca Argentina                         | 500s      | 335,00 Kč |       |
| DHG-1126-E | GYMNOCALYCIUM | riojense ssp. paucispinum v. triacanthum (typical three central spines) JO 134 Icano Catamarca Argentina                         | 1000s     | 569,00 Kč |       |
| DHG-1128-A | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) BKS 93/43 Suriyaco 1165 m La Rioja Argentina                  | 20s - 40s | 25,50 Kč  |       |
| DHG-1128-B | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) BKS 93/43 Suriyaco 1165 m La Rioja Argentina                  | 42s - 60s | 48,00 Kč  |       |
| DHG-1128-C | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) BKS 93/43 Suriyaco 1165 m La Rioja Argentina                  | 100s      | 96,00 Kč  |       |
| DHG-1128-D | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) BKS 93/43 Suriyaco 1165 m La Rioja Argentina                  | 500s      | 359,00 Kč |       |
| DHG-1127-A | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) KFF 1311 Agua Blanca 1604 m La Rioja Argentina                | 20s - 40s | 25,50 Kč  |       |
| DHG-1127-B | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) KFF 1311 Agua Blanca 1604 m La Rioja Argentina                | 42s - 60s | 48,00 Kč  |       |
| DHG-1127-C | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) KFF 1311 Agua Blanca 1604 m La Rioja Argentina                | 100s      | 96,00 Kč  |       |
| DHG-1127-D | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) KFF 1311 Agua Blanca 1604 m La Rioja Argentina                | 500s      | 359,00 Kč |       |
| DHG-1129-A | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) LF 26 Anillaco 1450 m La Rioja Argentina                      | 20s - 40s | 25,50 Kč  |       |
| DHG-1129-B | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) LF 26 Anillaco 1450 m La Rioja Argentina                      | 42s - 60s | 48,00 Kč  |       |
| DHG-1129-C | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) LF 26 Anillaco 1450 m La Rioja Argentina                      | 100s      | 96,00 Kč  |       |
| DHG-1129-D | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) LF 26 Anillaco 1450 m La Rioja Argentina                      | 500s      | 359,00 Kč |       |
| DHG-1130-A | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) P 38 Sierra de Velasco 1200 m La Rioja Argentina              | 20s - 40s | 25,50 Kč  |       |
| DHG-1130-B | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) P 38 Sierra de Velasco 1200 m La Rioja Argentina              | 42s - 60s | 48,00 Kč  |       |
| DHG-1130-C | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) P 38 Sierra de Velasco 1200 m La Rioja Argentina              | 100s      | 96,00 Kč  |       |
| DHG-1130-D | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) P 38 Sierra de Velasco 1200 m La Rioja Argentina              | 500s      | 359,00 Kč |       |
| DHG-2479-A | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-178 Pinchas 1450 m La Rioja Argentina                  | 20s - 40s | 25,50 Kč  |       |
| DHG-2479-B | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-178 Pinchas 1450 m La Rioja Argentina                  | 42s - 60s | 48,00 Kč  |       |
| DHG-2479-C | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-178 Pinchas 1450 m La Rioja Argentina                  | 100s      | 96,00 Kč  |       |
| DHG-2479-D | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-178 Pinchas 1450 m La Rioja Argentina                  | 500s      | 359,00 Kč |       |
| DHG-1131-A | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-184/2 Los Colorados 700 m La Rioja Argentina           | 20s - 40s | 25,50 Kč  |       |
| DHG-1131-B | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-184/2 Los Colorados 700 m La Rioja Argentina           | 42s - 60s | 48,00 Kč  |       |
| DHG-1131-C | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-184/2 Los Colorados 700 m La Rioja Argentina           | 100s      | 96,00 Kč  |       |
| DHG-1131-D | GYMNOCALYCIUM | riojense ssp. piltziorum (brown epidermis, hard protruding spines) STO 88-184/2 Los Colorados 700 m La Rioja Argentina           | 500s      | 359,00 Kč |       |
| DHG-1132-A | GYMNOCALYCIUM | riojense ssp. vertongenii f. nova (best long spined plants like armatum) KP 194 Boca de La Quebrada 1123 m San Juan Argentina    | 20s - 40s | 25,50 Kč  |       |
| DHG-1132-B | GYMNOCALYCIUM | riojense ssp. vertongenii f. nova (best long spined plants like armatum) KP 194 Boca de La Quebrada 1123 m San Juan Argentina    | 42s - 60s | 48,00 Kč  |       |
| DHG-1132-C | GYMNOCALYCIUM | riojense ssp. vertongenii f. nova (best long spined plants like armatum) KP 194 Boca de La Quebrada 1123 m San Juan Argentina    | 100s      | 96,00 Kč  |       |
| DHG-1132-D | GYMNOCALYCIUM | riojense ssp. vertongenii f. nova (best long spined plants like armatum) KP 194 Boca de La Quebrada 1123 m San Juan Argentina    | 500s      | 359,00 Kč |       |
| DHG-1132-E | GYMNOCALYCIUM | riojense ssp. vertongenii f. nova (best long spined plants like armatum) KP 194 Boca de La Quebrada 1123 m San Juan Argentina    | 1000s     | 610,00 Kč |       |
| DHG-2312-A | GYMNOCALYCIUM | riojense v. guthianum (smaller clustering plants with dark epidermis) CH 1133 Ruta 74 Los Colorados 558 m La Rioja Argentina     | 20s - 40s | 25,50 Kč  |       |
| DHG-2312-B | GYMNOCALYCIUM | riojense v. guthianum (smaller clustering plants with dark epidermis) CH 1133 Ruta 74 Los Colorados 558 m La Rioja Argentina     | 42s - 60s | 48,00 Kč  |       |
| DHG-1115-A | GYMNOCALYCIUM | riojense v. guthianum (smaller clustering plants with dark epidermis) STO 88-184/2 Los Colorados 700 m La Rioja Argentina        | 20s - 40s | 25,50 Kč  |       |
| DHG-1115-B | GYMNOCALYCIUM | riojense v. guthianum (smaller clustering plants with dark epidermis) STO 88-184/2 Los Colorados 700 m La Rioja Argentina        | 42s - 60s | 48,00 Kč  |       |
| DHG-1115-C | GYMNOCALYCIUM | riojense v. guthianum (smaller clustering plants with dark epidermis) STO 88-184/2 Los Colorados 700 m La Rioja Argentina        | 100s      | 96,00 Kč  |       |
| DHG-2313-A | GYMNOCALYCIUM | riojense v. mirandaense (low dirty brown grey plants) P 222 Cuesta Miranda 1300 m La Rioja Argentina                             | 20s - 40s | 23,80 Kč  |       |
| DHG-2313-B | GYMNOCALYCIUM | riojense v. mirandaense (low dirty brown grey plants) P 222 Cuesta Miranda 1300 m La Rioja Argentina                             | 42s - 60s | 45,00 Kč  |       |
| DHG-2313-C | GYMNOCALYCIUM | riojense v. mirandaense (low dirty brown grey plants) P 222 Cuesta Miranda 1300 m La Rioja Argentina                             | 100s      | 90,00 Kč  |       |
| DHG-1134-A | GYMNOCALYCIUM | riojense v. pipanacoense (long curved centrals, white pinkish and reddish flowers) Jaromir Sladkovsky Mutquin La Rioja Argentina | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1134-B | GYMNOCALYCIUM | riojense v. pipanacoense (long curved centrals, white pinkish and reddish flowers) Jaromir Sladkovsky Mutquin La Rioja Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-2365-A | GYMNOCALYCIUM | riojense v. pipanacoense (long curved centrals, white pinkish and reddish flowers) STO 88-121 Telaritos Catamarca Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-2365-B | GYMNOCALYCIUM | riojense v. pipanacoense (long curved centrals, white pinkish and reddish flowers) STO 88-121 Telaritos Catamarca Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-1136-A | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 A Sierra Famatina 1800 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1136-B | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 A Sierra Famatina 1800 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1136-C | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 A Sierra Famatina 1800 m La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1136-D | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 A Sierra Famatina 1800 m La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-1135-A | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 Sierra Famatina 1800 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1135-B | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 Sierra Famatina 1800 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1135-C | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 Sierra Famatina 1800 m La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1135-D | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) P 219 Sierra Famatina 1800 m La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-2285-A | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) WR 126 Famatina to Velasco La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2285-B | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) WR 126 Famatina to Velasco La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2285-C | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) WR 126 Famatina to Velasco La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2285-D | GYMNOCALYCIUM | ritterianum (nice satiny white pink flowers with rosy throats) WR 126 Famatina to Velasco La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-2294-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) JO 1030/1 Quilino Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2294-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) JO 1030/1 Quilino Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-2294-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) JO 1030/1 Quilino Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1139-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) KL 07-335 South of Quilino Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1139-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) KL 07-335 South of Quilino Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1139-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) KL 07-335 South of Quilino Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1141-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 A South of Quilino Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1141-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 A South of Quilino Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1141-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 A South of Quilino Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1143-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 B Quilino South East Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1143-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 B Quilino South East Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1143-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 B Quilino South East Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1140-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 South of Quilino Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1140-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 South of Quilino Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1140-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) LF 80 South of Quilino Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1144-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) STO 89-278 San Martin to Dean Funes near Santa Elena Cordoba Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHG-1144-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) STO 89-278 San Martin to Dean Funes near Santa Elena Cordoba Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHG-1144-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) STO 89-278 San Martin to Dean Funes near Santa Elena Cordoba Argentina                         | 100s      | 90,00 Kč  |       |
| DHG-1142-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) STO 89-278 Santa Elena Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1142-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) STO 89-278 Santa Elena Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1142-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) STO 89-278 Santa Elena Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1145-A | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) VS 139 Quilino 600 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1145-B | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) VS 139 Quilino 600 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1145-C | GYMNOCALYCIUM | robustum (thick ribs and round tubercles, chocolate body) VS 139 Quilino 600 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1147-A | GYMNOCALYCIUM | saglione (curved centrals) DJF 284 Humahuaca Jujuy Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1147-B | GYMNOCALYCIUM | saglione (curved centrals) DJF 284 Humahuaca Jujuy Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1147-C | GYMNOCALYCIUM | saglione (curved centrals) DJF 284 Humahuaca Jujuy Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1147-D | GYMNOCALYCIUM | saglione (curved centrals) DJF 284 Humahuaca Jujuy Argentina   | 500s      | 335,00 Kč |       |
| DHG-1147-E | GYMNOCALYCIUM | saglione (curved centrals) DJF 284 Humahuaca Jujuy Argentina   | 1000s     | 569,00 Kč |       |
| DHG-1159-A | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) KFF 1240 Palo Blanco I. altitude 2157 m Catamarca Argentina           | 20s - 40s | 51,00 Kč  |       |
| DHG-1159-B | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) KFF 1240 Palo Blanco I. altitude 2157 m Catamarca Argentina           | 42s - 60s | 96,00 Kč  |       |
| DHG-1158-A | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) KFF 1242 Palo Blanco II. altitude 2205 m Catamarca Argentina          | 20s - 40s | 51,00 Kč  |       |
| DHG-1158-B | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) KFF 1242 Palo Blanco II. altitude 2205 m Catamarca Argentina          | 42s - 60s | 96,00 Kč  |       |
| DHG-1156-A | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) KFF 1243 Palo Blanco III. altitude 2286 m Catamarca Argentina         | 20s - 40s | 51,00 Kč  |       |
| DHG-1156-B | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) KFF 1243 Palo Blanco III. altitude 2286 m Catamarca Argentina         | 42s - 60s | 96,00 Kč  |       |
| DHG-1157-A | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) RF 653 West of Palo Blanco 5,8 km altitude 2303 m Catamarca Argentina | 20s - 40s | 51,00 Kč  |       |
| DHG-1157-B | GYMNOCALYCIUM | schmidianum ssp. asperum (nice news, very heavy stout spines, reminds spegazzinii) RF 653 West of Palo Blanco 5,8 km altitude 2303 m Catamarca Argentina | 42s - 60s | 96,00 Kč  |       |
| DHG-1161-A | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) JPR 92-77/173 Sierra Chica La Pampa Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-1161-B | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) JPR 92-77/173 Sierra Chica La Pampa Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-1161-C | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) JPR 92-77/173 Sierra Chica La Pampa Argentina           | 100s      | 90,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1161-D | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) JPR 92-77/173 Sierra Chica La Pampa Argentina | 500s      | 335,00 Kč |       |
| DHG-1161-E | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) JPR 92-77/173 Sierra Chica La Pampa Argentina | 1000s     | 569,00 Kč |       |
| DHG-1160-A | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) KP 145 Lihuel Calel 373 m La Pampa Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1160-B | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) KP 145 Lihuel Calel 373 m La Pampa Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1160-C | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) KP 145 Lihuel Calel 373 m La Pampa Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1160-D | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) KP 145 Lihuel Calel 373 m La Pampa Argentina  | 500s      | 335,00 Kč |       |
| DHG-1160-E | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) KP 145 Lihuel Calel 373 m La Pampa Argentina  | 1000s     | 569,00 Kč |       |
| DHG-0906-A | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) WR 539 Lihuel Calel La Pampa Argentina        | 20s - 40s | 23,80 Kč  |       |
| DHG-0906-B | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) WR 539 Lihuel Calel La Pampa Argentina        | 42s - 60s | 45,00 Kč  |       |
| DHG-0906-C | GYMNOCALYCIUM | sibalii (solid acicular spines of gray or brownish color, whitish flowers with dark pink center) WR 539 Lihuel Calel La Pampa Argentina        | 100s      | 90,00 Kč  |       |
| DHG-1163-A | GYMNOCALYCIUM | species (Trichomosemium) Hans Till HT 41 La Cordoba Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1163-B | GYMNOCALYCIUM | species (Trichomosemium) Hans Till HT 41 La Cordoba Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1163-C | GYMNOCALYCIUM | species (Trichomosemium) Hans Till HT 41 La Cordoba Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1163-D | GYMNOCALYCIUM | species (Trichomosemium) Hans Till HT 41 La Cordoba Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-1163-E | GYMNOCALYCIUM | species (Trichomosemium) Hans Till HT 41 La Cordoba Cordoba Argentina  | 1000s     | 569,00 Kč |       |
| DHG-2803-A | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) B 197 Cordoba Capital 800 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2803-B | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) B 197 Cordoba Capital 800 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2803-C | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) B 197 Cordoba Capital 800 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1227-A | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) FB 401 (Bozsing) Czech nursery Brno CZ  | 20s - 40s | 23,80 Kč  |       |
| DHG-1227-B | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) FB 401 (Bozsing) Czech nursery Brno CZ  | 42s - 60s | 45,00 Kč  |       |
| DHG-2284-A | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) SE 6 Tanti Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2284-B | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) SE 6 Tanti Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-2284-C | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) SE 6 Tanti Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-2284-D | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) SE 6 Tanti Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHG-2802-A | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) STO 87-99/1 Sierra Masa East of Puerto Colorado Cordoba Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-2802-B | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) STO 87-99/1 Sierra Masa East of Puerto Colorado Cordoba Argentina                       | 42s - 60s | 45,00 Kč  |       |
| DHG-2802-C | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) STO 87-99/1 Sierra Masa East of Puerto Colorado Cordoba Argentina                       | 100s      | 90,00 Kč  |       |
| DHG-2801-A | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) STO 88-225/1/3/4 Las Serranitas Cordoba Argentina                                       | 20s - 40s | 23,80 Kč  |       |
| DHG-2801-B | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) STO 88-225/1/3/4 Las Serranitas Cordoba Argentina                                       | 42s - 60s | 45,00 Kč  |       |
| DHG-2801-C | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) STO 88-225/1/3/4 Las Serranitas Cordoba Argentina                                       | 100s      | 90,00 Kč  |       |
| DHG-2801-D | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) STO 88-225/1/3/4 Las Serranitas Cordoba Argentina                                       | 500s      | 335,00 Kč |       |
| DHG-2800-A | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) VS 140 Quilino 600 m Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2800-B | GYMNOCALYCIUM | stellatum (quehlianum, reddish dark bluish green body) VS 140 Quilino 600 m Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-2278-A | GYMNOCALYCIUM | stellatum v. flavispinum Bozsing (bright spined plants) CH 943 Tanti 903 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2278-B | GYMNOCALYCIUM | stellatum v. flavispinum Bozsing (bright spined plants) CH 943 Tanti 903 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2278-C | GYMNOCALYCIUM | stellatum v. flavispinum Bozsing (bright spined plants) CH 943 Tanti 903 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2278-D | GYMNOCALYCIUM | stellatum v. flavispinum Bozsing (bright spined plants) CH 943 Tanti 903 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-2316-A | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) CH 1158 Santa Cruz to San Pedro del Norte 940 m Cordoba Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHG-2316-B | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) CH 1158 Santa Cruz to San Pedro del Norte 940 m Cordoba Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHG-2316-C | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) CH 1158 Santa Cruz to San Pedro del Norte 940 m Cordoba Argentina                                    | 100s      | 90,00 Kč  |       |
| DHG-2316-D | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) CH 1158 Santa Cruz to San Pedro del Norte 940 m Cordoba Argentina                                    | 500s      | 335,00 Kč |       |
| DHG-2482-A | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) RF 358 Alta Gracia Road to La Falda km 60 Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2482-B | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) RF 358 Alta Gracia Road to La Falda km 60 Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1232-A | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) Sierra de Oro Cordoba (Piltz seed 2303) Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1232-B | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) Sierra de Oro Cordoba (Piltz seed 2303) Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1232-C | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) Sierra de Oro Cordoba (Piltz seed 2303) Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1233-A | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) STO 88-116/1710 La Cumbre to Cosquin 800 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1233-B | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) STO 88-116/1710 La Cumbre to Cosquin 800 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1233-C | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) STO 88-116/1710 La Cumbre to Cosquin 800 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1233-D | GYMNOCALYCIUM | stellatum v. kleinianum (mini flat stems) STO 88-116/1710 La Cumbre to Cosquin 800 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1234-A | GYMNOCALYCIUM | stellatum v. zahnnerianum (reddish to dark bluish green body) STO 88-117 West of Dean Funes 830 m Cordoba Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHG-1234-B | GYMNOCALYCIUM | stellatum v. zahnnerianum (reddish to dark bluish green body) STO 88-117 West of Dean Funes 830 m Cordoba Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHG-1236-A | GYMNOCALYCIUM | stellatum v. zahnnerianum (reddish to dark bluish green body) STO 89-285/2 San Pedro del Norte to Inti Huasi Cordoba Argentina                 | 20s - 40s | 23,80 Kč  |       |
| DHG-1236-B | GYMNOCALYCIUM | stellatum v. zahnnerianum (reddish to dark bluish green body) STO 89-285/2 San Pedro del Norte to Inti Huasi Cordoba Argentina                 | 42s - 60s | 45,00 Kč  |       |
| DHG-1236-C | GYMNOCALYCIUM | stellatum v. zahnnerianum (reddish to dark bluish green body) STO 89-285/2 San Pedro del Norte to Inti Huasi Cordoba Argentina                 | 100s      | 90,00 Kč  |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč) | ORDER |
|------------|---------------|--|-----------|----------|-------|
| DHG-1237-A | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) JPR 92-87/197 Lujan de Cuyo Mendoza Argentina  | 20s - 40s | 25,50 Kč |       |
| DHG-1237-B | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) JPR 92-87/197 Lujan de Cuyo Mendoza Argentina  | 42s - 60s | 48,00 Kč |       |
| DHG-1237-C | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) JPR 92-87/197 Lujan de Cuyo Mendoza Argentina  | 100s      | 96,00 Kč |       |
| DHG-2314-A | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) LB 290 Juan Wenceslao Gez 850 m San Luis Argentina   | 20s - 40s | 25,50 Kč |       |
| DHG-2314-B | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) LB 290 Juan Wenceslao Gez 850 m San Luis Argentina   | 42s - 60s | 48,00 Kč |       |
| DHG-2314-C | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) LB 290 Juan Wenceslao Gez 850 m San Luis Argentina   | 100s      | 96,00 Kč |       |
| DHG-1238-A | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) Rudolf Slaba Czech Nursery Benesov CZ  | 20s - 40s | 25,50 Kč |       |
| DHG-1238-B | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) Rudolf Slaba Czech Nursery Benesov CZ  | 42s - 60s | 48,00 Kč |       |
| DHG-1238-C | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) Rudolf Slaba Czech Nursery Benesov CZ  | 100s      | 96,00 Kč |       |
| DHG-1239-A | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) WR 548 Jeggle Mendoza Argentina  | 20s - 40s | 25,50 Kč |       |
| DHG-1239-B | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) WR 548 Jeggle Mendoza Argentina  | 42s - 60s | 48,00 Kč |       |
| DHG-1239-C | GYMNOCALYCIUM | strigianum (very dark purple-brownish body) WR 548 Jeggle Mendoza Argentina  | 100s      | 96,00 Kč |       |
| DHG-1240-A | GYMNOCALYCIUM | strigianum f. De Herdt (very dark purple-brownish body) Czech Nursery Breclav CZ   | 20s - 40s | 25,50 Kč |       |
| DHG-1240-B | GYMNOCALYCIUM | strigianum f. De Herdt (very dark purple-brownish body) Czech Nursery Breclav CZ   | 42s - 60s | 48,00 Kč |       |
| DHG-1240-C | GYMNOCALYCIUM | strigianum f. De Herdt (very dark purple-brownish body) Czech Nursery Breclav CZ   | 100s      | 96,00 Kč |       |
| DHG-1243-A | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) GN 90-120/893 La Calera San Luis Argentina  | 20s - 40s | 25,50 Kč |       |
| DHG-1243-B | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) GN 90-120/893 La Calera San Luis Argentina  | 42s - 60s | 48,00 Kč |       |
| DHG-1243-C | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) GN 90-120/893 La Calera San Luis Argentina  | 100s      | 96,00 Kč |       |
| DHG-1241-A | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) JPR 07-443/1518 La Calera (querry) 712 m San Luis Argentina                             | 20s - 40s | 25,50 Kč |       |
| DHG-1241-B | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) JPR 07-443/1518 La Calera (querry) 712 m San Luis Argentina                             | 42s - 60s | 48,00 Kč |       |
| DHG-1241-C | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) JPR 07-443/1518 La Calera (querry) 712 m San Luis Argentina                             | 100s      | 96,00 Kč |       |
| DHG-1242-A | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) MT 07-133 above 2 km from San Perdo 782 m San Luis Argentina                            | 20s - 40s | 25,50 Kč |       |
| DHG-1242-B | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) MT 07-133 above 2 km from San Perdo 782 m San Luis Argentina                            | 42s - 60s | 48,00 Kč |       |
| DHG-1242-C | GYMNOCALYCIUM | strigianum ssp. aeneum (very flat plants with dark body) MT 07-133 above 2 km from San Perdo 782 m San Luis Argentina                            | 100s      | 96,00 Kč |       |
| DHG-1245-A | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 A Cerro Centinela 500 m La Pampa Argentina                        | 20s - 40s | 25,50 Kč |       |
| DHG-1245-B | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 A Cerro Centinela 500 m La Pampa Argentina                        | 42s - 60s | 48,00 Kč |       |
| DHG-1245-C | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 A Cerro Centinela 500 m La Pampa Argentina                        | 100s      | 96,00 Kč |       |
| DHG-1246-A | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 B Cerro Centinela 500 m La Pampa Argentina                        | 20s - 40s | 25,50 Kč |       |
| DHG-1246-B | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 B Cerro Centinela 500 m La Pampa Argentina                        | 42s - 60s | 48,00 Kč |       |
| DHG-1246-C | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 B Cerro Centinela 500 m La Pampa Argentina                        | 100s      | 96,00 Kč |       |
| DHG-1244-A | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 Cerro Centinela 500 m La Pampa Argentina                          | 20s - 40s | 25,50 Kč |       |
| DHG-1244-B | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 Cerro Centinela 500 m La Pampa Argentina                          | 42s - 60s | 48,00 Kč |       |
| DHG-1244-C | GYMNOCALYCIUM | strigianum ssp. otmari (small stem with slim and longer flowers) JPR 92-80/180 Cerro Centinela 500 m La Pampa Argentina                          | 100s      | 96,00 Kč |       |
| DHG-2368-A | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) JPR 92-85/143 Tunuyan Cruz Negra Mendoza Argentina  | 20s - 40s | 25,50 Kč |       |
| DHG-2368-B | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) JPR 92-85/143 Tunuyan Cruz Negra Mendoza Argentina  | 42s - 60s | 48,00 Kč |       |
| DHG-2368-C | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) JPR 92-85/143 Tunuyan Cruz Negra Mendoza Argentina  | 100s      | 96,00 Kč |       |
| DHG-1248-A | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) KP 173 Veinticinco de Mayo 884 m Mendoza Argentina  | 20s - 40s | 25,50 Kč |       |
| DHG-1248-B | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) KP 173 Veinticinco de Mayo 884 m Mendoza Argentina  | 42s - 60s | 48,00 Kč |       |
| DHG-1248-C | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) KP 173 Veinticinco de Mayo 884 m Mendoza Argentina  | 100s      | 96,00 Kč |       |
| DHG-1247-A | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) MT 08-337 above 4 km North of Zapata 875 m Mendoza Argentina                                  | 20s - 40s | 25,50 Kč |       |
| DHG-1247-B | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) MT 08-337 above 4 km North of Zapata 875 m Mendoza Argentina                                  | 42s - 60s | 48,00 Kč |       |
| DHG-1247-C | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) MT 08-337 above 4 km North of Zapata 875 m Mendoza Argentina                                  | 100s      | 96,00 Kč |       |
| DHG-1249-A | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) WP 92-162/268 Tunuyan Cruz Negra Mendoza Argentina  | 20s - 40s | 25,50 Kč |       |
| DHG-1249-B | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) WP 92-162/268 Tunuyan Cruz Negra Mendoza Argentina  | 42s - 60s | 48,00 Kč |       |
| DHG-1249-C | GYMNOCALYCIUM | strigianum v. herminae (very long tube of flowers) WP 92-162/268 Tunuyan Cruz Negra Mendoza Argentina  | 100s      | 96,00 Kč |       |
| DHG-1251-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) GN 90-258/823 Sierra Tilisarao 710 m San Luis Argentina | 20s - 40s | 23,80 Kč |       |
| DHG-1251-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) GN 90-258/823 Sierra Tilisarao 710 m San Luis Argentina | 42s - 60s | 45,00 Kč |       |
| DHG-1251-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) GN 90-258/823 Sierra Tilisarao 710 m San Luis Argentina | 100s      | 90,00 Kč |       |
| DHG-2486-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 07-414/1431 San Felipe 980 m San Luis Argentina     | 20s - 40s | 23,80 Kč |       |
| DHG-2486-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 07-414/1431 San Felipe 980 m San Luis Argentina     | 42s - 60s | 45,00 Kč |       |
| DHG-2486-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 07-414/1431 San Felipe 980 m San Luis Argentina     | 100s      | 90,00 Kč |       |
| DHG-1254-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 400/1388 Alpa Corral Cordoba Argentina              | 20s - 40s | 23,80 Kč |       |
| DHG-1254-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 400/1388 Alpa Corral Cordoba Argentina              | 42s - 60s | 45,00 Kč |       |
| DHG-2483-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 92-101/239 La Punilla 900 m San Luis Argentina      | 20s - 40s | 23,80 Kč |       |
| DHG-2483-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 92-101/239 La Punilla 900 m San Luis Argentina      | 42s - 60s | 45,00 Kč |       |



| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-2483-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 92-101/239 La Punilla 900 m San Luis Argentina                  | 100s      | 90,00 Kč  |       |
| DHG-2488-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 92-104/250 Sierra de La Estanzuela 900 m San Luis Argentina     | 20s - 40s | 23,80 Kč  |       |
| DHG-2488-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 92-104/250 Sierra de La Estanzuela 900 m San Luis Argentina     | 42s - 60s | 45,00 Kč  |       |
| DHG-2488-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) JPR 92-104/250 Sierra de La Estanzuela 900 m San Luis Argentina     | 100s      | 90,00 Kč  |       |
| DHG-1255-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) KFF 1168 Puerto Colorado 781 m San Luis Argentina                   | 20s - 40s | 23,80 Kč  |       |
| DHG-2305-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) KL 21 between Achiras and Punilla 958 m Cordoba Argentina           | 20s - 40s | 23,80 Kč  |       |
| DHG-2305-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) KL 21 between Achiras and Punilla 958 m Cordoba Argentina           | 42s - 60s | 45,00 Kč  |       |
| DHG-2305-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) KL 21 between Achiras and Punilla 958 m Cordoba Argentina           | 100s      | 90,00 Kč  |       |
| DHG-2305-D | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) KL 21 between Achiras and Punilla 958 m Cordoba Argentina           | 500s      | 335,00 Kč |       |
| DHG-1250-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1010 North of Berrotaran (crossing RN36 X RP5) Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-1250-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1010 North of Berrotaran (crossing RN36 X RP5) Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-1250-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1010 North of Berrotaran (crossing RN36 X RP5) Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHG-2489-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1012 Alpa Corral (nearly RP 11) 866 m Cordoba Argentina          | 20s - 40s | 23,80 Kč  |       |
| DHG-2489-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1012 Alpa Corral (nearly RP 11) 866 m Cordoba Argentina          | 42s - 60s | 45,00 Kč  |       |
| DHG-2489-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1012 Alpa Corral (nearly RP 11) 866 m Cordoba Argentina          | 100s      | 90,00 Kč  |       |
| DHG-1252-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1015 Alpa Corral (North) 813 m Cordoba Argentina                 | 20s - 40s | 23,80 Kč  |       |
| DHG-1252-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1015 Alpa Corral (North) 813 m Cordoba Argentina                 | 42s - 60s | 45,00 Kč  |       |
| DHG-2490-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 1051 North of Berrotaran Cordoba Argentina                       | 20s - 40s | 23,80 Kč  |       |
| DHG-1253-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 494 Cabeza del Novillo San Luis Argentina                        | 20s - 40s | 23,80 Kč  |       |
| DHG-1253-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 494 Cabeza del Novillo San Luis Argentina                        | 42s - 60s | 45,00 Kč  |       |
| DHG-1253-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 494 Cabeza del Novillo San Luis Argentina                        | 100s      | 90,00 Kč  |       |
| DHG-2484-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 506 Arroyo Las Canas 720 m San Luis Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHG-2484-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 506 Arroyo Las Canas 720 m San Luis Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHG-2487-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 515 Villa de Praga (right side) 1086 m San Luis Argentina        | 20s - 40s | 23,80 Kč  |       |
| DHG-2487-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 515 Villa de Praga (right side) 1086 m San Luis Argentina        | 42s - 60s | 45,00 Kč  |       |
| DHG-2487-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) RF 515 Villa de Praga (right side) 1086 m San Luis Argentina        | 100s      | 90,00 Kč  |       |
| DHG-2485-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) STO 1587/1 Papagayos 1100 m San Luis Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-2485-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) STO 1587/1 Papagayos 1100 m San Luis Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-2485-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) STO 1587/1 Papagayos 1100 m San Luis Argentina                      | 100s      | 90,00 Kč  |       |
| DHG-1256-A | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) TOM 07-199/1 West of San Felipe 860 m San Luis Argentina            | 20s - 40s | 23,80 Kč  |       |
| DHG-1256-B | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) TOM 07-199/1 West of San Felipe 860 m San Luis Argentina            | 42s - 60s | 45,00 Kč  |       |
| DHG-1256-C | GYMNOCALYCIUM | sutterianum (very flattened body, strong tuberose root apparatus, pinkish white flowers) TOM 07-199/1 West of San Felipe 860 m San Luis Argentina            | 100s      | 90,00 Kč  |       |
| DHG-2544-A | GYMNOCALYCIUM | sutterianum ssp. arachnispinum (distinctly spider arranged spines) JPR 07-397/1383 Sierra de Las Peñas (before) Cordoba Argentina                            | 20s - 40s | 25,50 Kč  |       |
| DHG-2473-A | GYMNOCALYCIUM | sutterianum ssp. dolezalii (poorly developed tubercles, pale pink flowers) RER 459 Sierra de las Penas Berrotaran 4,85 km North East Cordoba Argentina       | 20s - 40s | 25,50 Kč  |       |
| DHG-2478-A | GYMNOCALYCIUM | sutterianum ssp. tetraploideum (three strong spines in the areole, deeper pink flowers) RER 115 San Antonio Arroyo Corto 552 m Cordoba Argentina             | 20s - 40s | 25,50 Kč  |       |
| DHG-1257-A | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) CH 1082 Tanginga Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1257-B | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) CH 1082 Tanginga Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1257-C | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) CH 1082 Tanginga Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1258-A | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) MT 08-405 La Mudana 1191 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1258-B | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) MT 08-405 La Mudana 1191 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1258-C | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) MT 08-405 La Mudana 1191 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1259-A | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) P 212 Salsacate 950 m Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1259-B | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) P 212 Salsacate 950 m Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1259-C | GYMNOCALYCIUM | tangaense (typical dark body with dense spines) P 212 Salsacate 950 m Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1261-A | GYMNOCALYCIUM | tillianum (pale pink carmine red wine-red flowers) WR 227 Sierra de Ambato Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1261-B | GYMNOCALYCIUM | tillianum (pale pink carmine red wine-red flowers) WR 227 Sierra de Ambato Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1261-C | GYMNOCALYCIUM | tillianum (pale pink carmine red wine-red flowers) WR 227 Sierra de Ambato Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1266-A | GYMNOCALYCIUM | uebelmannianum (ribs forming distinct tubercles with chin like protrusion) WR 141 Sierra Velasco 2500 m La Rioja Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-1266-B | GYMNOCALYCIUM | uebelmannianum (ribs forming distinct tubercles with chin like protrusion) WR 141 Sierra Velasco 2500 m La Rioja Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-1266-C | GYMNOCALYCIUM | uebelmannianum (ribs forming distinct tubercles with chin like protrusion) WR 141 Sierra Velasco 2500 m La Rioja Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-1266-D | GYMNOCALYCIUM | uebelmannianum (ribs forming distinct tubercles with chin like protrusion) WR 141 Sierra Velasco 2500 m La Rioja Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-2311-A | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1131 Pampa de La Viuda 2109 m La Rioja Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHG-2311-B | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1131 Pampa de La Viuda 2109 m La Rioja Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHG-2311-C | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1131 Pampa de La Viuda 2109 m La Rioja Argentina                                    | 100s      | 90,00 Kč  |       |
| DHG-2311-D | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1131 Pampa de La Viuda 2109 m La Rioja Argentina                                    | 500s      | 335,00 Kč |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------------|--|-----------|-----------|-------|
| DHG-1262-A | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1142 Pampa de La Viuda 2109 m La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-1262-B | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1142 Pampa de La Viuda 2109 m La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-1262-C | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1142 Pampa de La Viuda 2109 m La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1262-D | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) CH 1142 Pampa de La Viuda 2109 m La Rioja Argentina  | 500s      | 335,00 Kč |       |
| DHG-1263-A | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) KFF 1312 Pampa de La Viuda 2109 m La Rioja Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-1263-B | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) KFF 1312 Pampa de La Viuda 2109 m La Rioja Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-1263-C | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) KFF 1312 Pampa de La Viuda 2109 m La Rioja Argentina | 100s      | 90,00 Kč  |       |
| DHG-1263-D | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) KFF 1312 Pampa de La Viuda 2109 m La Rioja Argentina | 500s      | 335,00 Kč |       |
| DHG-1265-A | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 A Pampa de La Viuda 2109 m La Rioja Argentina | 20s - 40s | 23,80 Kč  |       |
| DHG-1265-B | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 A Pampa de La Viuda 2109 m La Rioja Argentina | 42s - 60s | 45,00 Kč  |       |
| DHG-1265-C | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 A Pampa de La Viuda 2109 m La Rioja Argentina | 100s      | 90,00 Kč  |       |
| DHG-1265-D | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 A Pampa de La Viuda 2109 m La Rioja Argentina | 500s      | 335,00 Kč |       |
| DHG-1264-A | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 Pampa de La Viuda 2109 m La Rioja Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-1264-B | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 Pampa de La Viuda 2109 m La Rioja Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-1264-C | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 Pampa de La Viuda 2109 m La Rioja Argentina   | 100s      | 90,00 Kč  |       |
| DHG-1264-D | GYMNOCALYCIUM | uebelmannianum f. nova (tufted smaller plants with beautiful flowers) RF 699 Pampa de La Viuda 2109 m La Rioja Argentina   | 500s      | 335,00 Kč |       |
| DHG-2296-A | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) CH 1095 Cruz del Eje Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHG-2296-B | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) CH 1095 Cruz del Eje Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHG-2296-C | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) CH 1095 Cruz del Eje Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHG-1268-A | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 A nordl Capilla del Monte Cordoba Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHG-1268-B | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 A nordl Capilla del Monte Cordoba Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHG-1268-C | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 A nordl Capilla del Monte Cordoba Argentina                              | 100s      | 90,00 Kč  |       |
| DHG-1268-D | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 A nordl Capilla del Monte Cordoba Argentina                              | 500s      | 335,00 Kč |       |
| DHG-1268-E | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 A nordl Capilla del Monte Cordoba Argentina                              | 1000s     | 569,00 Kč |       |
| DHG-1269-A | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 Capilla del Monte 1000 m Cordoba Argentina                               | 20s - 40s | 23,80 Kč  |       |
| DHG-1269-B | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 Capilla del Monte 1000 m Cordoba Argentina                               | 42s - 60s | 45,00 Kč  |       |
| DHG-1269-C | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 Capilla del Monte 1000 m Cordoba Argentina                               | 100s      | 90,00 Kč  |       |
| DHG-1269-D | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 Capilla del Monte 1000 m Cordoba Argentina                               | 500s      | 335,00 Kč |       |
| DHG-1269-E | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) P 83 Capilla del Monte 1000 m Cordoba Argentina                               | 1000s     | 569,00 Kč |       |
| DHG-2799-A | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 87-103/1 San Marcos Sierra to Capilla del Monte 950 m Cordoba Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHG-2799-B | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 87-103/1 San Marcos Sierra to Capilla del Monte 950 m Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHG-2799-C | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 87-103/1 San Marcos Sierra to Capilla del Monte 950 m Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHG-2799-D | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 87-103/1 San Marcos Sierra to Capilla del Monte 950 m Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHG-1270-A | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 88-114/2 Cordoba to Villa Carlos Paz 750 m Cordoba Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHG-1270-B | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 88-114/2 Cordoba to Villa Carlos Paz 750 m Cordoba Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHG-1270-C | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 88-114/2 Cordoba to Villa Carlos Paz 750 m Cordoba Argentina              | 100s      | 90,00 Kč  |       |
| DHG-1270-D | GYMNOCALYCIUM | valnicekianum (strong curly straight spines) STO 88-114/2 Cordoba to Villa Carlos Paz 750 m Cordoba Argentina              | 500s      | 335,00 Kč |       |
| DHG-2295-A | GYMNOCALYCIUM | valnicekianum v. polycentralis Schuetz (strong curly straight spines) JAJO 1947 Czech Nursery Chlebovice CZ                | 20s - 40s | 23,80 Kč  |       |
| DHG-2295-B | GYMNOCALYCIUM | valnicekianum v. polycentralis Schuetz (strong curly straight spines) JAJO 1947 Czech Nursery Chlebovice CZ                | 42s - 60s | 45,00 Kč  |       |
| DHG-2295-C | GYMNOCALYCIUM | valnicekianum v. polycentralis Schuetz (strong curly straight spines) JAJO 1947 Czech Nursery Chlebovice CZ                | 100s      | 90,00 Kč  |       |
| DHG-2304-A | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) CH 1062 Nono 867 m Cordoba Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-2304-B | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) CH 1062 Nono 867 m Cordoba Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-2304-C | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) CH 1062 Nono 867 m Cordoba Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-2304-D | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) CH 1062 Nono 867 m Cordoba Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-1271-A | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) JPR 92-107/257 Las Rabonas 800 m Cordoba Argentina                     | 20s - 40s | 23,80 Kč  |       |
| DHG-1271-B | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) JPR 92-107/257 Las Rabonas 800 m Cordoba Argentina                     | 42s - 60s | 45,00 Kč  |       |
| DHG-1271-C | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) JPR 92-107/257 Las Rabonas 800 m Cordoba Argentina                     | 100s      | 90,00 Kč  |       |
| DHG-1271-D | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) JPR 92-107/257 Las Rabonas 800 m Cordoba Argentina                     | 500s      | 335,00 Kč |       |
| DHG-2308-A | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) KL 230 Nono (hill up river) 857 m Cordoba Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHG-2308-B | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) KL 230 Nono (hill up river) 857 m Cordoba Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHG-2308-C | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) KL 230 Nono (hill up river) 857 m Cordoba Argentina                    | 100s      | 90,00 Kč  |       |
| DHG-2308-D | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) KL 230 Nono (hill up river) 857 m Cordoba Argentina                    | 500s      | 335,00 Kč |       |
| DHG-1272-A | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) LB 1353 South of Banado de Ceja Cordoba Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHG-1272-B | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) LB 1353 South of Banado de Ceja Cordoba Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHG-1272-C | GYMNOCALYCIUM | vatteri (stoutly spines stiff and bent to the body) LB 1353 South of Banado de Ceja Cordoba Argentina                      | 100s      | 90,00 Kč  |       |

| CODE       | GENUS          | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|----------------|--|-----------|-----------|-------|
| DHG-1272-D | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) LB 1353 South of Banado de Ceja Cordoba Argentina                        | 500s      | 335,00 Kč |       |
| DHG-2477-A | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 17 A about 6 km South West of Tanninga Cordoba Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHG-2477-B | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 17 A about 6 km South West of Tanninga Cordoba Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHG-2477-C | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 17 A about 6 km South West of Tanninga Cordoba Argentina              | 100s      | 90,00 Kč  |       |
| DHG-2477-D | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 17 A about 6 km South West of Tanninga Cordoba Argentina              | 500s      | 335,00 Kč |       |
| DHG-2309-A | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 9 A Dique La Vina Cordoba Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHG-2309-B | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 9 A Dique La Vina Cordoba Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHG-2309-C | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 9 A Dique La Vina Cordoba Argentina                                   | 100s      | 90,00 Kč  |       |
| DHG-2309-D | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) SL 9 A Dique La Vina Cordoba Argentina                                   | 500s      | 335,00 Kč |       |
| DHG-2298-A | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) VS 158 Las Rabonas 900 m Cordoba Argentina                               | 20s - 40s | 23,80 Kč  |       |
| DHG-2298-B | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) VS 158 Las Rabonas 900 m Cordoba Argentina                               | 42s - 60s | 45,00 Kč  |       |
| DHG-2298-C | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) VS 158 Las Rabonas 900 m Cordoba Argentina                               | 100s      | 90,00 Kč  |       |
| DHG-2298-D | GYMNOCALYCIUM  | vatteri (stoutly spines stiff and bent to the body) VS 158 Las Rabonas 900 m Cordoba Argentina                               | 500s      | 335,00 Kč |       |
| DHG-2322-A | GYMNOCALYCIUM  | vatteri (very long stoutly one 1 central spines stiff and bent to the body) Franz Bozsing Cordoba Argentina                  | 20s - 40s | 23,80 Kč  |       |
| DHG-2322-B | GYMNOCALYCIUM  | vatteri (very long stoutly one 1 central spines stiff and bent to the body) Franz Bozsing Cordoba Argentina                  | 42s - 60s | 45,00 Kč  |       |
| DHG-2322-C | GYMNOCALYCIUM  | vatteri (very long stoutly one 1 central spines stiff and bent to the body) Franz Bozsing Cordoba Argentina                  | 100s      | 90,00 Kč  |       |
| DHG-2322-D | GYMNOCALYCIUM  | vatteri (very long stoutly one 1 central spines stiff and bent to the body) Franz Bozsing Cordoba Argentina                  | 500s      | 335,00 Kč |       |
| DHH-1276-A | HARRISIA       | pomanensis (bigger best white flowers) KAB 70 B Icano Valley Catamarca Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHH-1276-B | HARRISIA       | pomanensis (bigger best white flowers) KAB 70 B Icano Valley Catamarca Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHH-1276-C | HARRISIA       | pomanensis (bigger best white flowers) KAB 70 B Icano Valley Catamarca Argentina   | 100s      | 90,00 Kč  |       |
| DHH-1277-A | HARRISIA       | pomanensis (bigger best white flowers) KAB 71 B Rio Chico (house) Catamarca Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHH-1277-B | HARRISIA       | pomanensis (bigger best white flowers) KAB 71 B Rio Chico (house) Catamarca Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHH-1277-C | HARRISIA       | pomanensis (bigger best white flowers) KAB 71 B Rio Chico (house) Catamarca Argentina  | 100s      | 90,00 Kč  |       |
| DHH-1278-A | HARRISIA       | pomanensis (bigger best white flowers) KFF 1178 Balneario Talita 511 m San Luis Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHH-1278-B | HARRISIA       | pomanensis (bigger best white flowers) KFF 1178 Balneario Talita 511 m San Luis Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHH-1278-C | HARRISIA       | pomanensis (bigger best white flowers) KFF 1178 Balneario Talita 511 m San Luis Argentina                                    | 100s      | 90,00 Kč  |       |
| DHH-1279-A | HARRISIA       | pomanensis (bigger best white flowers) KLA 31 A San Pablo Hualalpina Catamarca Argentina                                     | 20s - 40s | 23,80 Kč  |       |
| DHH-1279-B | HARRISIA       | pomanensis (bigger best white flowers) KLA 31 A San Pablo Hualalpina Catamarca Argentina                                     | 42s - 60s | 45,00 Kč  |       |
| DHH-1279-C | HARRISIA       | pomanensis (bigger best white flowers) KLA 31 A San Pablo Hualalpina Catamarca Argentina                                     | 100s      | 90,00 Kč  |       |
| DHC-1287-A | CHIASTOPHYLLUM | oppositifolium (Russia Poljana alt 620 m alpine plant) AT-25 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHC-1287-B | CHIASTOPHYLLUM | oppositifolium (Russia Poljana alt 620 m alpine plant) AT-25 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHC-1287-C | CHIASTOPHYLLUM | oppositifolium (Russia Poljana alt 620 m alpine plant) AT-25 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHI-1288-A | IPOMEA         | obscura (white morning flowers) AT-27 Czech Nursery CZ   | 20s - 40s | 59,50 Kč  |       |
| DHI-1288-B | IPOMEA         | obscura (white morning flowers) AT-27 Czech Nursery CZ   | 42s - 60s | 112,00 Kč |       |
| DHI-1288-C | IPOMEA         | obscura (white morning flowers) AT-27 Czech Nursery CZ   | 100s      | 224,00 Kč |       |
| DHI-1289-A | IPOMEA         | orizabensis (Mexico Orizaba blue flowers long germinate) AT-28 Czech Nursery CZ  | 20s - 40s | 59,50 Kč  |       |
| DHI-1290-A | IPOMEA         | purpurea (red flowers) AT-29 Czech Nursery CZ  | 20s - 40s | 59,50 Kč  |       |
| DHI-1291-A | IPOMEA         | sloteri X (red flowers Cardinal Climber) AT-31 Czech Nursery CZ  | 20s - 40s | 59,50 Kč  |       |
| DHL-1307-A | LOBIVIA        | backebergii f. nova (long centrals, dark pink mostly violet flowers) KP 103 La Apana (Nevado Illimani) 3942 m La Paz Bolivia | 20s - 40s | 23,80 Kč  |       |
| DHL-1307-B | LOBIVIA        | backebergii f. nova (long centrals, dark pink mostly violet flowers) KP 103 La Apana (Nevado Illimani) 3942 m La Paz Bolivia | 42s - 60s | 45,00 Kč  |       |
| DHL-1307-C | LOBIVIA        | backebergii f. nova (long centrals, dark pink mostly violet flowers) KP 103 La Apana (Nevado Illimani) 3942 m La Paz Bolivia | 100s      | 90,00 Kč  |       |
| DHL-1307-D | LOBIVIA        | backebergii f. nova (long centrals, dark pink mostly violet flowers) KP 103 La Apana (Nevado Illimani) 3942 m La Paz Bolivia | 500s      | 335,00 Kč |       |
| DHL-1307-E | LOBIVIA        | backebergii f. nova (long centrals, dark pink mostly violet flowers) KP 103 La Apana (Nevado Illimani) 3942 m La Paz Bolivia | 1000s     | 569,00 Kč |       |
| DHL-1309-A | LOBIVIA        | cinnabarina (bigger purple flowers) JO 13 above 8 km behind Sucre Chuquisaca Bolivia   | 20s - 40s | 23,80 Kč  |       |
| DHL-1309-B | LOBIVIA        | cinnabarina (bigger purple flowers) JO 13 above 8 km behind Sucre Chuquisaca Bolivia   | 42s - 60s | 45,00 Kč  |       |
| DHL-1309-C | LOBIVIA        | cinnabarina (bigger purple flowers) JO 13 above 8 km behind Sucre Chuquisaca Bolivia   | 100s      | 90,00 Kč  |       |
| DHL-1310-A | LOBIVIA        | cinnabarina (bigger purple flowers) KP 14 Yamparaez 3153 m Chuquisaca Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHL-1310-B | LOBIVIA        | cinnabarina (bigger purple flowers) KP 14 Yamparaez 3153 m Chuquisaca Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHL-1310-C | LOBIVIA        | cinnabarina (bigger purple flowers) KP 14 Yamparaez 3153 m Chuquisaca Bolivia  | 100s      | 90,00 Kč  |       |
| DHL-1311-A | LOBIVIA        | cinnabarina (bigger purple flowers) KP 16 Tarabuco (West) 3402 m Chuquisaca Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHL-1311-B | LOBIVIA        | cinnabarina (bigger purple flowers) KP 16 Tarabuco (West) 3402 m Chuquisaca Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHL-1311-C | LOBIVIA        | cinnabarina (bigger purple flowers) KP 16 Tarabuco (West) 3402 m Chuquisaca Bolivia  | 100s      | 90,00 Kč  |       |
| DHL-1312-A | LOBIVIA        | cinnabarina (bigger purple flowers) KP 21 South East of Sucre 2902 m Chuquisaca Bolivia                                      | 20s - 40s | 23,80 Kč  |       |
| DHL-1312-B | LOBIVIA        | cinnabarina (bigger purple flowers) KP 21 South East of Sucre 2902 m Chuquisaca Bolivia                                      | 42s - 60s | 45,00 Kč  |       |
| DHL-1312-C | LOBIVIA        | cinnabarina (bigger purple flowers) KP 21 South East of Sucre 2902 m Chuquisaca Bolivia                                      | 100s      | 90,00 Kč  |       |

| CODE       | GENUS   | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|---------|--|-----------|-----------|-------|
| DHL-1313-A | LOBIVIA | cinnabarina (bigger purple flowers) MS 1447 Aiquile to Cerro Mistico 2525 m Cochabamba Bolivia   | 20s - 40s | 23,80 Kč  |       |
| DHL-1313-B | LOBIVIA | cinnabarina (bigger purple flowers) MS 1447 Aiquile to Cerro Mistico 2525 m Cochabamba Bolivia   | 42s - 60s | 45,00 Kč  |       |
| DHL-1313-C | LOBIVIA | cinnabarina (bigger purple flowers) MS 1447 Aiquile to Cerro Mistico 2525 m Cochabamba Bolivia   | 100s      | 90,00 Kč  |       |
| DHL-1315-A | LOBIVIA | cinnabarina v. zudanensis (bigger purple flowers) JO 203 A Zudanez to Tarabuco Chuquisaca Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHL-1315-B | LOBIVIA | cinnabarina v. zudanensis (bigger purple flowers) JO 203 A Zudanez to Tarabuco Chuquisaca Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHL-1315-C | LOBIVIA | cinnabarina v. zudanensis (bigger purple flowers) JO 203 A Zudanez to Tarabuco Chuquisaca Bolivia  | 100s      | 90,00 Kč  |       |
| DHL-1314-A | LOBIVIA | cinnabarina v. zudanensis (bigger purple flowers) JO 203 Zudanez to Tarabuco Chuquisaca Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHL-1314-B | LOBIVIA | cinnabarina v. zudanensis (bigger purple flowers) JO 203 Zudanez to Tarabuco Chuquisaca Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHL-1314-C | LOBIVIA | cinnabarina v. zudanensis (bigger purple flowers) JO 203 Zudanez to Tarabuco Chuquisaca Bolivia  | 100s      | 90,00 Kč  |       |
| DHL-1306-A | LOBIVIA | densispina f. albolanata (sensu Walter Rausch, white woolly dense hairs) WR 585 A Purmamarca 2200 m Jujuy Argentina                          | 20s - 40s | 51,00 Kč  |       |
| DHL-1306-B | LOBIVIA | densispina f. albolanata (sensu Walter Rausch, white woolly dense hairs) WR 585 A Purmamarca 2200 m Jujuy Argentina                          | 42s - 60s | 96,00 Kč  |       |
| DHL-1306-C | LOBIVIA | densispina f. albolanata (sensu Walter Rausch, white woolly dense hairs) WR 585 A Purmamarca 2200 m Jujuy Argentina                          | 100s      | 192,00 Kč |       |
| DHL-1316-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 A Cimarron 2379 m La Rioja Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHL-1316-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 A Cimarron 2379 m La Rioja Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHL-1316-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 A Cimarron 2379 m La Rioja Argentina                          | 100s      | 90,00 Kč  |       |
| DHL-1316-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 A Cimarron 2379 m La Rioja Argentina                          | 500s      | 335,00 Kč |       |
| DHL-1317-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 Cimarron 2379 m La Rioja Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHL-1317-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 Cimarron 2379 m La Rioja Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHL-1317-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 Cimarron 2379 m La Rioja Argentina                            | 100s      | 90,00 Kč  |       |
| DHL-1317-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 237 Cimarron 2379 m La Rioja Argentina                            | 500s      | 335,00 Kč |       |
| DHL-1318-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 464 Cuesta Miranda 2331 m La Rioja Argentina                      | 20s - 40s | 23,80 Kč  |       |
| DHL-1318-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 464 Cuesta Miranda 2331 m La Rioja Argentina                      | 42s - 60s | 45,00 Kč  |       |
| DHL-1318-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 464 Cuesta Miranda 2331 m La Rioja Argentina                      | 100s      | 90,00 Kč  |       |
| DHL-1318-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) HUN 464 Cuesta Miranda 2331 m La Rioja Argentina                      | 500s      | 335,00 Kč |       |
| DHL-1324-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) CH 994 South of Corrales 2523 m La Rioja Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHL-1324-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) CH 994 South of Corrales 2523 m La Rioja Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHL-1324-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) CH 994 South of Corrales 2523 m La Rioja Argentina                    | 100s      | 90,00 Kč  |       |
| DHL-1324-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) CH 994 South of Corrales 2523 m La Rioja Argentina                    | 500s      | 335,00 Kč |       |
| DHL-1319-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 70 Corrales to Tres Piedras 2481 m La Rioja Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHL-1319-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 70 Corrales to Tres Piedras 2481 m La Rioja Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHL-1319-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 70 Corrales to Tres Piedras 2481 m La Rioja Argentina              | 100s      | 90,00 Kč  |       |
| DHL-1319-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 70 Corrales to Tres Piedras 2481 m La Rioja Argentina              | 500s      | 335,00 Kč |       |
| DHL-1321-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 A Corrales to Tres Piedras 2641 m La Rioja Argentina            | 20s - 40s | 23,80 Kč  |       |
| DHL-1321-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 A Corrales to Tres Piedras 2641 m La Rioja Argentina            | 42s - 60s | 45,00 Kč  |       |
| DHL-1321-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 A Corrales to Tres Piedras 2641 m La Rioja Argentina            | 100s      | 90,00 Kč  |       |
| DHL-1321-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 A Corrales to Tres Piedras 2641 m La Rioja Argentina            | 500s      | 335,00 Kč |       |
| DHL-1320-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 Corrales to Tres Piedras 2641 m La Rioja Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHL-1320-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 Corrales to Tres Piedras 2641 m La Rioja Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHL-1320-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 Corrales to Tres Piedras 2641 m La Rioja Argentina              | 100s      | 90,00 Kč  |       |
| DHL-1320-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) KP 71 Corrales to Tres Piedras 2641 m La Rioja Argentina              | 500s      | 335,00 Kč |       |
| DHL-2110-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) ROS 114 about 5,3 km South West of Corrales 2510 m La Rioja Argentina | 20s - 40s | 23,80 Kč  |       |
| DHL-2110-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) ROS 114 about 5,3 km South West of Corrales 2510 m La Rioja Argentina | 42s - 60s | 45,00 Kč  |       |
| DHL-2110-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) ROS 114 about 5,3 km South West of Corrales 2510 m La Rioja Argentina | 100s      | 90,00 Kč  |       |
| DHL-2110-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) ROS 114 about 5,3 km South West of Corrales 2510 m La Rioja Argentina | 500s      | 335,00 Kč |       |
| DHL-1322-A | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) WR 127 Famatina to Velasco La Rioja Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHL-1322-B | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) WR 127 Famatina to Velasco La Rioja Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHL-1322-C | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) WR 127 Famatina to Velasco La Rioja Argentina                         | 100s      | 90,00 Kč  |       |
| DHL-1322-D | LOBIVIA | famatimensis (very short spidery pectinate spines, egg yellow flowers) WR 127 Famatina to Velasco La Rioja Argentina                         | 500s      | 335,00 Kč |       |
| DHL-1328-A | LOBIVIA | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1344 Tumbaya Grande 2307 m Jujuy Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHL-1328-B | LOBIVIA | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1344 Tumbaya Grande 2307 m Jujuy Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHL-1328-C | LOBIVIA | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1344 Tumbaya Grande 2307 m Jujuy Argentina         | 100s      | 90,00 Kč  |       |
| DHL-1328-D | LOBIVIA | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1344 Tumbaya Grande 2307 m Jujuy Argentina         | 500s      | 335,00 Kč |       |
| DHL-1329-A | LOBIVIA | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1351 Tumbaya Grande 2460 m Jujuy Argentina         | 20s - 40s | 23,80 Kč  |       |
| DHL-1329-B | LOBIVIA | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1351 Tumbaya Grande 2460 m Jujuy Argentina         | 42s - 60s | 45,00 Kč  |       |
| DHL-1329-C | LOBIVIA | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1351 Tumbaya Grande 2460 m Jujuy Argentina         | 100s      | 90,00 Kč  |       |

| CODE       | GENUS     | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)    | ORDER |
|------------|-----------|--|-----------|-------------|-------|
| DHL-1329-D | LOBIVIA   | haematantha v. densispina (straight somewhat curved spines, yellow orange red flowers) MS 1351 Tumbaya Grande 2460 m Jujuy Argentina   | 500s      | 335,00 Kč   |       |
| DHL-1327-A | LOBIVIA   | haematantha v. densispina f. scoparia (straight somewhat curved spines, yellow orange red flowers) WR 816 A Purmamarca Jujuy Argentina | 20s - 40s | 34,00 Kč    |       |
| DHL-1327-B | LOBIVIA   | haematantha v. densispina f. scoparia (straight somewhat curved spines, yellow orange red flowers) WR 816 A Purmamarca Jujuy Argentina | 42s - 60s | 64,00 Kč    |       |
| DHL-1327-C | LOBIVIA   | haematantha v. densispina f. scoparia (straight somewhat curved spines, yellow orange red flowers) WR 816 A Purmamarca Jujuy Argentina | 100s      | 128,00 Kč   |       |
| DHL-1327-D | LOBIVIA   | haematantha v. densispina f. scoparia (straight somewhat curved spines, yellow orange red flowers) WR 816 A Purmamarca Jujuy Argentina | 500s      | 479,00 Kč   |       |
| DHL-1327-E | LOBIVIA   | haematantha v. densispina f. scoparia (straight somewhat curved spines, yellow orange red flowers) WR 816 A Purmamarca Jujuy Argentina | 1000s     | 813,00 Kč   |       |
| DHL-2108-A | LOBIVIA   | haematantha v. penca-poma (develop robust black curved to hooked spines) P232 La Poma 3000 m Salta Argentina                           | 20s - 40s | 25,50 Kč    |       |
| DHL-2108-B | LOBIVIA   | haematantha v. penca-poma (develop robust black curved to hooked spines) P232 La Poma 3000 m Salta Argentina                           | 42s - 60s | 48,00 Kč    |       |
| DHL-2736-A | LOBIVIA   | haematantha v. rebutiliflora (central spine blacker and pointing upwards) Zlatko Janeba Volcan (3 km West) 2545 m Jujuy Argentina      | 20s - 40s | 25,50 Kč    |       |
| DHL-2736-B | LOBIVIA   | haematantha v. rebutiliflora (central spine blacker and pointing upwards) Zlatko Janeba Volcan (3 km West) 2545 m Jujuy Argentina      | 42s - 60s | 48,00 Kč    |       |
| DHL-1334-A | LOBIVIA   | jajoiana v. fleischeriana (bigger variable yellow orange red flowers) WR 580 A Tilcara Jujuy Argentina                                 | 20s - 40s | 25,50 Kč    |       |
| DHL-1334-B | LOBIVIA   | jajoiana v. fleischeriana (bigger variable yellow orange red flowers) WR 580 A Tilcara Jujuy Argentina                                 | 42s - 60s | 48,00 Kč    |       |
| DHL-3002-A | LOBIVIA   | pampana f. santa-ana Ritter Peru (extreme very long middle spines) Valle de Santa Ana 800 m Cusco Peru                                 | 20s - 40s | 51,00 Kč    |       |
| DHL-3002-B | LOBIVIA   | pampana f. santa-ana Ritter Peru (extreme very long middle spines) Valle de Santa Ana 800 m Cusco Peru                                 | 42s - 60s | 96,00 Kč    |       |
| DHL-1343-A | LOBIVIA   | tiogeliana v. pusilla (curly spines, dark pink flowers) SL 49 B-96 Chalarmarca Tarija Bolivia  | 20s - 40s | 25,50 Kč    |       |
| DHL-1343-B | LOBIVIA   | tiogeliana v. pusilla (curly spines, dark pink flowers) SL 49 B-96 Chalarmarca Tarija Bolivia  | 42s - 60s | 48,00 Kč    |       |
| DHL-1343-C | LOBIVIA   | tiogeliana v. pusilla (curly spines, dark pink flowers) SL 49 B-96 Chalarmarca Tarija Bolivia  | 100s      | 96,00 Kč    |       |
| DHM-1354-A | MAIHUENIA | patagonica (orange red spines) KP 1089 Estancia La Negra (Catan Lil) 1203 m Neuquen Argentina  | 20s - 40s | 59,50 Kč    |       |
| DHM-1354-B | MAIHUENIA | patagonica (orange red spines) KP 1089 Estancia La Negra (Catan Lil) 1203 m Neuquen Argentina  | 42s - 60s | 112,00 Kč   |       |
| DHM-1354-C | MAIHUENIA | patagonica (orange red spines) KP 1089 Estancia La Negra (Catan Lil) 1203 m Neuquen Argentina  | 100s      | 224,00 Kč   |       |
| DHM-1354-D | MAIHUENIA | patagonica (orange red spines) KP 1089 Estancia La Negra (Catan Lil) 1203 m Neuquen Argentina  | 500s      | 837,00 Kč   |       |
| DHM-1354-E | MAIHUENIA | patagonica (orange red spines) KP 1089 Estancia La Negra (Catan Lil) 1203 m Neuquen Argentina  | 1000s     | 1 423,00 Kč |       |
| DHM-1355-A | MAIHUENIA | patagonica (radiantly red spines) KP 1088 Agua del Overo 1123 m Neuquen Argentina  | 20s - 40s | 59,50 Kč    |       |
| DHM-1355-B | MAIHUENIA | patagonica (radiantly red spines) KP 1088 Agua del Overo 1123 m Neuquen Argentina  | 42s - 60s | 112,00 Kč   |       |
| DHM-1355-C | MAIHUENIA | patagonica (radiantly red spines) KP 1088 Agua del Overo 1123 m Neuquen Argentina  | 100s      | 224,00 Kč   |       |
| DHM-1355-D | MAIHUENIA | patagonica (radiantly red spines) KP 1088 Agua del Overo 1123 m Neuquen Argentina  | 500s      | 837,00 Kč   |       |
| DHM-1355-E | MAIHUENIA | patagonica (radiantly red spines) KP 1088 Agua del Overo 1123 m Neuquen Argentina  | 1000s     | 1 423,00 Kč |       |
| DHM-1356-A | MAIHUENIA | patagonica (typical white yellow spines) KP 1006 Zapala City km 3,0 altitude 1069 m Neuquen Argentina                                  | 20s - 40s | 59,50 Kč    |       |
| DHM-1356-B | MAIHUENIA | patagonica (typical white yellow spines) KP 1006 Zapala City km 3,0 altitude 1069 m Neuquen Argentina                                  | 42s - 60s | 112,00 Kč   |       |
| DHM-1356-C | MAIHUENIA | patagonica (typical white yellow spines) KP 1006 Zapala City km 3,0 altitude 1069 m Neuquen Argentina                                  | 100s      | 224,00 Kč   |       |
| DHM-1356-D | MAIHUENIA | patagonica (typical white yellow spines) KP 1006 Zapala City km 3,0 altitude 1069 m Neuquen Argentina                                  | 500s      | 837,00 Kč   |       |
| DHM-1356-E | MAIHUENIA | patagonica (typical white yellow spines) KP 1006 Zapala City km 3,0 altitude 1069 m Neuquen Argentina                                  | 1000s     | 1 423,00 Kč |       |
| DHM-1357-A | MAIHUENIA | patagonica (typical white yellow spines) KP 1007 Zapala City km 3,6 altitude 1067 m Neuquen Argentina                                  | 20s - 40s | 59,50 Kč    |       |
| DHM-1357-B | MAIHUENIA | patagonica (typical white yellow spines) KP 1007 Zapala City km 3,6 altitude 1067 m Neuquen Argentina                                  | 42s - 60s | 112,00 Kč   |       |
| DHM-1357-C | MAIHUENIA | patagonica (typical white yellow spines) KP 1007 Zapala City km 3,6 altitude 1067 m Neuquen Argentina                                  | 100s      | 224,00 Kč   |       |
| DHM-1357-D | MAIHUENIA | patagonica (typical white yellow spines) KP 1007 Zapala City km 3,6 altitude 1067 m Neuquen Argentina                                  | 500s      | 837,00 Kč   |       |
| DHM-1357-E | MAIHUENIA | patagonica (typical white yellow spines) KP 1007 Zapala City km 3,6 altitude 1067 m Neuquen Argentina                                  | 1000s     | 1 423,00 Kč |       |
| DHM-1358-A | MAIHUENIA | patagonica (typical white yellow spines) KP 1013 Primeros Pinos III. 1078 m Neuquen Argentina  | 20s - 40s | 59,50 Kč    |       |
| DHM-1358-B | MAIHUENIA | patagonica (typical white yellow spines) KP 1013 Primeros Pinos III. 1078 m Neuquen Argentina  | 42s - 60s | 112,00 Kč   |       |
| DHM-1358-C | MAIHUENIA | patagonica (typical white yellow spines) KP 1013 Primeros Pinos III. 1078 m Neuquen Argentina  | 100s      | 224,00 Kč   |       |
| DHM-1358-D | MAIHUENIA | patagonica (typical white yellow spines) KP 1013 Primeros Pinos III. 1078 m Neuquen Argentina  | 500s      | 837,00 Kč   |       |
| DHM-1358-E | MAIHUENIA | patagonica (typical white yellow spines) KP 1013 Primeros Pinos III. 1078 m Neuquen Argentina  | 1000s     | 1 423,00 Kč |       |
| DHM-1359-A | MAIHUENIA | patagonica (typical white yellow spines) KP 1015 Laguna Blanca I. 1067 m Neuquen Argentina   | 20s - 40s | 59,50 Kč    |       |
| DHM-1359-B | MAIHUENIA | patagonica (typical white yellow spines) KP 1015 Laguna Blanca I. 1067 m Neuquen Argentina   | 42s - 60s | 112,00 Kč   |       |
| DHM-1359-C | MAIHUENIA | patagonica (typical white yellow spines) KP 1015 Laguna Blanca I. 1067 m Neuquen Argentina   | 100s      | 224,00 Kč   |       |
| DHM-1359-D | MAIHUENIA | patagonica (typical white yellow spines) KP 1015 Laguna Blanca I. 1067 m Neuquen Argentina   | 500s      | 837,00 Kč   |       |
| DHM-1359-E | MAIHUENIA | patagonica (typical white yellow spines) KP 1015 Laguna Blanca I. 1067 m Neuquen Argentina   | 1000s     | 1 423,00 Kč |       |
| DHM-1360-A | MAIHUENIA | patagonica (typical white yellow spines) KP 1016 Laguna Blanca II. KM 2,6 altitude 1074 m Neuquen Argentina                            | 20s - 40s | 59,50 Kč    |       |
| DHM-1360-B | MAIHUENIA | patagonica (typical white yellow spines) KP 1016 Laguna Blanca II. KM 2,6 altitude 1074 m Neuquen Argentina                            | 42s - 60s | 112,00 Kč   |       |
| DHM-1360-C | MAIHUENIA | patagonica (typical white yellow spines) KP 1016 Laguna Blanca II. KM 2,6 altitude 1074 m Neuquen Argentina                            | 100s      | 224,00 Kč   |       |
| DHM-1360-D | MAIHUENIA | patagonica (typical white yellow spines) KP 1016 Laguna Blanca II. KM 2,6 altitude 1074 m Neuquen Argentina                            | 500s      | 837,00 Kč   |       |
| DHM-1360-E | MAIHUENIA | patagonica (typical white yellow spines) KP 1016 Laguna Blanca II. KM 2,6 altitude 1074 m Neuquen Argentina                            | 1000s     | 1 423,00 Kč |       |
| DHM-1361-A | MAIHUENIA | patagonica (typical white yellow spines) KP 1019 Naunaucu village 1270 m Neuquen Argentina   | 20s - 40s | 59,50 Kč    |       |
| DHM-1361-B | MAIHUENIA | patagonica (typical white yellow spines) KP 1019 Naunaucu village 1270 m Neuquen Argentina   | 42s - 60s | 112,00 Kč   |       |
| DHM-1361-C | MAIHUENIA | patagonica (typical white yellow spines) KP 1019 Naunaucu village 1270 m Neuquen Argentina   | 100s      | 224,00 Kč   |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)    | ORDER |
|------------|---------------|--|-----------|-------------|-------|
| DHM-1361-D | MAIHUENIA     | patagonica (typical white yellow spines) KP 1019 Naunauco village 1270 m Neuquen Argentina   | 500s      | 837,00 Kč   |       |
| DHM-1361-E | MAIHUENIA     | patagonica (typical white yellow spines) KP 1019 Naunauco village 1270 m Neuquen Argentina   | 1000s     | 1 423,00 Kč |       |
| DHM-1362-A | MAIHUENIA     | patagonica (typical white yellow spines) KP 1020 Colipilli village 1264 m Neuquen Argentina  | 20s - 40s | 59,50 Kč    |       |
| DHM-1362-B | MAIHUENIA     | patagonica (typical white yellow spines) KP 1020 Colipilli village 1264 m Neuquen Argentina  | 42s - 60s | 112,00 Kč   |       |
| DHM-1362-C | MAIHUENIA     | patagonica (typical white yellow spines) KP 1020 Colipilli village 1264 m Neuquen Argentina  | 100s      | 224,00 Kč   |       |
| DHM-1362-D | MAIHUENIA     | patagonica (typical white yellow spines) KP 1020 Colipilli village 1264 m Neuquen Argentina  | 500s      | 837,00 Kč   |       |
| DHM-1362-E | MAIHUENIA     | patagonica (typical white yellow spines) KP 1020 Colipilli village 1264 m Neuquen Argentina  | 1000s     | 1 423,00 Kč |       |
| DHM-1364-A | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KBA 43 B Ruta 51 Las Ruinas 3122 m Salta Argentina                                | 20s - 40s | 51,00 Kč    |       |
| DHM-1364-B | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KBA 43 B Ruta 51 Las Ruinas 3122 m Salta Argentina                                | 42s - 60s | 96,00 Kč    |       |
| DHM-1364-C | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KBA 43 B Ruta 51 Las Ruinas 3122 m Salta Argentina                                | 100s      | 192,00 Kč   |       |
| DHM-1364-D | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KBA 43 B Ruta 51 Las Ruinas 3122 m Salta Argentina                                | 500s      | 718,00 Kč   |       |
| DHM-1364-E | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KBA 43 B Ruta 51 Las Ruinas 3122 m Salta Argentina                                | 1000s     | 1 220,00 Kč |       |
| DHM-1365-A | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KFF 1307 Tafi del Valle 2875 m Tucuman Argentina                                  | 20s - 40s | 51,00 Kč    |       |
| DHM-1365-B | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KFF 1307 Tafi del Valle 2875 m Tucuman Argentina                                  | 42s - 60s | 96,00 Kč    |       |
| DHM-1365-C | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KFF 1307 Tafi del Valle 2875 m Tucuman Argentina                                  | 100s      | 192,00 Kč   |       |
| DHM-1365-D | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KFF 1307 Tafi del Valle 2875 m Tucuman Argentina                                  | 500s      | 718,00 Kč   |       |
| DHM-1365-E | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KFF 1307 Tafi del Valle 2875 m Tucuman Argentina                                  | 1000s     | 1 220,00 Kč |       |
| DHM-1370-A | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KL 15-24 Puno 3888 m Titicaca Puno Peru   | 20s - 40s | 51,00 Kč    |       |
| DHM-1370-B | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KL 15-24 Puno 3888 m Titicaca Puno Peru   | 42s - 60s | 96,00 Kč    |       |
| DHM-1370-C | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KL 15-24 Puno 3888 m Titicaca Puno Peru   | 100s      | 192,00 Kč   |       |
| DHM-1370-D | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KL 15-24 Puno 3888 m Titicaca Puno Peru   | 500s      | 718,00 Kč   |       |
| DHM-1370-E | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KL 15-24 Puno 3888 m Titicaca Puno Peru   | 1000s     | 1 220,00 Kč |       |
| DHM-1366-A | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 44 A El Infernillo (bellow 5 km) Tucuman Argentina                            | 20s - 40s | 51,00 Kč    |       |
| DHM-1366-B | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 44 A El Infernillo (bellow 5 km) Tucuman Argentina                            | 42s - 60s | 96,00 Kč    |       |
| DHM-1366-C | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 44 A El Infernillo (bellow 5 km) Tucuman Argentina                            | 100s      | 192,00 Kč   |       |
| DHM-1366-D | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 44 A El Infernillo (bellow 5 km) Tucuman Argentina                            | 500s      | 718,00 Kč   |       |
| DHM-1366-E | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 44 A El Infernillo (bellow 5 km) Tucuman Argentina                            | 1000s     | 1 220,00 Kč |       |
| DHM-1367-A | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 79 A Abra del Acay II. 3274 m Salta Argentina                                 | 20s - 40s | 51,00 Kč    |       |
| DHM-1367-B | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 79 A Abra del Acay II. 3274 m Salta Argentina                                 | 42s - 60s | 96,00 Kč    |       |
| DHM-1367-C | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 79 A Abra del Acay II. 3274 m Salta Argentina                                 | 100s      | 192,00 Kč   |       |
| DHM-1367-D | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 79 A Abra del Acay II. 3274 m Salta Argentina                                 | 500s      | 718,00 Kč   |       |
| DHM-1367-E | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 79 A Abra del Acay II. 3274 m Salta Argentina                                 | 1000s     | 1 220,00 Kč |       |
| DHM-1368-A | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 80 C Cardonal I. Salta Argentina  | 20s - 40s | 51,00 Kč    |       |
| DHM-1368-B | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 80 C Cardonal I. Salta Argentina  | 42s - 60s | 96,00 Kč    |       |
| DHM-1368-C | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 80 C Cardonal I. Salta Argentina  | 100s      | 192,00 Kč   |       |
| DHM-1368-D | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 80 C Cardonal I. Salta Argentina  | 500s      | 718,00 Kč   |       |
| DHM-1368-E | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 80 C Cardonal I. Salta Argentina  | 1000s     | 1 220,00 Kč |       |
| DHM-1369-A | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 84 A La Poma to Cachi I. Salta Argentina                                      | 20s - 40s | 51,00 Kč    |       |
| DHM-1369-B | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 84 A La Poma to Cachi I. Salta Argentina                                      | 42s - 60s | 96,00 Kč    |       |
| DHM-1369-C | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 84 A La Poma to Cachi I. Salta Argentina                                      | 100s      | 192,00 Kč   |       |
| DHM-1369-D | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 84 A La Poma to Cachi I. Salta Argentina                                      | 500s      | 718,00 Kč   |       |
| DHM-1369-E | MAIHUENIOPSIS | boliviana (frost resistant mountain top spined plants) KLA 84 A La Poma to Cachi I. Salta Argentina                                      | 1000s     | 1 220,00 Kč |       |
| DHM-1372-A | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 26 A Cerro Tunduqueral I. 2450 m Mendoza Argentina  | 20s - 40s | 51,00 Kč    |       |
| DHM-1372-B | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 26 A Cerro Tunduqueral I. 2450 m Mendoza Argentina  | 42s - 60s | 96,00 Kč    |       |
| DHM-1372-C | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 26 A Cerro Tunduqueral I. 2450 m Mendoza Argentina  | 100s      | 192,00 Kč   |       |
| DHM-1372-D | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 26 A Cerro Tunduqueral I. 2450 m Mendoza Argentina  | 500s      | 718,00 Kč   |       |
| DHM-1372-E | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 26 A Cerro Tunduqueral I. 2450 m Mendoza Argentina  | 1000s     | 1 220,00 Kč |       |
| DHM-1373-A | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 27 A Cerro Tunduqueral II. 2589 m Mendoza Argentina | 20s - 40s | 51,00 Kč    |       |
| DHM-1373-B | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 27 A Cerro Tunduqueral II. 2589 m Mendoza Argentina | 42s - 60s | 96,00 Kč    |       |
| DHM-1373-C | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 27 A Cerro Tunduqueral II. 2589 m Mendoza Argentina | 100s      | 192,00 Kč   |       |
| DHM-1373-D | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 27 A Cerro Tunduqueral II. 2589 m Mendoza Argentina | 500s      | 718,00 Kč   |       |
| DHM-1373-E | MAIHUENIOPSIS | glomerata f. colorispina (to 9 cm long turn glassy flat centrals tolerate frost) KAB 27 A Cerro Tunduqueral II. 2589 m Mendoza Argentina | 1000s     | 1 220,00 Kč |       |
| DHM-1374-A | MAIHUENIOPSIS | glomerata f. colorispina (very flat glassy centrals, very smaller tufts) JS 241 Irube Jujuy Argentina                                    | 20s - 40s | 51,00 Kč    |       |
| DHM-1374-B | MAIHUENIOPSIS | glomerata f. colorispina (very flat glassy centrals, very smaller tufts) JS 241 Irube Jujuy Argentina                                    | 42s - 60s | 96,00 Kč    |       |
| DHM-1374-C | MAIHUENIOPSIS | glomerata f. colorispina (very flat glassy centrals, very smaller tufts) JS 241 Irube Jujuy Argentina                                    | 100s      | 192,00 Kč   |       |

| CODE       | GENUS         | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)    | ORDER |
|------------|---------------|--|-----------|-------------|-------|
| DHM-1374-D | MAIHUENIOPSIS | glomerata f. colorispina (very flat glassy centrals, very smaller tufts) JS 241 Irube Jujuy Argentina                                    | 500s      | 718,00 Kč   |       |
| DHM-1374-E | MAIHUENIOPSIS | glomerata f. colorispina (very flat glassy centrals, very smaller tufts) JS 241 Irube Jujuy Argentina                                    | 1000s     | 1 220,00 Kč |       |
| DHM-1375-A | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 23 A Siete Colores II. 2771 m Mendoza Argentina           | 20s - 40s | 51,00 Kč    |       |
| DHM-1375-B | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 23 A Siete Colores II. 2771 m Mendoza Argentina           | 42s - 60s | 96,00 Kč    |       |
| DHM-1375-C | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 23 A Siete Colores II. 2771 m Mendoza Argentina           | 100s      | 192,00 Kč   |       |
| DHM-1375-D | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 23 A Siete Colores II. 2771 m Mendoza Argentina           | 500s      | 718,00 Kč   |       |
| DHM-1375-E | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 23 A Siete Colores II. 2771 m Mendoza Argentina           | 1000s     | 1 220,00 Kč |       |
| DHM-1376-A | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 24 A Siete Colores III. 3085 m Mendoza Argentina          | 20s - 40s | 51,00 Kč    |       |
| DHM-1376-B | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 24 A Siete Colores III. 3085 m Mendoza Argentina          | 42s - 60s | 96,00 Kč    |       |
| DHM-1376-C | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 24 A Siete Colores III. 3085 m Mendoza Argentina          | 100s      | 192,00 Kč   |       |
| DHM-1376-D | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 24 A Siete Colores III. 3085 m Mendoza Argentina          | 500s      | 718,00 Kč   |       |
| DHM-1376-E | MAIHUENIOPSIS | glomerata f. minima (to 7cm long turn glassy flat centrals tolerate frost) KAB 24 A Siete Colores III. 3085 m Mendoza Argentina          | 1000s     | 1 220,00 Kč |       |
| DHM-1377-A | MAIHUENIOPSIS | glomerata f. minima (very long glassy flat spines, small stem, tolerate frost) KBA 83 B Los Tambillos II. 2331 m Mendoza Argentina       | 20s - 40s | 51,00 Kč    |       |
| DHM-1377-B | MAIHUENIOPSIS | glomerata f. minima (very long glassy flat spines, small stem, tolerate frost) KBA 83 B Los Tambillos II. 2331 m Mendoza Argentina       | 42s - 60s | 96,00 Kč    |       |
| DHM-1377-C | MAIHUENIOPSIS | glomerata f. minima (very long glassy flat spines, small stem, tolerate frost) KBA 83 B Los Tambillos II. 2331 m Mendoza Argentina       | 100s      | 192,00 Kč   |       |
| DHM-1377-D | MAIHUENIOPSIS | glomerata f. minima (very long glassy flat spines, small stem, tolerate frost) KBA 83 B Los Tambillos II. 2331 m Mendoza Argentina       | 500s      | 718,00 Kč   |       |
| DHM-1377-E | MAIHUENIOPSIS | glomerata f. minima (very long glassy flat spines, small stem, tolerate frost) KBA 83 B Los Tambillos II. 2331 m Mendoza Argentina       | 1000s     | 1 220,00 Kč |       |
| DHM-1378-A | MAIHUENIOPSIS | glomerata f. orange top-longispina (to 10 cm glassy flat spines tolerate frost) KAB 28 A Cerro Tunduqueral III. 2926 m Mendoza Argentina | 20s - 40s | 51,00 Kč    |       |
| DHM-1378-B | MAIHUENIOPSIS | glomerata f. orange top-longispina (to 10 cm glassy flat spines tolerate frost) KAB 28 A Cerro Tunduqueral III. 2926 m Mendoza Argentina | 42s - 60s | 96,00 Kč    |       |
| DHM-1378-C | MAIHUENIOPSIS | glomerata f. orange top-longispina (to 10 cm glassy flat spines tolerate frost) KAB 28 A Cerro Tunduqueral III. 2926 m Mendoza Argentina | 100s      | 192,00 Kč   |       |
| DHM-1378-D | MAIHUENIOPSIS | glomerata f. orange top-longispina (to 10 cm glassy flat spines tolerate frost) KAB 28 A Cerro Tunduqueral III. 2926 m Mendoza Argentina | 500s      | 718,00 Kč   |       |
| DHM-1378-E | MAIHUENIOPSIS | glomerata f. orange top-longispina (to 10 cm glassy flat spines tolerate frost) KAB 28 A Cerro Tunduqueral III. 2926 m Mendoza Argentina | 1000s     | 1 220,00 Kč |       |
| DHM-1379-A | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 29 A Valle De Escol I. 1987 m Mendoza Argentina  | 20s - 40s | 51,00 Kč    |       |
| DHM-1379-B | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 29 A Valle De Escol I. 1987 m Mendoza Argentina  | 42s - 60s | 96,00 Kč    |       |
| DHM-1379-C | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 29 A Valle De Escol I. 1987 m Mendoza Argentina  | 100s      | 192,00 Kč   |       |
| DHM-1379-D | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 29 A Valle De Escol I. 1987 m Mendoza Argentina  | 500s      | 718,00 Kč   |       |
| DHM-1379-E | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 29 A Valle De Escol I. 1987 m Mendoza Argentina  | 1000s     | 1 220,00 Kč |       |
| DHM-1380-A | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 30 C Valle De Escol II. 2324 m Mendoza Argentina | 20s - 40s | 51,00 Kč    |       |
| DHM-1380-B | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 30 C Valle De Escol II. 2324 m Mendoza Argentina | 42s - 60s | 96,00 Kč    |       |
| DHM-1380-C | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 30 C Valle De Escol II. 2324 m Mendoza Argentina | 100s      | 192,00 Kč   |       |
| DHM-1380-D | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 30 C Valle De Escol II. 2324 m Mendoza Argentina | 500s      | 718,00 Kč   |       |
| DHM-1380-E | MAIHUENIOPSIS | glomerata f. top-minima (to 8cm long dark very flat glassy centrals tolerate frost) KAB 30 C Valle De Escol II. 2324 m Mendoza Argentina | 1000s     | 1 220,00 Kč |       |
| DHM-1381-A | MAIHUENIOPSIS | glomerata KL 107/2013 Uspallata (km 6) Ruta 39 Mendoza (border with San Juan) Argentina  | 20s - 40s | 51,00 Kč    |       |
| DHM-1381-B | MAIHUENIOPSIS | glomerata KL 107/2013 Uspallata (km 6) Ruta 39 Mendoza (border with San Juan) Argentina  | 42s - 60s | 96,00 Kč    |       |
| DHM-1381-C | MAIHUENIOPSIS | glomerata KL 107/2013 Uspallata (km 6) Ruta 39 Mendoza (border with San Juan) Argentina  | 100s      | 192,00 Kč   |       |
| DHM-1381-D | MAIHUENIOPSIS | glomerata KL 107/2013 Uspallata (km 6) Ruta 39 Mendoza (border with San Juan) Argentina  | 500s      | 718,00 Kč   |       |
| DHM-1381-E | MAIHUENIOPSIS | glomerata KL 107/2013 Uspallata (km 6) Ruta 39 Mendoza (border with San Juan) Argentina  | 1000s     | 1 220,00 Kč |       |
| DHM-1382-A | MAIHUENIOPSIS | pentlandii (frost resistant mountain top heavy spined plants) KLA 72 C Puerta Tastil Salta Argentina                                     | 20s - 40s | 59,50 Kč    |       |
| DHM-1382-B | MAIHUENIOPSIS | pentlandii (frost resistant mountain top heavy spined plants) KLA 72 C Puerta Tastil Salta Argentina                                     | 42s - 60s | 112,00 Kč   |       |
| DHM-1383-A | MAIHUENIOPSIS | platyacantha f. longispina (flatter very horrent long spines tolerate frost -10 subzero) KAB 10 C Las Lenas I. 2121 m Mendoza Argentina  | 20s - 40s | 59,50 Kč    |       |
| DHM-1383-B | MAIHUENIOPSIS | platyacantha f. longispina (flatter very horrent long spines tolerate frost -10 subzero) KAB 10 C Las Lenas I. 2121 m Mendoza Argentina  | 42s - 60s | 112,00 Kč   |       |
| DHM-1383-C | MAIHUENIOPSIS | platyacantha f. longispina (flatter very horrent long spines tolerate frost -10 subzero) KAB 10 C Las Lenas I. 2121 m Mendoza Argentina  | 100s      | 224,00 Kč   |       |
| DHM-1383-D | MAIHUENIOPSIS | platyacantha f. longispina (flatter very horrent long spines tolerate frost -10 subzero) KAB 10 C Las Lenas I. 2121 m Mendoza Argentina  | 500s      | 837,00 Kč   |       |
| DHM-1383-E | MAIHUENIOPSIS | platyacantha f. longispina (flatter very horrent long spines tolerate frost -10 subzero) KAB 10 C Las Lenas I. 2121 m Mendoza Argentina  | 1000s     | 1 423,00 Kč |       |
| DHM-1385-A | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 356 San Luis Rio Colorado km 140 Sonora Mexico  | 20s - 40s | 23,80 Kč    |       |
| DHM-1385-B | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 356 San Luis Rio Colorado km 140 Sonora Mexico  | 42s - 60s | 45,00 Kč    |       |
| DHM-1385-C | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 356 San Luis Rio Colorado km 140 Sonora Mexico  | 100s      | 90,00 Kč    |       |
| DHM-1387-A | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 374 A San Antonio Highway 16 Chihuahua Mexico   | 20s - 40s | 23,80 Kč    |       |
| DHM-1387-B | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 374 A San Antonio Highway 16 Chihuahua Mexico   | 42s - 60s | 45,00 Kč    |       |
| DHM-1387-C | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 374 A San Antonio Highway 16 Chihuahua Mexico   | 100s      | 90,00 Kč    |       |
| DHM-1386-A | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 374 San Antonio Highway 16 Chihuahua Mexico   | 20s - 40s | 23,80 Kč    |       |
| DHM-1386-B | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 374 San Antonio Highway 16 Chihuahua Mexico   | 42s - 60s | 45,00 Kč    |       |
| DHM-1386-C | MAMMILLARIA   | blossfeldiana (bigger flowers) KMR 374 San Antonio Highway 16 Chihuahua Mexico   | 100s      | 90,00 Kč    |       |
| DHM-1388-A | MAMMILLARIA   | blossfeldiana (bigger flowers) SB 1487 Villa Jesus Maria North Baja California Mexico  | 20s - 40s | 23,80 Kč    |       |
| DHM-1388-B | MAMMILLARIA   | blossfeldiana (bigger flowers) SB 1487 Villa Jesus Maria North Baja California Mexico  | 42s - 60s | 45,00 Kč    |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|---|-----------|-----------|-------|
| DHM-1388-C | MAMMILLARIA | blossfeldiana (bigger flowers) SB 1487 Villa Jesus Maria North Baja California Mexico   | 100s      | 90,00 Kč  |       |
| DHM-1392-A | MAMMILLARIA | boolii (very large purplish pink violet flowers) IDD 717 San Carlos Sonora Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHM-1392-B | MAMMILLARIA | boolii (very large purplish pink violet flowers) IDD 717 San Carlos Sonora Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHM-1392-C | MAMMILLARIA | boolii (very large purplish pink violet flowers) IDD 717 San Carlos Sonora Mexico   | 100s      | 90,00 Kč  |       |
| DHM-1392-D | MAMMILLARIA | boolii (very large purplish pink violet flowers) IDD 717 San Carlos Sonora Mexico   | 500s      | 335,00 Kč |       |
| DHM-1389-A | MAMMILLARIA | boolii (very large purplish pink violet flowers) MH 46 San Carlos 25 m Sonora Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHM-1389-B | MAMMILLARIA | boolii (very large purplish pink violet flowers) MH 46 San Carlos 25 m Sonora Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHM-1389-C | MAMMILLARIA | boolii (very large purplish pink violet flowers) MH 46 San Carlos 25 m Sonora Mexico  | 100s      | 90,00 Kč  |       |
| DHM-1389-D | MAMMILLARIA | boolii (very large purplish pink violet flowers) MH 46 San Carlos 25 m Sonora Mexico  | 500s      | 335,00 Kč |       |
| DHM-1393-A | MAMMILLARIA | boolii (very large purplish pink violet flowers) ML 733 Bahia San Carlos 60 m Sonora Mexico                                       | 20s - 40s | 23,80 Kč  |       |
| DHM-1393-B | MAMMILLARIA | boolii (very large purplish pink violet flowers) ML 733 Bahia San Carlos 60 m Sonora Mexico                                       | 42s - 60s | 45,00 Kč  |       |
| DHM-1393-C | MAMMILLARIA | boolii (very large purplish pink violet flowers) ML 733 Bahia San Carlos 60 m Sonora Mexico                                       | 100s      | 90,00 Kč  |       |
| DHM-1393-D | MAMMILLARIA | boolii (very large purplish pink violet flowers) ML 733 Bahia San Carlos 60 m Sonora Mexico                                       | 500s      | 335,00 Kč |       |
| DHM-1390-A | MAMMILLARIA | boolii (very large purplish pink violet flowers) MZ 1392 San Carlos Bay Baja California Mexico                                    | 20s - 40s | 23,80 Kč  |       |
| DHM-1390-B | MAMMILLARIA | boolii (very large purplish pink violet flowers) MZ 1392 San Carlos Bay Baja California Mexico                                    | 42s - 60s | 45,00 Kč  |       |
| DHM-1390-C | MAMMILLARIA | boolii (very large purplish pink violet flowers) MZ 1392 San Carlos Bay Baja California Mexico                                    | 100s      | 90,00 Kč  |       |
| DHM-1390-D | MAMMILLARIA | boolii (very large purplish pink violet flowers) MZ 1392 San Carlos Bay Baja California Mexico                                    | 500s      | 335,00 Kč |       |
| DHM-1391-A | MAMMILLARIA | boolii (very large purplish pink violet flowers) SB 433 San Carlos Bay Sonora Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHM-1391-B | MAMMILLARIA | boolii (very large purplish pink violet flowers) SB 433 San Carlos Bay Sonora Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHM-1391-C | MAMMILLARIA | boolii (very large purplish pink violet flowers) SB 433 San Carlos Bay Sonora Mexico  | 100s      | 90,00 Kč  |       |
| DHM-1391-D | MAMMILLARIA | boolii (very large purplish pink violet flowers) SB 433 San Carlos Bay Sonora Mexico  | 500s      | 335,00 Kč |       |
| DHM-3031-A | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) BL 21 Czech Nursery Kyjovice CZ                                   | 20s - 40s | 23,80 Kč  |       |
| DHM-3031-B | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) BL 21 Czech Nursery Kyjovice CZ                                   | 42s - 60s | 45,00 Kč  |       |
| DHM-3031-C | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) BL 21 Czech Nursery Kyjovice CZ                                   | 100s      | 90,00 Kč  |       |
| DHM-1400-A | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) JO 85 Baja California North Mexico                                | 20s - 40s | 23,80 Kč  |       |
| DHM-1400-B | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) JO 85 Baja California North Mexico                                | 42s - 60s | 45,00 Kč  |       |
| DHM-1400-C | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) JO 85 Baja California North Mexico                                | 100s      | 90,00 Kč  |       |
| DHM-1401-A | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) MH 46 San Carlos Baja California Mexico                           | 20s - 40s | 23,80 Kč  |       |
| DHM-1401-B | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) MH 46 San Carlos Baja California Mexico                           | 42s - 60s | 45,00 Kč  |       |
| DHM-1401-C | MAMMILLARIA | dioica (yellow to almost white with a pink or purplish flowers) MH 46 San Carlos Baja California Mexico                           | 100s      | 90,00 Kč  |       |
| DHM-1402-A | MAMMILLARIA | discolor (whitish flowers with pale pink mid stripes) REPP 1375 A Azumbila to Esperanza Puebla Mexico                             | 20s - 40s | 23,80 Kč  |       |
| DHM-1402-B | MAMMILLARIA | discolor (whitish flowers with pale pink mid stripes) REPP 1375 A Azumbila to Esperanza Puebla Mexico                             | 42s - 60s | 45,00 Kč  |       |
| DHM-2909-A | MAMMILLARIA | discolor cv. ginsa-maru (ginsaumae, long redbrown centrals, quite deep pink blooms) Garden origin Japan Czech Nursery Kyjovice CZ | 20s - 40s | 25,50 Kč  |       |
| DHM-2908-A | MAMMILLARIA | discolor cv. ginsa-maru (ginsaumae, long redbrown centrals, quite deep pink blooms) Garden origin Japan Czech Nursery Trinec CZ   | 20s - 40s | 25,50 Kč  |       |
| DHM-1403-A | MAMMILLARIA | erythrocalyx (duoformis, deep carmine flowers) REPP 919 Tepaltzingo 1250 m Morelos Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHM-1403-B | MAMMILLARIA | erythrocalyx (duoformis, deep carmine flowers) REPP 919 Tepaltzingo 1250 m Morelos Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHM-1403-C | MAMMILLARIA | erythrocalyx (duoformis, deep carmine flowers) REPP 919 Tepaltzingo 1250 m Morelos Mexico   | 100s      | 90,00 Kč  |       |
| DHM-1403-D | MAMMILLARIA | erythrocalyx (duoformis, deep carmine flowers) REPP 919 Tepaltzingo 1250 m Morelos Mexico   | 500s      | 335,00 Kč |       |
| DHM-3032-A | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) GM 754 Mina Grande 1900 m San Luis Potosi Mexico               | 20s - 40s | 23,80 Kč  |       |
| DHM-3032-B | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) GM 754 Mina Grande 1900 m San Luis Potosi Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHM-3033-A | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) LAU 1011 Sierra Zamorano 3000 m Queretaro Mexico               | 20s - 40s | 23,80 Kč  |       |
| DHM-3033-B | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) LAU 1011 Sierra Zamorano 3000 m Queretaro Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHM-3034-A | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) LAU 1062 San Luis de la Paz 1800 m Guanajuato Mexico           | 20s - 40s | 23,80 Kč  |       |
| DHM-3034-B | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) LAU 1062 San Luis de la Paz 1800 m Guanajuato Mexico           | 42s - 60s | 45,00 Kč  |       |
| DHM-3035-A | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) ROG 39 El Vergel Guanajuato Mexico                             | 20s - 40s | 23,80 Kč  |       |
| DHM-3035-B | MAMMILLARIA | gigantea (fierce and strong less curved spines among mammillarias) ROG 39 El Vergel Guanajuato Mexico                             | 42s - 60s | 45,00 Kč  |       |
| DHM-1409-A | MAMMILLARIA | glassii (beautiful low white cushion) LX 293 Saltillo to Canyon La Viga Coahuila Mexico   | 20s - 40s | 28,90 Kč  |       |
| DHM-1410-A | MAMMILLARIA | glassii (beautiful low white cushion) LX 500 18 Marzo Nuevo Leon Mexico   | 20s - 40s | 28,90 Kč  |       |
| DHM-1408-A | MAMMILLARIA | glassii (beautiful low white cushion) MK 89.324 San Juan del Mimbres Nuevo Leon Mexico  | 20s - 40s | 28,90 Kč  |       |
| DHM-2360-A | MAMMILLARIA | glassii (beautiful low white cushion) SB 893 Dieziocho de Marzo Nuevo Leon Mexico   | 20s - 40s | 28,90 Kč  |       |
| DHM-1413-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) CSD 238 Viesca Coahuila Mexico         | 20s - 40s | 23,80 Kč  |       |
| DHM-1413-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) CSD 238 Viesca Coahuila Mexico         | 42s - 60s | 45,00 Kč  |       |
| DHM-1413-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) CSD 238 Viesca Coahuila Mexico         | 100s      | 90,00 Kč  |       |
| DHM-1413-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) CSD 238 Viesca Coahuila Mexico         | 500s      | 335,00 Kč |       |
| DHM-1414-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) IDD 251 Viesca Coahuila Mexico         | 20s - 40s | 23,80 Kč  |       |



| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|--|-----------|-----------|-------|
| DHM-1414-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) IDD 251 Viesca Coahuila Mexico                | 42s - 60s | 45,00 Kč  |       |
| DHM-1414-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) IDD 251 Viesca Coahuila Mexico                | 100s      | 90,00 Kč  |       |
| DHM-1414-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) IDD 251 Viesca Coahuila Mexico                | 500s      | 335,00 Kč |       |
| DHM-1415-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) KKR 511 El Amparo Coahuila Mexico             | 20s - 40s | 23,80 Kč  |       |
| DHM-1415-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) KKR 511 El Amparo Coahuila Mexico             | 42s - 60s | 45,00 Kč  |       |
| DHM-1415-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) KKR 511 El Amparo Coahuila Mexico             | 100s      | 90,00 Kč  |       |
| DHM-1415-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) KKR 511 El Amparo Coahuila Mexico             | 500s      | 335,00 Kč |       |
| DHM-2915-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 187 Guadalupe de Los Reyes Durango Mexico | 20s - 40s | 23,80 Kč  |       |
| DHM-2915-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 187 Guadalupe de Los Reyes Durango Mexico | 42s - 60s | 45,00 Kč  |       |
| DHM-2915-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 187 Guadalupe de Los Reyes Durango Mexico | 100s      | 90,00 Kč  |       |
| DHM-2915-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 187 Guadalupe de Los Reyes Durango Mexico | 500s      | 335,00 Kč |       |
| DHM-2916-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 188 San Luis del Cordero Durango Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHM-2916-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 188 San Luis del Cordero Durango Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHM-2916-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 188 San Luis del Cordero Durango Mexico   | 100s      | 90,00 Kč  |       |
| DHM-2916-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 188 San Luis del Cordero Durango Mexico   | 500s      | 335,00 Kč |       |
| DHM-2917-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 204 Zona del Silencio Durango Mexico      | 20s - 40s | 23,80 Kč  |       |
| DHM-2917-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 204 Zona del Silencio Durango Mexico      | 42s - 60s | 45,00 Kč  |       |
| DHM-2917-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 204 Zona del Silencio Durango Mexico      | 100s      | 90,00 Kč  |       |
| DHM-2917-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 204 Zona del Silencio Durango Mexico      | 500s      | 335,00 Kč |       |
| DHM-2914-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 230 El Jara Coahuila Mexico               | 20s - 40s | 23,80 Kč  |       |
| DHM-2914-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 230 El Jara Coahuila Mexico               | 42s - 60s | 45,00 Kč  |       |
| DHM-2914-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 230 El Jara Coahuila Mexico               | 100s      | 90,00 Kč  |       |
| DHM-2914-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 230 El Jara Coahuila Mexico               | 500s      | 335,00 Kč |       |
| DHM-2913-A | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 83 Cerro Bola Coahuila Mexico             | 20s - 40s | 23,80 Kč  |       |
| DHM-2913-B | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 83 Cerro Bola Coahuila Mexico             | 42s - 60s | 45,00 Kč  |       |
| DHM-2913-C | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 83 Cerro Bola Coahuila Mexico             | 100s      | 90,00 Kč  |       |
| DHM-2913-D | MAMMILLARIA | grusonii (densely straight needle like upper spines, darker brown or purple large flowers) PAR 83 Cerro Bola Coahuila Mexico             | 500s      | 335,00 Kč |       |
| DHM-1407-A | MAMMILLARIA | heyderi ssp. gaumeri (yellowish brown strongly erected centrals, creamy white flowers) REPP 1893 Merida 10 m Yucatan Mexico              | 20s - 40s | 25,50 Kč  |       |
| DHM-1407-B | MAMMILLARIA | heyderi ssp. gaumeri (yellowish brown strongly erected centrals, creamy white flowers) REPP 1893 Merida 10 m Yucatan Mexico              | 42s - 60s | 48,00 Kč  |       |
| DHM-1420-A | MAMMILLARIA | hirsuta (smaller plants, many radial spines and pink fruits) LM 9 Cerro Blanco Zacatecas Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHM-1420-B | MAMMILLARIA | hirsuta (smaller plants, many radial spines and pink fruits) LM 9 Cerro Blanco Zacatecas Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHM-1420-C | MAMMILLARIA | hirsuta (smaller plants, many radial spines and pink fruits) LM 9 Cerro Blanco Zacatecas Mexico  | 100s      | 90,00 Kč  |       |
| DHM-1421-A | MAMMILLARIA | hubert-mulleri (nunezii, hooked reddish brown blackish tips spines) REPP 1460 El Cajon to Zapalco 1350 m Morelos Mexico                  | 20s - 40s | 23,80 Kč  |       |
| DHM-1421-B | MAMMILLARIA | hubert-mulleri (nunezii, hooked reddish brown blackish tips spines) REPP 1460 El Cajon to Zapalco 1350 m Morelos Mexico                  | 42s - 60s | 45,00 Kč  |       |
| DHM-1421-C | MAMMILLARIA | hubert-mulleri (nunezii, hooked reddish brown blackish tips spines) REPP 1460 El Cajon to Zapalco 1350 m Morelos Mexico                  | 100s      | 90,00 Kč  |       |
| DHM-1435-A | MAMMILLARIA | longimamma v. uberiformis (similar to standard longimamma but with no central spine) MZ 426 Cadereyta (Cerro Prieto) Queretaro Mexico    | 20s - 40s | 25,50 Kč  |       |
| DHM-1437-A | MAMMILLARIA | magnimamma (shape length occasionally very long spines) PAR 369 Zimapan to Caranza Sierra de Zimapan Hidalgo (Queretaro) Mexico          | 20s - 40s | 23,80 Kč  |       |
| DHM-1437-B | MAMMILLARIA | magnimamma (shape length occasionally very long spines) PAR 369 Zimapan to Caranza Sierra de Zimapan Hidalgo (Queretaro) Mexico          | 42s - 60s | 45,00 Kč  |       |
| DHM-1437-C | MAMMILLARIA | magnimamma (shape length occasionally very long spines) PAR 369 Zimapan to Caranza Sierra de Zimapan Hidalgo (Queretaro) Mexico          | 100s      | 90,00 Kč  |       |
| DHM-1437-D | MAMMILLARIA | magnimamma (shape length occasionally very long spines) PAR 369 Zimapan to Caranza Sierra de Zimapan Hidalgo (Queretaro) Mexico          | 500s      | 335,00 Kč |       |
| DHM-1437-E | MAMMILLARIA | magnimamma (shape length occasionally very long spines) PAR 369 Zimapan to Caranza Sierra de Zimapan Hidalgo (Queretaro) Mexico          | 1000s     | 569,00 Kč |       |
| DHM-3021-A | MAMMILLARIA | mammillaris (yellowish white to reddish brown radial spines) MZ 1988 Venezuela   | 20s - 40s | 25,50 Kč  |       |
| DHM-3021-B | MAMMILLARIA | mammillaris (yellowish white to reddish brown radial spines) MZ 1988 Venezuela   | 42s - 60s | 48,00 Kč  |       |
| DHM-3021-C | MAMMILLARIA | mammillaris (yellowish white to reddish brown radial spines) MZ 1988 Venezuela   | 100s      | 96,00 Kč  |       |
| DHM-1440-A | MAMMILLARIA | mazatlanensis v. occidentalis (smaller longer stems tufts) BKLM 978 C Topolobampo (above the town) 7 m Sinaloa Mexico                    | 20s - 40s | 23,80 Kč  |       |
| DHM-1440-B | MAMMILLARIA | mazatlanensis v. occidentalis (smaller longer stems tufts) BKLM 978 C Topolobampo (above the town) 7 m Sinaloa Mexico                    | 42s - 60s | 45,00 Kč  |       |
| DHM-1440-C | MAMMILLARIA | mazatlanensis v. occidentalis (smaller longer stems tufts) BKLM 978 C Topolobampo (above the town) 7 m Sinaloa Mexico                    | 100s      | 90,00 Kč  |       |
| DHM-1440-D | MAMMILLARIA | mazatlanensis v. occidentalis (smaller longer stems tufts) BKLM 978 C Topolobampo (above the town) 7 m Sinaloa Mexico                    | 500s      | 335,00 Kč |       |
| DHM-1440-E | MAMMILLARIA | mazatlanensis v. occidentalis (smaller longer stems tufts) BKLM 978 C Topolobampo (above the town) 7 m Sinaloa Mexico                    | 1000s     | 569,00 Kč |       |
| DHM-1441-A | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) PAR 176 Los Moros Zacatecas Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHM-1441-B | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) PAR 176 Los Moros Zacatecas Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHM-1441-C | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) PAR 176 Los Moros Zacatecas Mexico   | 100s      | 90,00 Kč  |       |
| DHM-1441-D | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) PAR 176 Los Moros Zacatecas Mexico   | 500s      | 335,00 Kč |       |
| DHM-1441-E | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) PAR 176 Los Moros Zacatecas Mexico   | 1000s     | 569,00 Kč |       |
| DHM-2364-A | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) SB 557 Huesteca Canyon Nuevo Leon Mexico                                     | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|---|-----------|-----------|-------|
| DHM-2364-B | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) SB 557 Huesteca Canyon Nuevo Leon Mexico                | 42s - 60s | 45,00 Kč  |       |
| DHM-2364-C | MAMMILLARIA | melanocentra (large tubercles, star like dark pink flowers) SB 557 Huesteca Canyon Nuevo Leon Mexico                | 100s      | 90,00 Kč  |       |
| DHM-1444-A | MAMMILLARIA | microcarpa (thick stems black hooks) REPP 1563 Laguna Santa Maria alt 1400 m Chihuahua Mexico                       | 20s - 40s | 23,80 Kč  |       |
| DHM-1444-B | MAMMILLARIA | microcarpa (thick stems black hooks) REPP 1563 Laguna Santa Maria alt 1400 m Chihuahua Mexico                       | 42s - 60s | 45,00 Kč  |       |
| DHM-1444-C | MAMMILLARIA | microcarpa (thick stems black hooks) REPP 1563 Laguna Santa Maria alt 1400 m Chihuahua Mexico                       | 100s      | 90,00 Kč  |       |
| DHM-1445-A | MAMMILLARIA | microcarpa (thick stems black hooks) SB 166 Caborca Sonora Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHM-1445-B | MAMMILLARIA | microcarpa (thick stems black hooks) SB 166 Caborca Sonora Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHM-1445-C | MAMMILLARIA | microcarpa (thick stems black hooks) SB 166 Caborca Sonora Mexico   | 100s      | 90,00 Kč  |       |
| DHM-1447-A | MAMMILLARIA | microcarpa (thick stems black hooks) Zlatko Janeba Bumble Bee Road Yrapaico Arizona USA                             | 20s - 40s | 23,80 Kč  |       |
| DHM-1447-B | MAMMILLARIA | microcarpa (thick stems black hooks) Zlatko Janeba Bumble Bee Road Yrapaico Arizona USA                             | 42s - 60s | 45,00 Kč  |       |
| DHM-1447-C | MAMMILLARIA | microcarpa (thick stems black hooks) Zlatko Janeba Bumble Bee Road Yrapaico Arizona USA                             | 100s      | 90,00 Kč  |       |
| DHM-2098-A | MAMMILLARIA | poselgeri (Cochemiea, incredible scarlet flowers) PP 154 La Paz Municipio La Paz Baja California Sur Mexico         | 20s - 40s | 25,50 Kč  |       |
| DHM-2098-B | MAMMILLARIA | poselgeri (Cochemiea, incredible scarlet flowers) PP 154 La Paz Municipio La Paz Baja California Sur Mexico         | 42s - 60s | 48,00 Kč  |       |
| DHM-2098-C | MAMMILLARIA | poselgeri (Cochemiea, incredible scarlet flowers) PP 154 La Paz Municipio La Paz Baja California Sur Mexico         | 100s      | 96,00 Kč  |       |
| DHM-1465-A | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) DC 1001 Zapotitlan Sinaloa Mexico                  | 20s - 40s | 23,80 Kč  |       |
| DHM-1465-B | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) DC 1001 Zapotitlan Sinaloa Mexico                  | 42s - 60s | 45,00 Kč  |       |
| DHM-1465-C | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) DC 1001 Zapotitlan Sinaloa Mexico                  | 100s      | 90,00 Kč  |       |
| DHM-1466-A | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) KMR 367 Santa Ana Sonora Mexico                    | 20s - 40s | 23,80 Kč  |       |
| DHM-1466-B | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) KMR 367 Santa Ana Sonora Mexico                    | 42s - 60s | 45,00 Kč  |       |
| DHM-1466-C | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) KMR 367 Santa Ana Sonora Mexico                    | 100s      | 90,00 Kč  |       |
| DHM-1467-A | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) REPP 220 Peninsula Moritaguaymas 5 m Sonora Mexico | 20s - 40s | 23,80 Kč  |       |
| DHM-1467-B | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) REPP 220 Peninsula Moritaguaymas 5 m Sonora Mexico | 42s - 60s | 45,00 Kč  |       |
| DHM-1467-C | MAMMILLARIA | sheldonii (purplish pink with a pinkish brown midstripe flowers) REPP 220 Peninsula Moritaguaymas 5 m Sonora Mexico | 100s      | 90,00 Kč  |       |
| DHM-3022-A | MAMMILLARIA | species Jaroslav Bohata JABO 347 North of Mezquital Zacatecas Mexico  | 20s - 40s | 23,80 Kč  |       |
| DHM-3022-B | MAMMILLARIA | species Jaroslav Bohata JABO 347 North of Mezquital Zacatecas Mexico  | 42s - 60s | 45,00 Kč  |       |
| DHM-2456-A | MATUCANA    | intertexta (brown tipped central spines, golden yellow flowers) KR 548 Puente Crisnejas 2000 m Cajamarca Peru       | 20s - 40s | 23,80 Kč  |       |
| DHM-2456-B | MATUCANA    | intertexta (brown tipped central spines, golden yellow flowers) KR 548 Puente Crisnejas 2000 m Cajamarca Peru       | 42s - 60s | 45,00 Kč  |       |
| DHM-1488-A | MELOCACTUS  | amethystinus (HU 352) HU 353 Grao Mogol Minas Gerais Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1488-B | MELOCACTUS  | amethystinus (HU 352) HU 353 Grao Mogol Minas Gerais Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1488-C | MELOCACTUS  | amethystinus (HU 352) HU 353 Grao Mogol Minas Gerais Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1488-D | MELOCACTUS  | amethystinus (HU 352) HU 353 Grao Mogol Minas Gerais Brazil   | 500s      | 335,00 Kč |       |
| DHM-1488-E | MELOCACTUS  | amethystinus (HU 352) HU 353 Grao Mogol Minas Gerais Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1490-A | MELOCACTUS  | bahiensis f. New Zealand (imported seeds collected by Friedrich Ritter)   | 20s - 40s | 23,80 Kč  |       |
| DHM-1490-B | MELOCACTUS  | bahiensis f. New Zealand (imported seeds collected by Friedrich Ritter)   | 42s - 60s | 45,00 Kč  |       |
| DHM-1490-C | MELOCACTUS  | bahiensis f. New Zealand (imported seeds collected by Friedrich Ritter)   | 100s      | 90,00 Kč  |       |
| DHM-1490-D | MELOCACTUS  | bahiensis f. New Zealand (imported seeds collected by Friedrich Ritter)   | 500s      | 335,00 Kč |       |
| DHM-1490-E | MELOCACTUS  | bahiensis f. New Zealand (imported seeds collected by Friedrich Ritter)   | 1000s     | 569,00 Kč |       |
| DHM-1491-A | MELOCACTUS  | bahiensis HU 387 Machado Portella Bahia Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHM-1491-B | MELOCACTUS  | bahiensis HU 387 Machado Portella Bahia Brazil  | 42s - 60s | 45,00 Kč  |       |
| DHM-1491-C | MELOCACTUS  | bahiensis HU 387 Machado Portella Bahia Brazil  | 100s      | 90,00 Kč  |       |
| DHM-1491-D | MELOCACTUS  | bahiensis HU 387 Machado Portella Bahia Brazil  | 500s      | 335,00 Kč |       |
| DHM-1491-E | MELOCACTUS  | bahiensis HU 387 Machado Portella Bahia Brazil  | 1000s     | 569,00 Kč |       |
| DHM-1494-A | MELOCACTUS  | canescens HU 157 Aracatu Bahia Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1494-B | MELOCACTUS  | canescens HU 157 Aracatu Bahia Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1494-C | MELOCACTUS  | canescens HU 157 Aracatu Bahia Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1494-D | MELOCACTUS  | canescens HU 157 Aracatu Bahia Brazil   | 500s      | 335,00 Kč |       |
| DHM-1494-E | MELOCACTUS  | canescens HU 157 Aracatu Bahia Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1495-A | MELOCACTUS  | canescens HU 473 Brumado Bahia Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1495-B | MELOCACTUS  | canescens HU 473 Brumado Bahia Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1495-C | MELOCACTUS  | canescens HU 473 Brumado Bahia Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1495-D | MELOCACTUS  | canescens HU 473 Brumado Bahia Brazil   | 500s      | 335,00 Kč |       |
| DHM-1495-E | MELOCACTUS  | canescens HU 473 Brumado Bahia Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1496-A | MELOCACTUS  | canescens HU 757 Ourives Bahia Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1496-B | MELOCACTUS  | canescens HU 757 Ourives Bahia Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1496-C | MELOCACTUS  | canescens HU 757 Ourives Bahia Brazil   | 100s      | 90,00 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|--|-----------|-----------|-------|
| DHM-1496-D | MELOCACTUS | canescens HU 757 Ourives Bahia Brazil  | 500s      | 335,00 Kč |       |
| DHM-1496-E | MELOCACTUS | canescens HU 757 Ourives Bahia Brazil  | 1000s     | 569,00 Kč |       |
| DHM-1500-A | MELOCACTUS | conoideus BR 191 Vitoria de Conquista (North) Bahia Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1500-B | MELOCACTUS | conoideus BR 191 Vitoria de Conquista (North) Bahia Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1500-C | MELOCACTUS | conoideus BR 191 Vitoria de Conquista (North) Bahia Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1500-D | MELOCACTUS | conoideus BR 191 Vitoria de Conquista (North) Bahia Brazil   | 500s      | 335,00 Kč |       |
| DHM-1500-E | MELOCACTUS | conoideus BR 191 Vitoria de Conquista (North) Bahia Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1501-A | MELOCACTUS | curvispinus ssp. caesius f. lobelii (mazelianus) NPT 657 Cumana South West 7 km Sucre Venezuela      | 20s - 40s | 25,50 Kč  |       |
| DHM-1501-B | MELOCACTUS | curvispinus ssp. caesius f. lobelii (mazelianus) NPT 657 Cumana South West 7 km Sucre Venezuela      | 42s - 60s | 48,00 Kč  |       |
| DHM-1501-C | MELOCACTUS | curvispinus ssp. caesius f. lobelii (mazelianus) NPT 657 Cumana South West 7 km Sucre Venezuela      | 100s      | 96,00 Kč  |       |
| DHM-1501-D | MELOCACTUS | curvispinus ssp. caesius f. lobelii (mazelianus) NPT 657 Cumana South West 7 km Sucre Venezuela      | 500s      | 359,00 Kč |       |
| DHM-1501-E | MELOCACTUS | curvispinus ssp. caesius f. lobelii (mazelianus) NPT 657 Cumana South West 7 km Sucre Venezuela      | 1000s     | 610,00 Kč |       |
| DHM-1502-A | MELOCACTUS | delessertianus LAU 1549 Palma Sola 0-10 m Veracruz   | 20s - 40s | 23,80 Kč  |       |
| DHM-1502-B | MELOCACTUS | delessertianus LAU 1549 Palma Sola 0-10 m Veracruz   | 42s - 60s | 45,00 Kč  |       |
| DHM-1502-C | MELOCACTUS | delessertianus LAU 1549 Palma Sola 0-10 m Veracruz   | 100s      | 90,00 Kč  |       |
| DHM-1502-D | MELOCACTUS | delessertianus LAU 1549 Palma Sola 0-10 m Veracruz   | 500s      | 335,00 Kč |       |
| DHM-1502-E | MELOCACTUS | delessertianus LAU 1549 Palma Sola 0-10 m Veracruz   | 1000s     | 569,00 Kč |       |
| DHM-1503-A | MELOCACTUS | diamantinus (neglectus) HU 174 Chapado do Diamantina Minas Gerais Brazil                             | 20s - 40s | 23,80 Kč  |       |
| DHM-1503-B | MELOCACTUS | diamantinus (neglectus) HU 174 Chapado do Diamantina Minas Gerais Brazil                             | 42s - 60s | 45,00 Kč  |       |
| DHM-1503-C | MELOCACTUS | diamantinus (neglectus) HU 174 Chapado do Diamantina Minas Gerais Brazil                             | 100s      | 90,00 Kč  |       |
| DHM-1503-D | MELOCACTUS | diamantinus (neglectus) HU 174 Chapado do Diamantina Minas Gerais Brazil                             | 500s      | 335,00 Kč |       |
| DHM-1503-E | MELOCACTUS | diamantinus (neglectus) HU 174 Chapado do Diamantina Minas Gerais Brazil                             | 1000s     | 569,00 Kč |       |
| DHM-1508-A | MELOCACTUS | guaricensis NPT 579 Parmana North 10 km to 15 km Laguna de Parmanita Guarico Venezuela               | 20s - 40s | 23,80 Kč  |       |
| DHM-1508-B | MELOCACTUS | guaricensis NPT 579 Parmana North 10 km to 15 km Laguna de Parmanita Guarico Venezuela               | 42s - 60s | 45,00 Kč  |       |
| DHM-1508-C | MELOCACTUS | guaricensis NPT 579 Parmana North 10 km to 15 km Laguna de Parmanita Guarico Venezuela               | 100s      | 90,00 Kč  |       |
| DHM-1508-D | MELOCACTUS | guaricensis NPT 579 Parmana North 10 km to 15 km Laguna de Parmanita Guarico Venezuela               | 500s      | 335,00 Kč |       |
| DHM-1508-E | MELOCACTUS | guaricensis NPT 579 Parmana North 10 km to 15 km Laguna de Parmanita Guarico Venezuela               | 1000s     | 569,00 Kč |       |
| DHM-1509-A | MELOCACTUS | guitartii (origin typus Rudolf Subik 1971) Sierra de Jatibonico provincia Las Villas (Camaguey) Cuba | 20s - 40s | 23,80 Kč  |       |
| DHM-1509-B | MELOCACTUS | guitartii (origin typus Rudolf Subik 1971) Sierra de Jatibonico provincia Las Villas (Camaguey) Cuba | 42s - 60s | 45,00 Kč  |       |
| DHM-1509-C | MELOCACTUS | guitartii (origin typus Rudolf Subik 1971) Sierra de Jatibonico provincia Las Villas (Camaguey) Cuba | 100s      | 90,00 Kč  |       |
| DHM-1509-D | MELOCACTUS | guitartii (origin typus Rudolf Subik 1971) Sierra de Jatibonico provincia Las Villas (Camaguey) Cuba | 500s      | 335,00 Kč |       |
| DHM-1509-E | MELOCACTUS | guitartii (origin typus Rudolf Subik 1971) Sierra de Jatibonico provincia Las Villas (Camaguey) Cuba | 1000s     | 569,00 Kč |       |
| DHM-1510-A | MELOCACTUS | guitartii AHB 18 Serra de Jaticobino Cuba  | 20s - 40s | 23,80 Kč  |       |
| DHM-1510-B | MELOCACTUS | guitartii AHB 18 Serra de Jaticobino Cuba  | 42s - 60s | 45,00 Kč  |       |
| DHM-1510-C | MELOCACTUS | guitartii AHB 18 Serra de Jaticobino Cuba  | 100s      | 90,00 Kč  |       |
| DHM-1510-D | MELOCACTUS | guitartii AHB 18 Serra de Jaticobino Cuba  | 500s      | 335,00 Kč |       |
| DHM-1510-E | MELOCACTUS | guitartii AHB 18 Serra de Jaticobino Cuba  | 1000s     | 569,00 Kč |       |
| DHM-1512-A | MELOCACTUS | longispinus HU 435 Rio Paraguacu 320 m Bahia Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHM-1512-B | MELOCACTUS | longispinus HU 435 Rio Paraguacu 320 m Bahia Brazil  | 42s - 60s | 45,00 Kč  |       |
| DHM-1512-C | MELOCACTUS | longispinus HU 435 Rio Paraguacu 320 m Bahia Brazil  | 100s      | 90,00 Kč  |       |
| DHM-1512-D | MELOCACTUS | longispinus HU 435 Rio Paraguacu 320 m Bahia Brazil  | 500s      | 335,00 Kč |       |
| DHM-1512-E | MELOCACTUS | longispinus HU 435 Rio Paraguacu 320 m Bahia Brazil  | 1000s     | 569,00 Kč |       |
| DHM-1513-A | MELOCACTUS | matanzanus AHB 14 Via Blanca Cuba  | 20s - 40s | 25,50 Kč  |       |
| DHM-1514-A | MELOCACTUS | matanzanus CHA 26 Alpine Cuba  | 20s - 40s | 25,50 Kč  |       |
| DHM-1515-A | MELOCACTUS | maxonii (mayanii) AHB 49 South of Guatemala City Guatemala   | 20s - 40s | 23,80 Kč  |       |
| DHM-1515-B | MELOCACTUS | maxonii (mayanii) AHB 49 South of Guatemala City Guatemala   | 42s - 60s | 45,00 Kč  |       |
| DHM-1515-C | MELOCACTUS | maxonii (mayanii) AHB 49 South of Guatemala City Guatemala   | 100s      | 90,00 Kč  |       |
| DHM-1515-D | MELOCACTUS | maxonii (mayanii) AHB 49 South of Guatemala City Guatemala   | 500s      | 335,00 Kč |       |
| DHM-1515-E | MELOCACTUS | maxonii (mayanii) AHB 49 South of Guatemala City Guatemala   | 1000s     | 569,00 Kč |       |
| DHM-1516-A | MELOCACTUS | maxonii AHB 49 South of Guatemala City Guatemala   | 20s - 40s | 23,80 Kč  |       |
| DHM-1516-B | MELOCACTUS | maxonii AHB 49 South of Guatemala City Guatemala   | 42s - 60s | 45,00 Kč  |       |
| DHM-1516-C | MELOCACTUS | maxonii AHB 49 South of Guatemala City Guatemala   | 100s      | 90,00 Kč  |       |
| DHM-1516-D | MELOCACTUS | maxonii AHB 49 South of Guatemala City Guatemala   | 500s      | 335,00 Kč |       |
| DHM-1516-E | MELOCACTUS | maxonii AHB 49 South of Guatemala City Guatemala   | 1000s     | 569,00 Kč |       |
| DHM-1517-A | MELOCACTUS | neomontanus (ernestii ssp. longicarpus) HU 423 Matinha Bahia Brazil                                  | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|--|-----------|-----------|-------|
| DHM-1517-B | MELOCACTUS | neomontanus (ernestii ssp. longicarpus) HU 423 Matinha Bahia Brazil                              | 42s - 60s | 45,00 Kč  |       |
| DHM-1517-C | MELOCACTUS | neomontanus (ernestii ssp. longicarpus) HU 423 Matinha Bahia Brazil                              | 100s      | 90,00 Kč  |       |
| DHM-1517-D | MELOCACTUS | neomontanus (ernestii ssp. longicarpus) HU 423 Matinha Bahia Brazil                              | 500s      | 335,00 Kč |       |
| DHM-1517-E | MELOCACTUS | neomontanus (ernestii ssp. longicarpus) HU 423 Matinha Bahia Brazil                              | 1000s     | 569,00 Kč |       |
| DHM-1518-A | MELOCACTUS | neomontanus GH 135 Lecinho de Almerida to Caetite Bahia Brazil                                   | 20s - 40s | 23,80 Kč  |       |
| DHM-1518-B | MELOCACTUS | neomontanus GH 135 Lecinho de Almerida to Caetite Bahia Brazil                                   | 42s - 60s | 45,00 Kč  |       |
| DHM-1518-C | MELOCACTUS | neomontanus GH 135 Lecinho de Almerida to Caetite Bahia Brazil                                   | 100s      | 90,00 Kč  |       |
| DHM-1518-D | MELOCACTUS | neomontanus GH 135 Lecinho de Almerida to Caetite Bahia Brazil                                   | 500s      | 335,00 Kč |       |
| DHM-1518-E | MELOCACTUS | neomontanus GH 135 Lecinho de Almerida to Caetite Bahia Brazil                                   | 1000s     | 569,00 Kč |       |
| DHM-2454-A | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) PILTZ 348 Puerto Escondido 25m Oaxaca Mexico | 20s - 40s | 23,80 Kč  |       |
| DHM-2454-B | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) PILTZ 348 Puerto Escondido 25m Oaxaca Mexico | 42s - 60s | 45,00 Kč  |       |
| DHM-2454-C | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) PILTZ 348 Puerto Escondido 25m Oaxaca Mexico | 100s      | 90,00 Kč  |       |
| DHM-2454-D | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) PILTZ 348 Puerto Escondido 25m Oaxaca Mexico | 500s      | 335,00 Kč |       |
| DHM-2454-E | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) PILTZ 348 Puerto Escondido 25m Oaxaca Mexico | 1000s     | 569,00 Kč |       |
| DHM-1520-A | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) REPP 1500 Salina Cruz 80 m Oaxaca Mexico     | 20s - 40s | 23,80 Kč  |       |
| DHM-1520-B | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) REPP 1500 Salina Cruz 80 m Oaxaca Mexico     | 42s - 60s | 45,00 Kč  |       |
| DHM-1520-C | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) REPP 1500 Salina Cruz 80 m Oaxaca Mexico     | 100s      | 90,00 Kč  |       |
| DHM-1520-D | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) REPP 1500 Salina Cruz 80 m Oaxaca Mexico     | 500s      | 335,00 Kč |       |
| DHM-1520-E | MELOCACTUS | oaxacensis (curve backwards strongly radial spines) REPP 1500 Salina Cruz 80 m Oaxaca Mexico     | 1000s     | 569,00 Kč |       |
| DHM-1521-A | MELOCACTUS | oreas HU 436 Milagres Bahia Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1521-B | MELOCACTUS | oreas HU 436 Milagres Bahia Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1521-C | MELOCACTUS | oreas HU 436 Milagres Bahia Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1521-D | MELOCACTUS | oreas HU 436 Milagres Bahia Brazil   | 500s      | 335,00 Kč |       |
| DHM-1521-E | MELOCACTUS | oreas HU 436 Milagres Bahia Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1522-A | MELOCACTUS | oreas HU 532 Brumado Bahia Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHM-1522-B | MELOCACTUS | oreas HU 532 Brumado Bahia Brazil  | 42s - 60s | 45,00 Kč  |       |
| DHM-1522-C | MELOCACTUS | oreas HU 532 Brumado Bahia Brazil  | 100s      | 90,00 Kč  |       |
| DHM-1522-D | MELOCACTUS | oreas HU 532 Brumado Bahia Brazil  | 500s      | 335,00 Kč |       |
| DHM-1522-E | MELOCACTUS | oreas HU 532 Brumado Bahia Brazil  | 1000s     | 569,00 Kč |       |
| DHM-1523-A | MELOCACTUS | pachyacanthus HU 407 above 65 km West of Jacobina Ouro Branco Bahia Brazil                       | 20s - 40s | 23,80 Kč  |       |
| DHM-1523-B | MELOCACTUS | pachyacanthus HU 407 above 65 km West of Jacobina Ouro Branco Bahia Brazil                       | 42s - 60s | 45,00 Kč  |       |
| DHM-1523-C | MELOCACTUS | pachyacanthus HU 407 above 65 km West of Jacobina Ouro Branco Bahia Brazil                       | 100s      | 90,00 Kč  |       |
| DHM-1523-D | MELOCACTUS | pachyacanthus HU 407 above 65 km West of Jacobina Ouro Branco Bahia Brazil                       | 500s      | 335,00 Kč |       |
| DHM-1523-E | MELOCACTUS | pachyacanthus HU 407 above 65 km West of Jacobina Ouro Branco Bahia Brazil                       | 1000s     | 569,00 Kč |       |
| DHM-1524-A | MELOCACTUS | pachyacanthus HU 407 ca 65 km West of Jacobina Ouro Branco Bahia Brazil                          | 20s - 40s | 23,80 Kč  |       |
| DHM-1524-B | MELOCACTUS | pachyacanthus HU 407 ca 65 km West of Jacobina Ouro Branco Bahia Brazil                          | 42s - 60s | 45,00 Kč  |       |
| DHM-1524-C | MELOCACTUS | pachyacanthus HU 407 ca 65 km West of Jacobina Ouro Branco Bahia Brazil                          | 100s      | 90,00 Kč  |       |
| DHM-1524-D | MELOCACTUS | pachyacanthus HU 407 ca 65 km West of Jacobina Ouro Branco Bahia Brazil                          | 500s      | 335,00 Kč |       |
| DHM-1524-E | MELOCACTUS | pachyacanthus HU 407 ca 65 km West of Jacobina Ouro Branco Bahia Brazil                          | 1000s     | 569,00 Kč |       |
| DHM-1526-A | MELOCACTUS | recurvus (curvispinus, spines curve backwards strongly) Western Venezuela 1500 m altitude        | 20s - 40s | 23,80 Kč  |       |
| DHM-1526-B | MELOCACTUS | recurvus (curvispinus, spines curve backwards strongly) Western Venezuela 1500 m altitude        | 42s - 60s | 45,00 Kč  |       |
| DHM-1526-C | MELOCACTUS | recurvus (curvispinus, spines curve backwards strongly) Western Venezuela 1500 m altitude        | 100s      | 90,00 Kč  |       |
| DHM-1526-D | MELOCACTUS | recurvus (curvispinus, spines curve backwards strongly) Western Venezuela 1500 m altitude        | 500s      | 335,00 Kč |       |
| DHM-1526-E | MELOCACTUS | recurvus (curvispinus, spines curve backwards strongly) Western Venezuela 1500 m altitude        | 1000s     | 569,00 Kč |       |
| DHM-1527-A | MELOCACTUS | ruetii MZ 828 Salina Cruz Oaxaca   | 20s - 40s | 25,50 Kč  |       |
| DHM-1527-B | MELOCACTUS | ruetii MZ 828 Salina Cruz Oaxaca   | 42s - 60s | 48,00 Kč  |       |
| DHM-1527-C | MELOCACTUS | ruetii MZ 828 Salina Cruz Oaxaca   | 100s      | 96,00 Kč  |       |
| DHM-1527-D | MELOCACTUS | ruetii MZ 828 Salina Cruz Oaxaca   | 500s      | 359,00 Kč |       |
| DHM-1527-E | MELOCACTUS | ruetii MZ 828 Salina Cruz Oaxaca   | 1000s     | 610,00 Kč |       |
| DHM-1528-A | MELOCACTUS | salvadorensis HU 301 Bananeiras Bahia Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1528-B | MELOCACTUS | salvadorensis HU 301 Bananeiras Bahia Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1528-C | MELOCACTUS | salvadorensis HU 301 Bananeiras Bahia Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1528-D | MELOCACTUS | salvadorensis HU 301 Bananeiras Bahia Brazil   | 500s      | 335,00 Kč |       |
| DHM-1528-E | MELOCACTUS | salvadorensis HU 301 Bananeiras Bahia Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1531-A | MELOCACTUS | species Fazenda Nova central west Goias Brazil Koehres nursery Germany                           | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS          | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|----------------|--|-----------|-----------|-------|
| DHM-1531-B | MELOCACTUS     | species Fazenda Nova central west Goias Brazil Koehres nursery Germany   | 42s - 60s | 45,00 Kč  |       |
| DHM-1531-C | MELOCACTUS     | species Fazenda Nova central west Goias Brazil Koehres nursery Germany   | 100s      | 90,00 Kč  |       |
| DHM-1531-D | MELOCACTUS     | species Fazenda Nova central west Goias Brazil Koehres nursery Germany   | 500s      | 335,00 Kč |       |
| DHM-1531-E | MELOCACTUS     | species Fazenda Nova central west Goias Brazil Koehres nursery Germany   | 1000s     | 569,00 Kč |       |
| DHM-1533-A | MELOCACTUS     | species HU 747 Porto Alegre Bahia Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1533-B | MELOCACTUS     | species HU 747 Porto Alegre Bahia Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1533-C | MELOCACTUS     | species HU 747 Porto Alegre Bahia Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1533-D | MELOCACTUS     | species HU 747 Porto Alegre Bahia Brazil   | 500s      | 335,00 Kč |       |
| DHM-1533-E | MELOCACTUS     | species HU 747 Porto Alegre Bahia Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1534-A | MELOCACTUS     | species strong short spines Pavel Hertus Czech nursery Sibrina CZ  | 20s - 40s | 23,80 Kč  |       |
| DHM-1534-B | MELOCACTUS     | species strong short spines Pavel Hertus Czech nursery Sibrina CZ  | 42s - 60s | 45,00 Kč  |       |
| DHM-1534-C | MELOCACTUS     | species strong short spines Pavel Hertus Czech nursery Sibrina CZ  | 100s      | 90,00 Kč  |       |
| DHM-1534-D | MELOCACTUS     | species strong short spines Pavel Hertus Czech nursery Sibrina CZ  | 500s      | 335,00 Kč |       |
| DHM-1534-E | MELOCACTUS     | species strong short spines Pavel Hertus Czech nursery Sibrina CZ  | 1000s     | 569,00 Kč |       |
| DHM-1535-A | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery  | 20s - 40s | 23,80 Kč  |       |
| DHM-1535-B | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery  | 42s - 60s | 45,00 Kč  |       |
| DHM-1535-C | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery  | 100s      | 90,00 Kč  |       |
| DHM-1535-D | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery  | 500s      | 335,00 Kč |       |
| DHM-1535-E | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery  | 1000s     | 569,00 Kč |       |
| DHM-1536-A | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery Germany  | 20s - 40s | 23,80 Kč  |       |
| DHM-1536-B | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery Germany  | 42s - 60s | 45,00 Kč  |       |
| DHM-1536-C | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery Germany  | 100s      | 90,00 Kč  |       |
| DHM-1536-D | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery Germany  | 500s      | 335,00 Kč |       |
| DHM-1536-E | MELOCACTUS     | species Uhlig 164 Uhlig Kakteen Nursery Germany  | 1000s     | 569,00 Kč |       |
| DHM-1538-A | MELOCACTUS     | zehntneri HU 478 Alexandria Paraiba Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1538-B | MELOCACTUS     | zehntneri HU 478 Alexandria Paraiba Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1538-C | MELOCACTUS     | zehntneri HU 478 Alexandria Paraiba Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1538-D | MELOCACTUS     | zehntneri HU 478 Alexandria Paraiba Brazil   | 500s      | 335,00 Kč |       |
| DHM-1538-E | MELOCACTUS     | zehntneri HU 478 Alexandria Paraiba Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1539-A | MELOCACTUS     | zehntneri HU 483 Poco Sergipe Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHM-1539-B | MELOCACTUS     | zehntneri HU 483 Poco Sergipe Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHM-1539-C | MELOCACTUS     | zehntneri HU 483 Poco Sergipe Brazil   | 100s      | 90,00 Kč  |       |
| DHM-1539-D | MELOCACTUS     | zehntneri HU 483 Poco Sergipe Brazil   | 500s      | 335,00 Kč |       |
| DHM-1539-E | MELOCACTUS     | zehntneri HU 483 Poco Sergipe Brazil   | 1000s     | 569,00 Kč |       |
| DHM-1540-A | MELOTHRIA      | scabra (Zehneria scabra caudiciform plant) AT-32 Czech Nursery CZ  | 20s - 40s | 51,00 Kč  |       |
| DHM-1544-A | MILA           | nealeana KL 15-58 Ancos 1646 m Ancash Peru   | 20s - 40s | 23,80 Kč  |       |
| DHM-1544-B | MILA           | nealeana KL 15-58 Ancos 1646 m Ancash Peru   | 42s - 60s | 45,00 Kč  |       |
| DHM-2581-A | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) LH 846 Huizache San Luis Potosi Mexico | 20s - 40s | 25,50 Kč  |       |
| DHM-2581-B | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) LH 846 Huizache San Luis Potosi Mexico | 42s - 60s | 48,00 Kč  |       |
| DHM-2581-C | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) LH 846 Huizache San Luis Potosi Mexico | 100s      | 96,00 Kč  |       |
| DHM-2578-A | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) MK 57.181 Pena Miller Queretaro Mexico | 20s - 40s | 25,50 Kč  |       |
| DHM-2578-B | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) MK 57.181 Pena Miller Queretaro Mexico | 42s - 60s | 48,00 Kč  |       |
| DHM-2578-C | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) MK 57.181 Pena Miller Queretaro Mexico | 100s      | 96,00 Kč  |       |
| DHM-2579-A | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) MK 59.184 Bernal Queretaro Mexico      | 20s - 40s | 25,50 Kč  |       |
| DHM-2579-B | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) MK 59.184 Bernal Queretaro Mexico      | 42s - 60s | 48,00 Kč  |       |
| DHM-2579-C | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) MK 59.184 Bernal Queretaro Mexico      | 100s      | 96,00 Kč  |       |
| DHM-2580-A | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) RCH 667 Los Venados Hidalgo Mexico     | 20s - 40s | 25,50 Kč  |       |
| DHM-2580-B | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) RCH 667 Los Venados Hidalgo Mexico     | 42s - 60s | 48,00 Kč  |       |
| DHM-2580-C | MYRTILLOCACTUS | geometrizans (columnar candelabra like tree plants creates a dense growth of stems) RCH 667 Los Venados Hidalgo Mexico     | 100s      | 96,00 Kč  |       |
| DHN-2723-A | NEOBESSEYA     | missouriensis (radial spines, yellow or pink flowers) FH 401 Mesa County 1900 m Colorado USA                               | 20s - 40s | 51,00 Kč  |       |
| DHN-2724-A | NEOBESSEYA     | missouriensis (radial spines, yellow or pink flowers) FH 403 Deer Lodge 1250 m Montana USA                                 | 20s - 40s | 51,00 Kč  |       |
| DHN-2725-A | NEOBESSEYA     | missouriensis (radial spines, yellow or pink flowers) FH 500 Sandoval County 1700 m New Mexico USA                         | 20s - 40s | 51,00 Kč  |       |
| DHN-2726-A | NEOBESSEYA     | missouriensis (radial spines, yellow or pink flowers) GL 45 San Ysidro New Mexico USA                                      | 20s - 40s | 51,00 Kč  |       |
| DHN-2727-A | NEOBESSEYA     | missouriensis (radial spines, yellow or pink flowers) GL 48 Oak Grove Colorado USA   | 20s - 40s | 51,00 Kč  |       |
| DHN-2093-A | NEOBESSEYA     | missouriensis (radial spines, yellow or pink flowers) RP 81 Montrose County Colorado USA                                   | 20s - 40s | 51,00 Kč  |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|--|-----------|-----------|-------|
| DHN-2729-A | NEOBESSEYA  | missouriensis (radial spines, yellow or pink flowers) SB 1071 Larimer County Colorado USA                                  | 20s - 40s | 51,00 Kč  |       |
| DHN-2728-A | NEOBESSEYA  | missouriensis (radial spines, yellow or pink flowers) SB 204 Mesa County Colorado USA                                      | 20s - 40s | 51,00 Kč  |       |
| DHN-1545-A | NEOBESSEYA  | missouriensis (radial spines, yellow or pink flowers) SB 205 Sandoval County New Mexico USA                                | 20s - 40s | 51,00 Kč  |       |
| DHN-1546-A | NEOBESSEYA  | missouriensis ssp. similis (pale greenish yellow flowers) Steven Brack Fayette County Texas USA                            | 20s - 40s | 51,00 Kč  |       |
| DHN-2577-A | NEOBESSEYA  | wissmannii (slightly pubescent bright white pale grey spines, pale greenish yellow flowers) HK 359 Oklahoma West USA       | 20s - 40s | 51,00 Kč  |       |
| DHN-1547-A | NEOLLOYDIA  | odorata (Cumarinia, long hooked black centrals) RS 1222 El Nunez San Luis Potosi Mexico                                    | 20s - 40s | 23,80 Kč  |       |
| DHN-1547-B | NEOLLOYDIA  | odorata (Cumarinia, long hooked black centrals) RS 1222 El Nunez San Luis Potosi Mexico                                    | 42s - 60s | 45,00 Kč  |       |
| DHN-1547-C | NEOLLOYDIA  | odorata (Cumarinia, long hooked black centrals) RS 1222 El Nunez San Luis Potosi Mexico                                    | 100s      | 90,00 Kč  |       |
| DHN-1547-D | NEOLLOYDIA  | odorata (Cumarinia, long hooked black centrals) RS 1222 El Nunez San Luis Potosi Mexico                                    | 500s      | 335,00 Kč |       |
| DHN-1547-E | NEOLLOYDIA  | odorata (Cumarinia, long hooked black centrals) RS 1222 El Nunez San Luis Potosi Mexico                                    | 1000s     | 569,00 Kč |       |
| DHN-1548-A | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2002 Lomas del Viento 2215 m Metropolitana Chile    | 20s - 40s | 23,80 Kč  |       |
| DHN-1548-B | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2002 Lomas del Viento 2215 m Metropolitana Chile    | 42s - 60s | 45,00 Kč  |       |
| DHN-1548-C | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2002 Lomas del Viento 2215 m Metropolitana Chile    | 100s      | 90,00 Kč  |       |
| DHN-1548-D | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2002 Lomas del Viento 2215 m Metropolitana Chile    | 500s      | 335,00 Kč |       |
| DHN-1548-E | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2002 Lomas del Viento 2215 m Metropolitana Chile    | 1000s     | 569,00 Kč |       |
| DHN-1549-A | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2003 Valle Nevado 2233 m Metropolitana Chile        | 20s - 40s | 23,80 Kč  |       |
| DHN-1549-B | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2003 Valle Nevado 2233 m Metropolitana Chile        | 42s - 60s | 45,00 Kč  |       |
| DHN-1549-C | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2003 Valle Nevado 2233 m Metropolitana Chile        | 100s      | 90,00 Kč  |       |
| DHN-1549-D | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2003 Valle Nevado 2233 m Metropolitana Chile        | 500s      | 335,00 Kč |       |
| DHN-1549-E | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2003 Valle Nevado 2233 m Metropolitana Chile        | 1000s     | 569,00 Kč |       |
| DHN-1550-A | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2004 La Parva 2251 m Metropolitana Chile            | 20s - 40s | 23,80 Kč  |       |
| DHN-1550-B | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2004 La Parva 2251 m Metropolitana Chile            | 42s - 60s | 45,00 Kč  |       |
| DHN-1550-C | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2004 La Parva 2251 m Metropolitana Chile            | 100s      | 90,00 Kč  |       |
| DHN-1550-D | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2004 La Parva 2251 m Metropolitana Chile            | 500s      | 335,00 Kč |       |
| DHN-1550-E | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2004 La Parva 2251 m Metropolitana Chile            | 1000s     | 569,00 Kč |       |
| DHN-1551-A | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2005 El Colorado 2238 m Metropolitana Chile         | 20s - 40s | 23,80 Kč  |       |
| DHN-1551-B | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2005 El Colorado 2238 m Metropolitana Chile         | 42s - 60s | 45,00 Kč  |       |
| DHN-1551-C | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2005 El Colorado 2238 m Metropolitana Chile         | 100s      | 90,00 Kč  |       |
| DHN-1551-D | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2005 El Colorado 2238 m Metropolitana Chile         | 500s      | 335,00 Kč |       |
| DHN-1551-E | NEOPORTERIA | curvispina f. descendens (dense spines, pink red huge flowers) CHKP&JB 2005 El Colorado 2238 m Metropolitana Chile         | 1000s     | 569,00 Kč |       |
| DHN-1552-A | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2015 La Vega (cruce E 411) 622 m Valparaiso Chile             | 20s - 40s | 23,80 Kč  |       |
| DHN-1552-B | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2015 La Vega (cruce E 411) 622 m Valparaiso Chile             | 42s - 60s | 45,00 Kč  |       |
| DHN-1552-C | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2015 La Vega (cruce E 411) 622 m Valparaiso Chile             | 100s      | 90,00 Kč  |       |
| DHN-1552-D | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2015 La Vega (cruce E 411) 622 m Valparaiso Chile             | 500s      | 335,00 Kč |       |
| DHN-1553-A | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2016 San Lorenzo 673 m Valparaiso Chile                       | 20s - 40s | 23,80 Kč  |       |
| DHN-1553-B | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2016 San Lorenzo 673 m Valparaiso Chile                       | 42s - 60s | 45,00 Kč  |       |
| DHN-1553-C | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2016 San Lorenzo 673 m Valparaiso Chile                       | 100s      | 90,00 Kč  |       |
| DHN-1553-D | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2016 San Lorenzo 673 m Valparaiso Chile                       | 500s      | 335,00 Kč |       |
| DHN-1554-A | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2017 La Mostaza 668 m Valparaiso Chile                        | 20s - 40s | 23,80 Kč  |       |
| DHN-1554-B | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2017 La Mostaza 668 m Valparaiso Chile                        | 42s - 60s | 45,00 Kč  |       |
| DHN-1554-C | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2017 La Mostaza 668 m Valparaiso Chile                        | 100s      | 90,00 Kč  |       |
| DHN-1554-D | NEOPORTERIA | curvispina v. felipensis (top dense curved centrals) CHKP&JB 2017 La Mostaza 668 m Valparaiso Chile                        | 500s      | 335,00 Kč |       |
| DHN-1556-A | NEOPORTERIA | curvispina v. robusta (curved heavy spines, bigger flowers) KP 729 Highway La Vina to Alicahue 352 m Valparaiso Chile      | 20s - 40s | 23,80 Kč  |       |
| DHN-1556-B | NEOPORTERIA | curvispina v. robusta (curved heavy spines, bigger flowers) KP 729 Highway La Vina to Alicahue 352 m Valparaiso Chile      | 42s - 60s | 45,00 Kč  |       |
| DHN-1556-C | NEOPORTERIA | curvispina v. robusta (curved heavy spines, bigger flowers) KP 729 Highway La Vina to Alicahue 352 m Valparaiso Chile      | 100s      | 90,00 Kč  |       |
| DHN-1556-D | NEOPORTERIA | curvispina v. robusta (curved heavy spines, bigger flowers) KP 729 Highway La Vina to Alicahue 352 m Valparaiso Chile      | 500s      | 335,00 Kč |       |
| DHN-1557-A | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) BCHK 1462 Cabildo 246 m Region de Valparaiso Chile        | 20s - 40s | 23,80 Kč  |       |
| DHN-1557-B | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) BCHK 1462 Cabildo 246 m Region de Valparaiso Chile        | 42s - 60s | 45,00 Kč  |       |
| DHN-1557-C | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) BCHK 1462 Cabildo 246 m Region de Valparaiso Chile        | 100s      | 90,00 Kč  |       |
| DHN-1557-D | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) BCHK 1462 Cabildo 246 m Region de Valparaiso Chile        | 500s      | 335,00 Kč |       |
| DHN-1558-A | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 722 Highway Putuaendo City 793 m Valparaiso Chile      | 20s - 40s | 23,80 Kč  |       |
| DHN-1558-B | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 722 Highway Putuaendo City 793 m Valparaiso Chile      | 42s - 60s | 45,00 Kč  |       |
| DHN-1558-C | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 722 Highway Putuaendo City 793 m Valparaiso Chile      | 100s      | 90,00 Kč  |       |
| DHN-1558-D | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 722 Highway Putuaendo City 793 m Valparaiso Chile      | 500s      | 335,00 Kč |       |
| DHN-1559-A | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 732 Highway La Vina to Alicahue 352 m Valparaiso Chile | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS       | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-------------|--|-----------|-----------|-------|
| DHN-1559-B | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 732 Highway La Vina to Alicahue 352 m Valparaiso Chile           | 42s - 60s | 45,00 Kč  |       |
| DHN-1559-C | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 732 Highway La Vina to Alicahue 352 m Valparaiso Chile           | 100s      | 90,00 Kč  |       |
| DHN-1559-D | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 732 Highway La Vina to Alicahue 352 m Valparaiso Chile           | 500s      | 335,00 Kč |       |
| DHN-1560-A | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 733 Highway Cabildo 228 m Valparaiso Chile                       | 20s - 40s | 23,80 Kč  |       |
| DHN-1560-B | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 733 Highway Cabildo 228 m Valparaiso Chile                       | 42s - 60s | 45,00 Kč  |       |
| DHN-1560-C | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 733 Highway Cabildo 228 m Valparaiso Chile                       | 100s      | 90,00 Kč  |       |
| DHN-1560-D | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 733 Highway Cabildo 228 m Valparaiso Chile                       | 500s      | 335,00 Kč |       |
| DHN-1561-A | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 735 Highway Quelon 780 m Valparaiso Chile                        | 20s - 40s | 23,80 Kč  |       |
| DHN-1561-B | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 735 Highway Quelon 780 m Valparaiso Chile                        | 42s - 60s | 45,00 Kč  |       |
| DHN-1561-C | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 735 Highway Quelon 780 m Valparaiso Chile                        | 100s      | 90,00 Kč  |       |
| DHN-1561-D | NEOPORTERIA | curvispina v. robusta (nice curved heavy spines, bigger flowers) KP 735 Highway Quelon 780 m Valparaiso Chile                        | 500s      | 335,00 Kč |       |
| DHN-1563-A | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) BCHK 1330 (5A/12) La Vina I. 920 m Valparaiso Chile | 20s - 40s | 23,80 Kč  |       |
| DHN-1563-B | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) BCHK 1330 (5A/12) La Vina I. 920 m Valparaiso Chile | 42s - 60s | 45,00 Kč  |       |
| DHN-1563-C | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) BCHK 1330 (5A/12) La Vina I. 920 m Valparaiso Chile | 100s      | 90,00 Kč  |       |
| DHN-1563-D | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) BCHK 1330 (5A/12) La Vina I. 920 m Valparaiso Chile | 500s      | 335,00 Kč |       |
| DHN-1562-A | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) KBC 978 Pedernal 773 m Valparaiso Chile             | 20s - 40s | 23,80 Kč  |       |
| DHN-1562-B | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) KBC 978 Pedernal 773 m Valparaiso Chile             | 42s - 60s | 45,00 Kč  |       |
| DHN-1562-C | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) KBC 978 Pedernal 773 m Valparaiso Chile             | 100s      | 90,00 Kč  |       |
| DHN-1562-D | NEOPORTERIA | curvispina v. robusta f. armata (best curved black heavy spines, bigger flowers) KBC 978 Pedernal 773 m Valparaiso Chile             | 500s      | 335,00 Kč |       |
| DHN-1565-A | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 A Cabildo Valparaiso Chile                    | 20s - 40s | 23,80 Kč  |       |
| DHN-1565-B | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 A Cabildo Valparaiso Chile                    | 42s - 60s | 45,00 Kč  |       |
| DHN-1565-C | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 A Cabildo Valparaiso Chile                    | 100s      | 90,00 Kč  |       |
| DHN-1565-D | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 A Cabildo Valparaiso Chile                    | 500s      | 335,00 Kč |       |
| DHN-1564-A | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 Cabildo Valparaiso Chile                      | 20s - 40s | 23,80 Kč  |       |
| DHN-1564-B | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 Cabildo Valparaiso Chile                      | 42s - 60s | 45,00 Kč  |       |
| DHN-1564-C | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 Cabildo Valparaiso Chile                      | 100s      | 90,00 Kč  |       |
| DHN-1564-D | NEOPORTERIA | curvispina v. robusta f. cabildensis (nice curved heavy spines, bigger flowers) PP 816 Cabildo Valparaiso Chile                      | 500s      | 335,00 Kč |       |
| DHN-1573-A | NEOPORTERIA | paucicostata v. neohankeana (grey brown long upwards directed spines) KBC 939 Quebrada San Ramon 93 m Antofagasta Chile              | 20s - 40s | 23,80 Kč  |       |
| DHN-1574-A | NEOPORTERIA | paucicostata v. neohankeana (grey brown long upwards directed spines) KK 88 Taltal (Valle de San Ramon) Antofagasta Chile            | 20s - 40s | 23,80 Kč  |       |
| DHN-1575-A | NEOPORTERIA | paucicostata v. neohankeana (grey brown long upwards directed spines) PV 2149 Quebrada San Ramon Antofagasta Chile                   | 20s - 40s | 23,80 Kč  |       |
| DHN-1584-A | NERIUM      | oleander f. densiflorus (dark pink flowers) LKU 1 Makarska Riviera Croatia   | 20s - 40s | 23,80 Kč  |       |
| DHN-1584-B | NERIUM      | oleander f. densiflorus (dark pink flowers) LKU 1 Makarska Riviera Croatia   | 42s - 60s | 45,00 Kč  |       |
| DHN-1584-C | NERIUM      | oleander f. densiflorus (dark pink flowers) LKU 1 Makarska Riviera Croatia   | 100s      | 90,00 Kč  |       |
| DHN-1584-D | NERIUM      | oleander f. densiflorus (dark pink flowers) LKU 1 Makarska Riviera Croatia   | 500s      | 335,00 Kč |       |
| DHN-1585-A | NICOTIANA   | alata (decorative tobacco) AT-33 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHN-1585-B | NICOTIANA   | alata (decorative tobacco) AT-33 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHN-1585-C | NICOTIANA   | alata (decorative tobacco) AT-33 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHN-1586-A | NICOTIANA   | glauca (decorative tobacco) AT-34 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHN-1586-B | NICOTIANA   | glauca (decorative tobacco) AT-34 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHN-1586-C | NICOTIANA   | glauca (decorative tobacco) AT-34 Czech Nursery CZ   | 100s      | 90,00 Kč  |       |
| DHN-1587-A | NICOTIANA   | longiflora (decorative tobacco) AT-35 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHN-1587-B | NICOTIANA   | longiflora (decorative tobacco) AT-35 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHN-1587-C | NICOTIANA   | longiflora (decorative tobacco) AT-35 Czech Nursery CZ   | 100s      | 90,00 Kč  |       |
| DHN-1588-A | NICOTIANA   | rustica (rustic tobacco) AT-36 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHN-1588-B | NICOTIANA   | rustica (rustic tobacco) AT-36 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHN-1588-C | NICOTIANA   | rustica (rustic tobacco) AT-36 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHN-1589-A | NICOTIANA   | tabacum CV Havana (havans tobacco) AT-37 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHN-1589-B | NICOTIANA   | tabacum CV Havana (havans tobacco) AT-37 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHN-1589-C | NICOTIANA   | tabacum CV Havana (havans tobacco) AT-37 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHN-1591-A | NOTOCACTUS  | agnetae v. aureispinus (less curved to twisted yellow brown spines) LW 28 Est Aigua Lavalleja Uruguay                                | 20s - 40s | 23,80 Kč  |       |
| DHN-1591-B | NOTOCACTUS  | agnetae v. aureispinus (less curved to twisted yellow brown spines) LW 28 Est Aigua Lavalleja Uruguay                                | 42s - 60s | 45,00 Kč  |       |
| DHN-1591-C | NOTOCACTUS  | agnetae v. aureispinus (less curved to twisted yellow brown spines) LW 28 Est Aigua Lavalleja Uruguay                                | 100s      | 90,00 Kč  |       |
| DHN-1593-A | NOTOCACTUS  | buiningii (unique bright emerald green body) DV 114 South West of Livramento Artigas Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1593-B | NOTOCACTUS  | buiningii (unique bright emerald green body) DV 114 South West of Livramento Artigas Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1593-C | NOTOCACTUS  | buiningii (unique bright emerald green body) DV 114 South West of Livramento Artigas Uruguay   | 100s      | 90,00 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHN-1593-D | NOTOCACTUS | buiningii (unique bright emerald green body) DV 114 South West of Livramento Artigas Uruguay                                    | 500s      | 335,00 Kč |       |
| DHN-2373-A | NOTOCACTUS | buiningii (unique bright emerald green body) JV 191 Route BR 293 km 389 direct Quarai right side 223 m Rio Grande do Sul Brazil | 20s - 40s | 23,80 Kč  |       |
| DHN-2373-B | NOTOCACTUS | buiningii (unique bright emerald green body) JV 191 Route BR 293 km 389 direct Quarai right side 223 m Rio Grande do Sul Brazil | 42s - 60s | 45,00 Kč  |       |
| DHN-2373-C | NOTOCACTUS | buiningii (unique bright emerald green body) JV 191 Route BR 293 km 389 direct Quarai right side 223 m Rio Grande do Sul Brazil | 100s      | 90,00 Kč  |       |
| DHN-2373-D | NOTOCACTUS | buiningii (unique bright emerald green body) JV 191 Route BR 293 km 389 direct Quarai right side 223 m Rio Grande do Sul Brazil | 500s      | 335,00 Kč |       |
| DHN-1594-A | NOTOCACTUS | buiningii (unique bright emerald green body) PR 98 Route Brazil 30 Km 58 Rio Grande do Sul Brazil                               | 20s - 40s | 23,80 Kč  |       |
| DHN-1594-B | NOTOCACTUS | buiningii (unique bright emerald green body) PR 98 Route Brazil 30 Km 58 Rio Grande do Sul Brazil                               | 42s - 60s | 45,00 Kč  |       |
| DHN-1594-C | NOTOCACTUS | buiningii (unique bright emerald green body) PR 98 Route Brazil 30 Km 58 Rio Grande do Sul Brazil                               | 100s      | 90,00 Kč  |       |
| DHN-1594-D | NOTOCACTUS | buiningii (unique bright emerald green body) PR 98 Route Brazil 30 Km 58 Rio Grande do Sul Brazil                               | 500s      | 335,00 Kč |       |
| DHN-1595-A | NOTOCACTUS | callianthus (ottonis) PR 104 Karl Heinz Prestle Czech nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHN-1595-B | NOTOCACTUS | callianthus (ottonis) PR 104 Karl Heinz Prestle Czech nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHN-1595-C | NOTOCACTUS | callianthus (ottonis) PR 104 Karl Heinz Prestle Czech nursery CZ  | 100s      | 90,00 Kč  |       |
| DHN-1597-A | NOTOCACTUS | concinus (tabularis) HU 419 Punta Ballena Maldonado Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1597-B | NOTOCACTUS | concinus (tabularis) HU 419 Punta Ballena Maldonado Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1597-C | NOTOCACTUS | concinus (tabularis) HU 419 Punta Ballena Maldonado Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1597-D | NOTOCACTUS | concinus (tabularis) HU 419 Punta Ballena Maldonado Uruguay   | 500s      | 335,00 Kč |       |
| DHN-1597-E | NOTOCACTUS | concinus (tabularis) HU 419 Punta Ballena Maldonado Uruguay   | 1000s     | 569,00 Kč |       |
| DHN-1599-A | NOTOCACTUS | concinus f. villaseranus KPR 56 Villa Serrana Lavalleja Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1599-B | NOTOCACTUS | concinus f. villaseranus KPR 56 Villa Serrana Lavalleja Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1599-C | NOTOCACTUS | concinus f. villaseranus KPR 56 Villa Serrana Lavalleja Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1601-A | NOTOCACTUS | concinus v. apricus DV 9B Sierra de Ballena Maldonado Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1601-B | NOTOCACTUS | concinus v. apricus DV 9B Sierra de Ballena Maldonado Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1601-C | NOTOCACTUS | concinus v. apricus DV 9B Sierra de Ballena Maldonado Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1602-A | NOTOCACTUS | concinus v. apricus f. grandiflorus sensu Fric 1928 WR 356 Maldonado Uruguay  | 20s - 40s | 23,80 Kč  |       |
| DHN-1603-A | NOTOCACTUS | concinus v. apricus f. nigrispinus HU 295 Punta Ballena Maldonado Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1603-B | NOTOCACTUS | concinus v. apricus f. nigrispinus HU 295 Punta Ballena Maldonado Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1603-C | NOTOCACTUS | concinus v. apricus f. nigrispinus HU 295 Punta Ballena Maldonado Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1603-D | NOTOCACTUS | concinus v. apricus f. nigrispinus HU 295 Punta Ballena Maldonado Uruguay   | 500s      | 335,00 Kč |       |
| DHN-1605-A | NOTOCACTUS | concinus v. caespitosus FS 159 Piriapolis Maldonado Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1605-B | NOTOCACTUS | concinus v. caespitosus FS 159 Piriapolis Maldonado Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1605-C | NOTOCACTUS | concinus v. caespitosus FS 159 Piriapolis Maldonado Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1606-A | NOTOCACTUS | concinus v. elegans Kurt G. Kreuzinger KRZ 477 Czech nursery Benesov CZ   | 20s - 40s | 23,80 Kč  |       |
| DHN-1606-B | NOTOCACTUS | concinus v. elegans Kurt G. Kreuzinger KRZ 477 Czech nursery Benesov CZ   | 42s - 60s | 45,00 Kč  |       |
| DHN-1606-C | NOTOCACTUS | concinus v. elegans Kurt G. Kreuzinger KRZ 477 Czech nursery Benesov CZ   | 100s      | 90,00 Kč  |       |
| DHN-1606-D | NOTOCACTUS | concinus v. elegans Kurt G. Kreuzinger KRZ 477 Czech nursery Benesov CZ   | 500s      | 335,00 Kč |       |
| DHN-1608-A | NOTOCACTUS | concinus v. gibberulus PR 313 Pedras Altas Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1608-B | NOTOCACTUS | concinus v. gibberulus PR 313 Pedras Altas Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1608-C | NOTOCACTUS | concinus v. gibberulus PR 313 Pedras Altas Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1609-A | NOTOCACTUS | concinus v. montevidensis PR 75 Cerro Montevideo Montevideo Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1609-B | NOTOCACTUS | concinus v. montevidensis PR 75 Cerro Montevideo Montevideo Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1609-C | NOTOCACTUS | concinus v. montevidensis PR 75 Cerro Montevideo Montevideo Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1609-D | NOTOCACTUS | concinus v. montevidensis PR 75 Cerro Montevideo Montevideo Uruguay   | 500s      | 335,00 Kč |       |
| DHN-1609-E | NOTOCACTUS | concinus v. montevidensis PR 75 Cerro Montevideo Montevideo Uruguay   | 1000s     | 569,00 Kč |       |
| DHN-1610-A | NOTOCACTUS | concinus v. nigrispinus (darkly spines) DV 9K Cerro del Cruz Pan de Azucar Uruguay  | 20s - 40s | 23,80 Kč  |       |
| DHN-1610-B | NOTOCACTUS | concinus v. nigrispinus (darkly spines) DV 9K Cerro del Cruz Pan de Azucar Uruguay  | 42s - 60s | 45,00 Kč  |       |
| DHN-1610-C | NOTOCACTUS | concinus v. nigrispinus (darkly spines) DV 9K Cerro del Cruz Pan de Azucar Uruguay  | 100s      | 90,00 Kč  |       |
| DHN-1611-A | NOTOCACTUS | concinus v. nigrispinus (tabularis v. nigrispinus) DV 9K Cerro del Cruz Rivera Uruguay  | 20s - 40s | 23,80 Kč  |       |
| DHN-1611-B | NOTOCACTUS | concinus v. nigrispinus (tabularis v. nigrispinus) DV 9K Cerro del Cruz Rivera Uruguay  | 42s - 60s | 45,00 Kč  |       |
| DHN-1611-C | NOTOCACTUS | concinus v. nigrispinus (tabularis v. nigrispinus) DV 9K Cerro del Cruz Rivera Uruguay  | 100s      | 90,00 Kč  |       |
| DHN-1611-D | NOTOCACTUS | concinus v. nigrispinus (tabularis v. nigrispinus) DV 9K Cerro del Cruz Rivera Uruguay  | 500s      | 335,00 Kč |       |
| DHN-1612-A | NOTOCACTUS | graessneri FS 239 Bom Jesus Rio Grande do Sul Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHN-1613-A | NOTOCACTUS | graessneri v. vacariensis (very long hairy spines) HU 39 Vacaria Rio Grande do Sul Brazil                                       | 20s - 40s | 25,50 Kč  |       |
| DHN-1613-B | NOTOCACTUS | graessneri v. vacariensis (very long hairy spines) HU 39 Vacaria Rio Grande do Sul Brazil                                       | 42s - 60s | 48,00 Kč  |       |
| DHN-1613-C | NOTOCACTUS | graessneri v. vacariensis (very long hairy spines) HU 39 Vacaria Rio Grande do Sul Brazil                                       | 100s      | 96,00 Kč  |       |
| DHN-1614-A | NOTOCACTUS | graessneri WRA 386 Sao Francisco de Paula Rio Grande do Sul Brazil  | 20s - 40s | 23,80 Kč  |       |



| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|--|-----------|-----------|-------|
| DHN-1615-A | NOTOCACTUS | laetivirens f. Sterle Dornen Czech nursery Benesov CZ  | 20s - 40s | 23,80 Kč  |       |
| DHN-1615-B | NOTOCACTUS | laetivirens f. Sterle Dornen Czech nursery Benesov CZ  | 42s - 60s | 45,00 Kč  |       |
| DHN-1615-C | NOTOCACTUS | laetivirens f. Sterle Dornen Czech nursery Benesov CZ  | 100s      | 90,00 Kč  |       |
| DHN-1616-A | NOTOCACTUS | laetivirens HU 58 Taquarichim Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1616-B | NOTOCACTUS | laetivirens HU 58 Taquarichim Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1616-C | NOTOCACTUS | laetivirens HU 58 Taquarichim Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1617-A | NOTOCACTUS | leninghausii AH 341 Arroio da Seca Rio Grande do Sul Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHN-1617-B | NOTOCACTUS | leninghausii AH 341 Arroio da Seca Rio Grande do Sul Brazil  | 42s - 60s | 45,00 Kč  |       |
| DHN-1617-C | NOTOCACTUS | leninghausii AH 341 Arroio da Seca Rio Grande do Sul Brazil  | 100s      | 90,00 Kč  |       |
| DHN-1617-D | NOTOCACTUS | leninghausii AH 341 Arroio da Seca Rio Grande do Sul Brazil  | 500s      | 335,00 Kč |       |
| DHN-1618-A | NOTOCACTUS | leninghausii HU 53 Arroio da Seca Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1618-B | NOTOCACTUS | leninghausii HU 53 Arroio da Seca Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1618-C | NOTOCACTUS | leninghausii HU 53 Arroio da Seca Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1618-D | NOTOCACTUS | leninghausii HU 53 Arroio da Seca Rio Grande do Sul Brazil   | 500s      | 335,00 Kč |       |
| DHN-1619-A | NOTOCACTUS | linkii (typical yellow flowers) FS 114 Arroio Grande Rio Grande do Sul Brazil                          | 20s - 40s | 23,80 Kč  |       |
| DHN-1619-B | NOTOCACTUS | linkii (typical yellow flowers) FS 114 Arroio Grande Rio Grande do Sul Brazil                          | 42s - 60s | 45,00 Kč  |       |
| DHN-1619-C | NOTOCACTUS | linkii (typical yellow flowers) FS 114 Arroio Grande Rio Grande do Sul Brazil                          | 100s      | 90,00 Kč  |       |
| DHN-1619-D | NOTOCACTUS | linkii (typical yellow flowers) FS 114 Arroio Grande Rio Grande do Sul Brazil                          | 500s      | 335,00 Kč |       |
| DHN-1620-A | NOTOCACTUS | linkii AH 370 North of Dom Pedrito Rio Grande do Sul Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHN-1620-B | NOTOCACTUS | linkii AH 370 North of Dom Pedrito Rio Grande do Sul Brazil  | 42s - 60s | 45,00 Kč  |       |
| DHN-1620-C | NOTOCACTUS | linkii AH 370 North of Dom Pedrito Rio Grande do Sul Brazil  | 100s      | 90,00 Kč  |       |
| DHN-1621-A | NOTOCACTUS | linkii f. villa-novensis (smaller yellow flowers) KVV 1047 Sao Sepe alt 250 m Rio Grande do Sul Brazil | 20s - 40s | 23,80 Kč  |       |
| DHN-1621-B | NOTOCACTUS | linkii f. villa-novensis (smaller yellow flowers) KVV 1047 Sao Sepe alt 250 m Rio Grande do Sul Brazil | 42s - 60s | 45,00 Kč  |       |
| DHN-1621-C | NOTOCACTUS | linkii f. villa-novensis (smaller yellow flowers) KVV 1047 Sao Sepe alt 250 m Rio Grande do Sul Brazil | 100s      | 90,00 Kč  |       |
| DHN-1623-A | NOTOCACTUS | linkii RWB 17 (Rudi Werner Buneker) Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1623-B | NOTOCACTUS | linkii RWB 17 (Rudi Werner Buneker) Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1623-C | NOTOCACTUS | linkii RWB 17 (Rudi Werner Buneker) Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1626-A | NOTOCACTUS | mammulosus Lange Dornen HU 24 Lavras do Sul Rio Grande do Sul Brazil                                   | 20s - 40s | 23,80 Kč  |       |
| DHN-1626-B | NOTOCACTUS | mammulosus Lange Dornen HU 24 Lavras do Sul Rio Grande do Sul Brazil                                   | 42s - 60s | 45,00 Kč  |       |
| DHN-1628-A | NOTOCACTUS | mammulosus v. masollerensis DV 74/H2 Masoller Rivera Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1628-B | NOTOCACTUS | mammulosus v. masollerensis DV 74/H2 Masoller Rivera Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1628-C | NOTOCACTUS | mammulosus v. masollerensis DV 74/H2 Masoller Rivera Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1628-D | NOTOCACTUS | mammulosus v. masollerensis DV 74/H2 Masoller Rivera Uruguay   | 500s      | 335,00 Kč |       |
| DHN-1629-A | NOTOCACTUS | mammulosus v. nigrispinus DV 74 I collector Dirk Jan van Vliet   | 20s - 40s | 23,80 Kč  |       |
| DHN-1629-B | NOTOCACTUS | mammulosus v. nigrispinus DV 74 I collector Dirk Jan van Vliet   | 42s - 60s | 45,00 Kč  |       |
| DHN-1629-C | NOTOCACTUS | mammulosus v. nigrispinus DV 74 I collector Dirk Jan van Vliet   | 100s      | 90,00 Kč  |       |
| DHN-1629-D | NOTOCACTUS | mammulosus v. nigrispinus DV 74 I collector Dirk Jan van Vliet   | 500s      | 335,00 Kč |       |
| DHN-1631-A | NOTOCACTUS | mammulosus WRA 183 Livramento Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1631-B | NOTOCACTUS | mammulosus WRA 183 Livramento Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1631-C | NOTOCACTUS | mammulosus WRA 183 Livramento Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1632-A | NOTOCACTUS | mammulosus WRA 345 Bage Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1632-B | NOTOCACTUS | mammulosus WRA 345 Bage Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1634-A | NOTOCACTUS | megapotamicus v. alacriportanus (bright yellow flowers) FS 273 Vila Conceicao Rio Grande do Sul Brazil | 20s - 40s | 23,80 Kč  |       |
| DHN-1634-B | NOTOCACTUS | megapotamicus v. alacriportanus (bright yellow flowers) FS 273 Vila Conceicao Rio Grande do Sul Brazil | 42s - 60s | 45,00 Kč  |       |
| DHN-1634-C | NOTOCACTUS | megapotamicus v. alacriportanus (bright yellow flowers) FS 273 Vila Conceicao Rio Grande do Sul Brazil | 100s      | 90,00 Kč  |       |
| DHN-1635-A | NOTOCACTUS | megapotamicus v. horstii FR 1380 North of Carazinho Matacabra Rio Grande do Sul Brazil                 | 20s - 40s | 23,80 Kč  |       |
| DHN-1635-B | NOTOCACTUS | megapotamicus v. horstii FR 1380 North of Carazinho Matacabra Rio Grande do Sul Brazil                 | 42s - 60s | 45,00 Kč  |       |
| DHN-1635-C | NOTOCACTUS | megapotamicus v. horstii FR 1380 North of Carazinho Matacabra Rio Grande do Sul Brazil                 | 100s      | 90,00 Kč  |       |
| DHN-1636-A | NOTOCACTUS | megapotamicus v. multicolorispinus RWB 202 Uruguay border area 300 m Rio Grande do Sul Brazil          | 20s - 40s | 23,80 Kč  |       |
| DHN-1640-A | NOTOCACTUS | orthacanthus FS 319 Santana do Livramento Rio Grande do Sul Brazil                                     | 20s - 40s | 23,80 Kč  |       |
| DHN-1640-B | NOTOCACTUS | orthacanthus FS 319 Santana do Livramento Rio Grande do Sul Brazil                                     | 42s - 60s | 45,00 Kč  |       |
| DHN-1640-C | NOTOCACTUS | orthacanthus FS 319 Santana do Livramento Rio Grande do Sul Brazil                                     | 100s      | 90,00 Kč  |       |
| DHN-1641-A | NOTOCACTUS | orthacanthus SCHL 217 Santana do Livramento Rio Grande do Sul Brazil                                   | 20s - 40s | 23,80 Kč  |       |
| DHN-1641-B | NOTOCACTUS | orthacanthus SCHL 217 Santana do Livramento Rio Grande do Sul Brazil                                   | 42s - 60s | 45,00 Kč  |       |
| DHN-1641-C | NOTOCACTUS | orthacanthus SCHL 217 Santana do Livramento Rio Grande do Sul Brazil                                   | 100s      | 90,00 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION                           | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHN-1642-A | NOTOCACTUS | ottonis BO 7010 Borg Haage Kakteen nursery Erfurt Germany                           | 20s - 40s | 23,80 Kč  |       |
| DHN-1642-B | NOTOCACTUS | ottonis BO 7010 Borg Haage Kakteen nursery Erfurt Germany                           | 42s - 60s | 45,00 Kč  |       |
| DHN-1642-C | NOTOCACTUS | ottonis BO 7010 Borg Haage Kakteen nursery Erfurt Germany                           | 100s      | 90,00 Kč  |       |
| DHN-1643-A | NOTOCACTUS | ottonis CS 409.2 San Fransisco de Assis 175 m Rio Grande do Sul Brazil              | 20s - 40s | 23,80 Kč  |       |
| DHN-1643-B | NOTOCACTUS | ottonis CS 409.2 San Fransisco de Assis 175 m Rio Grande do Sul Brazil              | 42s - 60s | 45,00 Kč  |       |
| DHN-1643-C | NOTOCACTUS | ottonis CS 409.2 San Fransisco de Assis 175 m Rio Grande do Sul Brazil              | 100s      | 90,00 Kč  |       |
| DHN-1645-A | NOTOCACTUS | ottonis DV 79/10 Porori (Sierra de Pororo) Lavalleja Uruguay                        | 20s - 40s | 23,80 Kč  |       |
| DHN-1645-B | NOTOCACTUS | ottonis DV 79/10 Porori (Sierra de Pororo) Lavalleja Uruguay                        | 42s - 60s | 45,00 Kč  |       |
| DHN-1645-C | NOTOCACTUS | ottonis DV 79/10 Porori (Sierra de Pororo) Lavalleja Uruguay                        | 100s      | 90,00 Kč  |       |
| DHN-1646-A | NOTOCACTUS | ottonis DV 79/11 Porori (Sierra de Pororo) Lavalleja Uruguay                        | 20s - 40s | 23,80 Kč  |       |
| DHN-1646-B | NOTOCACTUS | ottonis DV 79/11 Porori (Sierra de Pororo) Lavalleja Uruguay                        | 42s - 60s | 45,00 Kč  |       |
| DHN-1646-C | NOTOCACTUS | ottonis DV 79/11 Porori (Sierra de Pororo) Lavalleja Uruguay                        | 100s      | 90,00 Kč  |       |
| DHN-1647-A | NOTOCACTUS | ottonis DV 79/14 Rivera Artigas Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1647-B | NOTOCACTUS | ottonis DV 79/14 Rivera Artigas Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1647-C | NOTOCACTUS | ottonis DV 79/14 Rivera Artigas Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1649-A | NOTOCACTUS | ottonis DV 79/17(18) Tacuarembó (West) Tacuarembó Uruguay                           | 20s - 40s | 23,80 Kč  |       |
| DHN-1649-B | NOTOCACTUS | ottonis DV 79/17(18) Tacuarembó (West) Tacuarembó Uruguay                           | 42s - 60s | 45,00 Kč  |       |
| DHN-1649-C | NOTOCACTUS | ottonis DV 79/17(18) Tacuarembó (West) Tacuarembó Uruguay                           | 100s      | 90,00 Kč  |       |
| DHN-1650-A | NOTOCACTUS | ottonis DV 79/18 Tranqueras Rivera Uruguay  | 20s - 40s | 23,80 Kč  |       |
| DHN-1650-B | NOTOCACTUS | ottonis DV 79/18 Tranqueras Rivera Uruguay  | 42s - 60s | 45,00 Kč  |       |
| DHN-1650-C | NOTOCACTUS | ottonis DV 79/18 Tranqueras Rivera Uruguay  | 100s      | 90,00 Kč  |       |
| DHN-1651-A | NOTOCACTUS | ottonis DV 79/2 Abra de Zabaleta Lavalleja Uruguay                                  | 20s - 40s | 23,80 Kč  |       |
| DHN-1651-B | NOTOCACTUS | ottonis DV 79/2 Abra de Zabaleta Lavalleja Uruguay                                  | 42s - 60s | 45,00 Kč  |       |
| DHN-1651-C | NOTOCACTUS | ottonis DV 79/2 Abra de Zabaleta Lavalleja Uruguay                                  | 100s      | 90,00 Kč  |       |
| DHN-1652-A | NOTOCACTUS | ottonis DV 79/7 Vichadero Artigas Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1652-B | NOTOCACTUS | ottonis DV 79/7 Vichadero Artigas Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1652-C | NOTOCACTUS | ottonis DV 79/7 Vichadero Artigas Uruguay   | 100s      | 90,00 Kč  |       |
| DHN-1653-A | NOTOCACTUS | ottonis f. elegans FS 18 A West of Guaiba Rio Grande do Sul Brazil                  | 20s - 40s | 23,80 Kč  |       |
| DHN-1653-B | NOTOCACTUS | ottonis f. elegans FS 18 A West of Guaiba Rio Grande do Sul Brazil                  | 42s - 60s | 45,00 Kč  |       |
| DHN-1653-C | NOTOCACTUS | ottonis f. elegans FS 18 A West of Guaiba Rio Grande do Sul Brazil                  | 100s      | 90,00 Kč  |       |
| DHN-1655-A | NOTOCACTUS | ottonis HR 102 A Laguna Garzon Maldonado Uruguay                                    | 20s - 40s | 23,80 Kč  |       |
| DHN-1655-B | NOTOCACTUS | ottonis HR 102 A Laguna Garzon Maldonado Uruguay                                    | 42s - 60s | 45,00 Kč  |       |
| DHN-1655-C | NOTOCACTUS | ottonis HR 102 A Laguna Garzon Maldonado Uruguay                                    | 100s      | 90,00 Kč  |       |
| DHN-1657-A | NOTOCACTUS | ottonis MGH 131 (P 131) Irapuazinho Rio Grande do Sul Brazil                        | 20s - 40s | 23,80 Kč  |       |
| DHN-1657-B | NOTOCACTUS | ottonis MGH 131 (P 131) Irapuazinho Rio Grande do Sul Brazil                        | 42s - 60s | 45,00 Kč  |       |
| DHN-1657-C | NOTOCACTUS | ottonis MGH 131 (P 131) Irapuazinho Rio Grande do Sul Brazil                        | 100s      | 90,00 Kč  |       |
| DHN-1657-D | NOTOCACTUS | ottonis MGH 131 (P 131) Irapuazinho Rio Grande do Sul Brazil                        | 500s      | 335,00 Kč |       |
| DHN-1658-A | NOTOCACTUS | ottonis PR 340 Bage Rio Grande do Sul Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHN-1658-B | NOTOCACTUS | ottonis PR 340 Bage Rio Grande do Sul Brazil  | 42s - 60s | 45,00 Kč  |       |
| DHN-1658-C | NOTOCACTUS | ottonis PR 340 Bage Rio Grande do Sul Brazil  | 100s      | 90,00 Kč  |       |
| DHN-1659-A | NOTOCACTUS | ottonis SCHL 172 (KPR 47) Maldonado Maldonado Uruguay                               | 20s - 40s | 23,80 Kč  |       |
| DHN-1659-B | NOTOCACTUS | ottonis SCHL 172 (KPR 47) Maldonado Maldonado Uruguay                               | 42s - 60s | 45,00 Kč  |       |
| DHN-1659-C | NOTOCACTUS | ottonis SCHL 172 (KPR 47) Maldonado Maldonado Uruguay                               | 100s      | 90,00 Kč  |       |
| DHN-1661-A | NOTOCACTUS | ottonis v. cacapavanus FS 160 Cacapava do Sul Rio Grande do Sul Brazil              | 20s - 40s | 23,80 Kč  |       |
| DHN-1661-B | NOTOCACTUS | ottonis v. cacapavanus FS 160 Cacapava do Sul Rio Grande do Sul Brazil              | 42s - 60s | 45,00 Kč  |       |
| DHN-1661-C | NOTOCACTUS | ottonis v. cacapavanus FS 160 Cacapava do Sul Rio Grande do Sul Brazil              | 100s      | 90,00 Kč  |       |
| DHN-1663-A | NOTOCACTUS | ottonis v. longispinus Czech nursery Benesov CZ                                     | 20s - 40s | 23,80 Kč  |       |
| DHN-1663-B | NOTOCACTUS | ottonis v. longispinus Czech nursery Benesov CZ                                     | 42s - 60s | 45,00 Kč  |       |
| DHN-1663-C | NOTOCACTUS | ottonis v. longispinus Czech nursery Benesov CZ                                     | 100s      | 90,00 Kč  |       |
| DHN-1665-A | NOTOCACTUS | ottonis v. paraguayensis FR 1488 East of Asuncion Eusebio Ayala Cordillera Paraguay | 20s - 40s | 23,80 Kč  |       |
| DHN-1666-A | NOTOCACTUS | ottonis v. rubrispinus HU 32 Sao Pedro do Sul Rio Grande do Sul Brazil              | 20s - 40s | 23,80 Kč  |       |
| DHN-1666-B | NOTOCACTUS | ottonis v. rubrispinus HU 32 Sao Pedro do Sul Rio Grande do Sul Brazil              | 42s - 60s | 45,00 Kč  |       |
| DHN-1666-C | NOTOCACTUS | ottonis v. rubrispinus HU 32 Sao Pedro do Sul Rio Grande do Sul Brazil              | 100s      | 90,00 Kč  |       |
| DHN-1667-A | NOTOCACTUS | ottonis v. tenebrosus (bright satiny yellow flowers) Czech nursery Benesov CZ       | 20s - 40s | 23,80 Kč  |       |
| DHN-1667-B | NOTOCACTUS | ottonis v. tenebrosus (bright satiny yellow flowers) Czech nursery Benesov CZ       | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION                                       | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHN-1667-C | NOTOCACTUS | ottonis v. tenebrosus (bright satiny yellow flowers) Czech nursery Benesov CZ                   | 100s      | 90,00 Kč  |       |
| DHN-1668-A | NOTOCACTUS | ottonis v. tortuosus FS 163 Encruzilhada do Sul Rio Grande do Sul Brazil                        | 20s - 40s | 23,80 Kč  |       |
| DHN-1668-B | NOTOCACTUS | ottonis v. tortuosus FS 163 Encruzilhada do Sul Rio Grande do Sul Brazil                        | 42s - 60s | 45,00 Kč  |       |
| DHN-1668-C | NOTOCACTUS | ottonis v. tortuosus FS 163 Encruzilhada do Sul Rio Grande do Sul Brazil                        | 100s      | 90,00 Kč  |       |
| DHN-1669-A | NOTOCACTUS | ottonis v. vargasensis HU 37 General Vargas Tobai Rio Grande do Sul Brazil                      | 20s - 40s | 23,80 Kč  |       |
| DHN-1669-B | NOTOCACTUS | ottonis v. vargasensis HU 37 General Vargas Tobai Rio Grande do Sul Brazil                      | 42s - 60s | 45,00 Kč  |       |
| DHN-1669-C | NOTOCACTUS | ottonis v. vargasensis HU 37 General Vargas Tobai Rio Grande do Sul Brazil                      | 100s      | 90,00 Kč  |       |
| DHN-1670-A | NOTOCACTUS | ottonis WRA 138 Tacuarembó Tacuarembó Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1671-A | NOTOCACTUS | ottonis WRA 33 Aigua Maldonado Uruguay  | 20s - 40s | 23,80 Kč  |       |
| DHN-1671-B | NOTOCACTUS | ottonis WRA 33 Aigua Maldonado Uruguay  | 42s - 60s | 45,00 Kč  |       |
| DHN-1671-C | NOTOCACTUS | ottonis WRA 33 Aigua Maldonado Uruguay  | 100s      | 90,00 Kč  |       |
| DHN-1672-A | NOTOCACTUS | ritterianus HU 805 Dom Pedrito Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1672-B | NOTOCACTUS | ritterianus HU 805 Dom Pedrito Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1672-C | NOTOCACTUS | ritterianus HU 805 Dom Pedrito Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1674-A | NOTOCACTUS | rutilans (very showy carmine red flowers) KCS 277 above 6 km West of El Topador Uruguay         | 20s - 40s | 23,80 Kč  |       |
| DHN-1675-A | NOTOCACTUS | scopa (pretty soft silvery white fir like spines) FS 130 Pedras Altas Rio Grande do Sul Brazil  | 20s - 40s | 23,80 Kč  |       |
| DHN-1675-B | NOTOCACTUS | scopa (pretty soft silvery white fir like spines) FS 130 Pedras Altas Rio Grande do Sul Brazil  | 42s - 60s | 45,00 Kč  |       |
| DHN-1675-C | NOTOCACTUS | scopa (pretty soft silvery white fir like spines) FS 130 Pedras Altas Rio Grande do Sul Brazil  | 100s      | 90,00 Kč  |       |
| DHN-1676-A | NOTOCACTUS | scopa f. erythrinus sensu Havlicek 1989 Czech Nursery Benesov CZ                                | 20s - 40s | 23,80 Kč  |       |
| DHN-1679-A | NOTOCACTUS | species Boll 23 Uhlig Kakteen nursery Germany   | 20s - 40s | 23,80 Kč  |       |
| DHN-1680-A | NOTOCACTUS | species Boll 31 Uhlig Kakteen nursery Germany   | 20s - 40s | 23,80 Kč  |       |
| DHN-1680-B | NOTOCACTUS | species Boll 31 Uhlig Kakteen nursery Germany   | 42s - 60s | 45,00 Kč  |       |
| DHN-1680-C | NOTOCACTUS | species Boll 31 Uhlig Kakteen nursery Germany   | 100s      | 90,00 Kč  |       |
| DHN-1680-D | NOTOCACTUS | species Boll 31 Uhlig Kakteen nursery Germany   | 500s      | 335,00 Kč |       |
| DHN-1681-A | NOTOCACTUS | species BORN 105 (Bornemann) Czech nursery Benesov CZ   | 20s - 40s | 23,80 Kč  |       |
| DHN-1681-B | NOTOCACTUS | species BORN 105 (Bornemann) Czech nursery Benesov CZ   | 42s - 60s | 45,00 Kč  |       |
| DHN-1681-C | NOTOCACTUS | species BORN 105 (Bornemann) Czech nursery Benesov CZ   | 100s      | 90,00 Kč  |       |
| DHN-1682-A | NOTOCACTUS | species PR 207 A Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1682-B | NOTOCACTUS | species PR 207 A Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1682-C | NOTOCACTUS | species PR 207 A Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1682-D | NOTOCACTUS | species PR 207 A Rio Grande do Sul Brazil   | 500s      | 335,00 Kč |       |
| DHN-1683-A | NOTOCACTUS | species WRA 212 Wolf Rainer Abraham Livramento Rio Grande do Sul Brazil                         | 20s - 40s | 23,80 Kč  |       |
| DHN-1683-B | NOTOCACTUS | species WRA 212 Wolf Rainer Abraham Livramento Rio Grande do Sul Brazil                         | 42s - 60s | 45,00 Kč  |       |
| DHN-1683-C | NOTOCACTUS | species WRA 212 Wolf Rainer Abraham Livramento Rio Grande do Sul Brazil                         | 100s      | 90,00 Kč  |       |
| DHN-1684-A | NOTOCACTUS | submammulosus (very strong flat centrals) CH 1008 West of Avellaneda 853 m Cordoba Argentina    | 20s - 40s | 23,80 Kč  |       |
| DHN-1684-B | NOTOCACTUS | submammulosus (very strong flat centrals) CH 1008 West of Avellaneda 853 m Cordoba Argentina    | 42s - 60s | 45,00 Kč  |       |
| DHN-1684-C | NOTOCACTUS | submammulosus (very strong flat centrals) CH 1008 West of Avellaneda 853 m Cordoba Argentina    | 100s      | 90,00 Kč  |       |
| DHN-1684-D | NOTOCACTUS | submammulosus (very strong flat centrals) CH 1008 West of Avellaneda 853 m Cordoba Argentina    | 500s      | 335,00 Kč |       |
| DHN-1691-A | NOTOCACTUS | submammulosus (very strong flat centrals) JN 604 Tanti to Rancho Blanco 903 m Cordoba Argentina | 20s - 40s | 23,80 Kč  |       |
| DHN-1691-B | NOTOCACTUS | submammulosus (very strong flat centrals) JN 604 Tanti to Rancho Blanco 903 m Cordoba Argentina | 42s - 60s | 45,00 Kč  |       |
| DHN-1691-C | NOTOCACTUS | submammulosus (very strong flat centrals) JN 604 Tanti to Rancho Blanco 903 m Cordoba Argentina | 100s      | 90,00 Kč  |       |
| DHN-1691-D | NOTOCACTUS | submammulosus (very strong flat centrals) JN 604 Tanti to Rancho Blanco 903 m Cordoba Argentina | 500s      | 335,00 Kč |       |
| DHN-1685-A | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 18 B Ischlin I. (Museo Father) Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHN-1685-B | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 18 B Ischlin I. (Museo Father) Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHN-1685-C | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 18 B Ischlin I. (Museo Father) Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHN-1685-D | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 18 B Ischlin I. (Museo Father) Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHN-1686-A | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 2 B La Falda Cordoba Argentina                    | 20s - 40s | 23,80 Kč  |       |
| DHN-1686-B | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 2 B La Falda Cordoba Argentina                    | 42s - 60s | 45,00 Kč  |       |
| DHN-1686-C | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 2 B La Falda Cordoba Argentina                    | 100s      | 90,00 Kč  |       |
| DHN-1686-D | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 2 B La Falda Cordoba Argentina                    | 500s      | 335,00 Kč |       |
| DHN-1687-A | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 6 B La Cumbre I. Cordoba Argentina                | 20s - 40s | 23,80 Kč  |       |
| DHN-1687-B | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 6 B La Cumbre I. Cordoba Argentina                | 42s - 60s | 45,00 Kč  |       |
| DHN-1687-C | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 6 B La Cumbre I. Cordoba Argentina                | 100s      | 90,00 Kč  |       |
| DHN-1687-D | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 6 B La Cumbre I. Cordoba Argentina                | 500s      | 335,00 Kč |       |
| DHN-1688-A | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 7 B La Cumbre II. Cordoba Argentina               | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHN-1688-B | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 7 B La Cumbre II. Cordoba Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHN-1688-C | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 7 B La Cumbre II. Cordoba Argentina   | 100s      | 90,00 Kč  |       |
| DHN-1688-D | NOTOCACTUS | submammulosus (very strong flat centrals) KLA 7 B La Cumbre II. Cordoba Argentina   | 500s      | 335,00 Kč |       |
| DHN-1689-A | NOTOCACTUS | submammulosus f. caespitosus WRA 482 Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1689-B | NOTOCACTUS | submammulosus f. caespitosus WRA 482 Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1689-C | NOTOCACTUS | submammulosus f. caespitosus WRA 482 Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1689-D | NOTOCACTUS | submammulosus f. caespitosus WRA 482 Rio Grande do Sul Brazil   | 500s      | 335,00 Kč |       |
| DHN-1690-A | NOTOCACTUS | submammulosus f. longispinus (very strong flat long centrals) Czech Nursery Breclav CZ  | 20s - 40s | 23,80 Kč  |       |
| DHN-1690-B | NOTOCACTUS | submammulosus f. longispinus (very strong flat long centrals) Czech Nursery Breclav CZ  | 42s - 60s | 45,00 Kč  |       |
| DHN-1690-C | NOTOCACTUS | submammulosus f. longispinus (very strong flat long centrals) Czech Nursery Breclav CZ  | 100s      | 90,00 Kč  |       |
| DHN-1690-D | NOTOCACTUS | submammulosus f. longispinus (very strong flat long centrals) Czech Nursery Breclav CZ  | 500s      | 335,00 Kč |       |
| DHN-1692-A | NOTOCACTUS | submammulosus v. minor f. rubriflorus (Josef Odehnal location, dark red light violet flowers) KLA 29 A Los Monteros Catamarca Argentina             | 20s - 40s | 25,50 Kč  |       |
| DHN-1692-B | NOTOCACTUS | submammulosus v. minor f. rubriflorus (Josef Odehnal location, dark red light violet flowers) KLA 29 A Los Monteros Catamarca Argentina             | 42s - 60s | 48,00 Kč  |       |
| DHN-1692-C | NOTOCACTUS | submammulosus v. minor f. rubriflorus (Josef Odehnal location, dark red light violet flowers) KLA 29 A Los Monteros Catamarca Argentina             | 100s      | 96,00 Kč  |       |
| DHN-1693-A | NOTOCACTUS | submammulosus v. pampeanus WR 105 Sierra Chica Cordoba Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHN-1693-B | NOTOCACTUS | submammulosus v. pampeanus WR 105 Sierra Chica Cordoba Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHN-1693-C | NOTOCACTUS | submammulosus v. pampeanus WR 105 Sierra Chica Cordoba Argentina  | 100s      | 90,00 Kč  |       |
| DHN-1693-D | NOTOCACTUS | submammulosus v. pampeanus WR 105 Sierra Chica Cordoba Argentina  | 500s      | 335,00 Kč |       |
| DHN-1694-A | NOTOCACTUS | tabularis HU 292 Piriapolis Maldonado Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHN-1694-B | NOTOCACTUS | tabularis HU 292 Piriapolis Maldonado Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHN-1695-A | NOTOCACTUS | warasii (dark grass green body) HU 1489 Vila Assis Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1695-B | NOTOCACTUS | warasii (dark grass green body) HU 1489 Vila Assis Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1695-C | NOTOCACTUS | warasii (dark grass green body) HU 1489 Vila Assis Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHN-1695-D | NOTOCACTUS | warasii (dark grass green body) HU 1489 Vila Assis Rio Grande do Sul Brazil   | 500s      | 335,00 Kč |       |
| DHN-1696-A | NOTOCACTUS | warasii (dark grass green body) HU 426 Rio Pardo Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHN-1696-B | NOTOCACTUS | warasii (dark grass green body) HU 426 Rio Pardo Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHN-1696-C | NOTOCACTUS | warasii (dark grass green body) HU 426 Rio Pardo Rio Grande do Sul Brazil   | 100s      | 90,00 Kč  |       |
| DHO-1697-A | OPUNTIA    | distans f. inermis (quimilo, orange-reddish bigger flowers) KAB 68 A Sierra de Guasayan Santiago de Estero Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHO-1697-B | OPUNTIA    | distans f. inermis (quimilo, orange-reddish bigger flowers) KAB 68 A Sierra de Guasayan Santiago de Estero Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHO-1697-C | OPUNTIA    | distans f. inermis (quimilo, orange-reddish bigger flowers) KAB 68 A Sierra de Guasayan Santiago de Estero Argentina                                | 100s      | 90,00 Kč  |       |
| DHO-1697-D | OPUNTIA    | distans f. inermis (quimilo, orange-reddish bigger flowers) KAB 68 A Sierra de Guasayan Santiago de Estero Argentina                                | 500s      | 335,00 Kč |       |
| DHO-1697-E | OPUNTIA    | distans f. inermis (quimilo, orange-reddish bigger flowers) KAB 68 A Sierra de Guasayan Santiago de Estero Argentina                                | 1000s     | 569,00 Kč |       |
| DHO-1699-A | OPUNTIA    | imbricata (clusters, red to pink spines, pretty pink-purple flowers) MM Cinco de Mayo Coahuila Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHO-1699-B | OPUNTIA    | imbricata (clusters, red to pink spines, pretty pink-purple flowers) MM Cinco de Mayo Coahuila Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHO-1699-C | OPUNTIA    | imbricata (clusters, red to pink spines, pretty pink-purple flowers) MM Cinco de Mayo Coahuila Mexico   | 100s      | 90,00 Kč  |       |
| DHO-1700-A | OPUNTIA    | imbricata (clusters, red to pink spines, pretty pink-purple flowers) MM La Hincada San Luis Potosi Mexico   | 20s - 40s | 23,80 Kč  |       |
| DHO-1700-B | OPUNTIA    | imbricata (clusters, red to pink spines, pretty pink-purple flowers) MM La Hincada San Luis Potosi Mexico   | 42s - 60s | 45,00 Kč  |       |
| DHO-1700-C | OPUNTIA    | imbricata (clusters, red to pink spines, pretty pink-purple flowers) MM La Hincada San Luis Potosi Mexico   | 100s      | 90,00 Kč  |       |
| DHO-2826-A | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.1 Oroya to Tarma 3500 m Junin Peru             | 20s - 40s | 34,00 Kč  |       |
| DHO-2826-B | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.1 Oroya to Tarma 3500 m Junin Peru             | 42s - 60s | 64,00 Kč  |       |
| DHO-2827-A | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.2 about 23 km South of Tarma 4120 m Junin Peru | 20s - 40s | 34,00 Kč  |       |
| DHO-2827-B | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.2 about 23 km South of Tarma 4120 m Junin Peru | 42s - 60s | 64,00 Kč  |       |
| DHO-2828-A | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.3 Jauja 3630 m Junin Peru                      | 20s - 40s | 34,00 Kč  |       |
| DHO-2828-B | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.3 Jauja 3630 m Junin Peru                      | 42s - 60s | 64,00 Kč  |       |
| DHO-2829-A | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.4 Tarmatambo 3800 m Junin Peru                 | 20s - 40s | 34,00 Kč  |       |
| DHO-2829-B | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.4 Tarmatambo 3800 m Junin Peru                 | 42s - 60s | 64,00 Kč  |       |
| DHO-2830-A | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.5 about 6 km West of Tarma 4290 m Junin Peru   | 20s - 40s | 34,00 Kč  |       |
| DHO-2830-B | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.5 about 6 km West of Tarma 4290 m Junin Peru   | 42s - 60s | 64,00 Kč  |       |
| DHO-2831-A | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.6 La Oroya 3200 m Junin Peru                   | 20s - 40s | 34,00 Kč  |       |
| DHO-2831-B | OROYA      | peruviana v. neoperuviana (pectinated straw yellow reddish dense spines, orange red flowers) KP-PE 3.6 La Oroya 3200 m Junin Peru                   | 42s - 60s | 64,00 Kč  |       |
| DHP-1706-A | PARODIA    | catamarcensis (short spines light brown, flowers yellow) KP 207 Cuesta de Sebila II. alt 1031 m Catamarca Argentina                                 | 20s - 40s | 23,80 Kč  |       |
| DHP-1706-B | PARODIA    | catamarcensis (short spines light brown, flowers yellow) KP 207 Cuesta de Sebila II. alt 1031 m Catamarca Argentina                                 | 42s - 60s | 45,00 Kč  |       |
| DHP-1706-C | PARODIA    | catamarcensis (short spines light brown, flowers yellow) KP 207 Cuesta de Sebila II. alt 1031 m Catamarca Argentina                                 | 100s      | 90,00 Kč  |       |
| DHP-1706-D | PARODIA    | catamarcensis (short spines light brown, flowers yellow) KP 207 Cuesta de Sebila II. alt 1031 m Catamarca Argentina                                 | 500s      | 335,00 Kč |       |
| DHP-1707-A | PARODIA    | catamarcensis ssp. nova (purple violet large flowers) KLA 36 B Cerro Rio Negro Catamarca Argentina  | 20s - 40s | 25,50 Kč  |       |

| CODE       | GENUS     | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|-----------|--|-----------|-----------|-------|
| DHP-1707-B | PARODIA   | catamarcensis ssp. nova (purple violet large flowers) KLA 36 B Cerro Rio Negro Catamarca Argentina               | 42s - 60s | 48,00 Kč  |       |
| DHP-1707-C | PARODIA   | catamarcensis ssp. nova (purple violet large flowers) KLA 36 B Cerro Rio Negro Catamarca Argentina               | 100s      | 96,00 Kč  |       |
| DHP-1707-D | PARODIA   | catamarcensis ssp. nova (purple violet large flowers) KLA 36 B Cerro Rio Negro Catamarca Argentina               | 500s      | 359,00 Kč |       |
| DHP-2962-A | PARODIA   | comarapana (long and straight white centrals) FR 743 Comarapa Santa Cruz Bolivia                                 | 20s - 40s | 23,80 Kč  |       |
| DHP-2962-B | PARODIA   | comarapana (long and straight white centrals) FR 743 Comarapa Santa Cruz Bolivia                                 | 42s - 60s | 45,00 Kč  |       |
| DHP-2962-C | PARODIA   | comarapana (long and straight white centrals) FR 743 Comarapa Santa Cruz Bolivia                                 | 100s      | 90,00 Kč  |       |
| DHP-2962-D | PARODIA   | comarapana (long and straight white centrals) FR 743 Comarapa Santa Cruz Bolivia                                 | 500s      | 335,00 Kč |       |
| DHP-2961-A | PARODIA   | comarapana (long and straight white centrals) KK 1462 Comarapa 2200 m Santa Cruz Bolivia                         | 20s - 40s | 23,80 Kč  |       |
| DHP-2961-B | PARODIA   | comarapana (long and straight white centrals) KK 1462 Comarapa 2200 m Santa Cruz Bolivia                         | 42s - 60s | 45,00 Kč  |       |
| DHP-2961-C | PARODIA   | comarapana (long and straight white centrals) KK 1462 Comarapa 2200 m Santa Cruz Bolivia                         | 100s      | 90,00 Kč  |       |
| DHP-2961-D | PARODIA   | comarapana (long and straight white centrals) KK 1462 Comarapa 2200 m Santa Cruz Bolivia                         | 500s      | 335,00 Kč |       |
| DHP-1708-A | PARODIA   | comarapana (long and straight white centrals) MS 420 A Comarapa 1649 m Santa Cruz Bolivia                        | 20s - 40s | 23,80 Kč  |       |
| DHP-1708-B | PARODIA   | comarapana (long and straight white centrals) MS 420 A Comarapa 1649 m Santa Cruz Bolivia                        | 42s - 60s | 45,00 Kč  |       |
| DHP-1708-C | PARODIA   | comarapana (long and straight white centrals) MS 420 A Comarapa 1649 m Santa Cruz Bolivia                        | 100s      | 90,00 Kč  |       |
| DHP-1708-D | PARODIA   | comarapana (long and straight white centrals) MS 420 A Comarapa 1649 m Santa Cruz Bolivia                        | 500s      | 335,00 Kč |       |
| DHP-2959-A | PARODIA   | comarapana (long and straight white centrals) RH 1645 Caballero Quine 2150 m Santa Cruz Bolivia                  | 20s - 40s | 23,80 Kč  |       |
| DHP-2959-B | PARODIA   | comarapana (long and straight white centrals) RH 1645 Caballero Quine 2150 m Santa Cruz Bolivia                  | 42s - 60s | 45,00 Kč  |       |
| DHP-2959-C | PARODIA   | comarapana (long and straight white centrals) RH 1645 Caballero Quine 2150 m Santa Cruz Bolivia                  | 100s      | 90,00 Kč  |       |
| DHP-2959-D | PARODIA   | comarapana (long and straight white centrals) RH 1645 Caballero Quine 2150 m Santa Cruz Bolivia                  | 500s      | 335,00 Kč |       |
| DHP-2960-A | PARODIA   | comarapana (long and straight white centrals) TB 504.2 Comarapa 2133 m Santa Cruz Bolivia                        | 20s - 40s | 23,80 Kč  |       |
| DHP-2960-B | PARODIA   | comarapana (long and straight white centrals) TB 504.2 Comarapa 2133 m Santa Cruz Bolivia                        | 42s - 60s | 45,00 Kč  |       |
| DHP-2960-C | PARODIA   | comarapana (long and straight white centrals) TB 504.2 Comarapa 2133 m Santa Cruz Bolivia                        | 100s      | 90,00 Kč  |       |
| DHP-2960-D | PARODIA   | comarapana (long and straight white centrals) TB 504.2 Comarapa 2133 m Santa Cruz Bolivia                        | 500s      | 335,00 Kč |       |
| DHP-1712-A | PARODIA   | microsperma (tight reddish brown spines) KP 210 South of Yocan 615 m Catamarca Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHP-1712-B | PARODIA   | microsperma (tight reddish brown spines) KP 210 South of Yocan 615 m Catamarca Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHP-1712-C | PARODIA   | microsperma (tight reddish brown spines) KP 210 South of Yocan 615 m Catamarca Argentina                         | 100s      | 90,00 Kč  |       |
| DHP-1713-A | PARODIA   | microsperma (tight reddish brown spines) KP 261 Santa Catalina 540 m Santiago de Estero Argentina                | 20s - 40s | 23,80 Kč  |       |
| DHP-1713-B | PARODIA   | microsperma (tight reddish brown spines) KP 261 Santa Catalina 540 m Santiago de Estero Argentina                | 42s - 60s | 45,00 Kč  |       |
| DHP-1713-C | PARODIA   | microsperma (tight reddish brown spines) KP 261 Santa Catalina 540 m Santiago de Estero Argentina                | 100s      | 90,00 Kč  |       |
| DHP-1718-A | PLATANUS  | hispanica X (popular ornamental, frost resistant Mendoza form) KAB 8C San Rafael (Rogupani) Mendoza Argentina    | 20s - 40s | 23,80 Kč  |       |
| DHP-1718-B | PLATANUS  | hispanica X (popular ornamental, frost resistant Mendoza form) KAB 8C San Rafael (Rogupani) Mendoza Argentina    | 42s - 60s | 45,00 Kč  |       |
| DHP-1718-C | PLATANUS  | hispanica X (popular ornamental, frost resistant Mendoza form) KAB 8C San Rafael (Rogupani) Mendoza Argentina    | 100s      | 90,00 Kč  |       |
| DHP-1718-D | PLATANUS  | hispanica X (popular ornamental, frost resistant Mendoza form) KAB 8C San Rafael (Rogupani) Mendoza Argentina    | 500s      | 335,00 Kč |       |
| DHP-1718-E | PLATANUS  | hispanica X (popular ornamental, frost resistant Mendoza form) KAB 8C San Rafael (Rogupani) Mendoza Argentina    | 1000s     | 569,00 Kč |       |
| DHP-1721-A | PORTULACA | cryptopetala (Argentina Buenos Aires province Tandil alt 250 m) AT-41 Czech Nursery CZ                           | 20s - 40s | 23,80 Kč  |       |
| DHP-1721-B | PORTULACA | cryptopetala (Argentina Buenos Aires province Tandil alt 250 m) AT-41 Czech Nursery CZ                           | 42s - 60s | 45,00 Kč  |       |
| DHP-1721-C | PORTULACA | cryptopetala (Argentina Buenos Aires province Tandil alt 250 m) AT-41 Czech Nursery CZ                           | 100s      | 90,00 Kč  |       |
| DHP-1722-A | PORTULACA | oleracea (Portulacaceae) AT-42 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHP-1722-B | PORTULACA | oleracea (Portulacaceae) AT-42 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHP-1722-C | PORTULACA | oleracea (Portulacaceae) AT-42 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHP-1723-A | PORTULACA | oleracea v. sylvestris (Portulacaceae) AT-43 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHP-1723-B | PORTULACA | oleracea v. sylvestris (Portulacaceae) AT-43 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHP-1723-C | PORTULACA | oleracea v. sylvestris (Portulacaceae) AT-43 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHP-1724-A | PORTULACA | pilosa (Portulacaceae) AT-44 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHP-1724-B | PORTULACA | pilosa (Portulacaceae) AT-44 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHP-1724-C | PORTULACA | pilosa (Portulacaceae) AT-44 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHP-1728-A | PUYA      | spathacea (bromeliad native to Chilean Andes) KLA 11 B Capilla del Monte II rocks Cordoba Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHP-1728-B | PUYA      | spathacea (bromeliad native to Chilean Andes) KLA 11 B Capilla del Monte II rocks Cordoba Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHP-1728-C | PUYA      | spathacea (bromeliad native to Chilean Andes) KLA 11 B Capilla del Monte II rocks Cordoba Argentina              | 100s      | 90,00 Kč  |       |
| DHP-1728-D | PUYA      | spathacea (bromeliad native to Chilean Andes) KLA 11 B Capilla del Monte II rocks Cordoba Argentina              | 500s      | 335,00 Kč |       |
| DHP-1728-E | PUYA      | spathacea (bromeliad native to Chilean Andes) KLA 11 B Capilla del Monte II rocks Cordoba Argentina              | 1000s     | 569,00 Kč |       |
| DHR-1751-A | REBUTIA   | diersiana (pale golden yellow flowers) R 631 Yuquina Chuquisaca Bolivia  | 20s - 40s | 23,80 Kč  |       |
| DHR-1751-B | REBUTIA   | diersiana (pale golden yellow flowers) R 631 Yuquina Chuquisaca Bolivia  | 42s - 60s | 45,00 Kč  |       |
| DHR-1751-C | REBUTIA   | diersiana (pale golden yellow flowers) R 631 Yuquina Chuquisaca Bolivia  | 100s      | 90,00 Kč  |       |
| DHR-1756-A | REBUTIA   | haagei v. orurensis (salmon flowers with light throat) SE 135 between Pazna and Challapata 3900 m Potosi Bolivia | 20s - 40s | 23,80 Kč  |       |

| CODE       | GENUS          | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|----------------|---|-----------|-----------|-------|
| DHR-1756-B | REBUTIA        | haagei v. orurensis (salmon flowers with light throat) SE 135 between Pazna and Challapata 3900 m Potosi Bolivia    | 42s - 60s | 45,00 Kč  |       |
| DHR-1756-C | REBUTIA        | haagei v. orurensis (salmon flowers with light throat) SE 135 between Pazna and Challapata 3900 m Potosi Bolivia    | 100s      | 90,00 Kč  |       |
| DHR-1757-A | REBUTIA        | haagei v. orurensis (salmon flowers with light throat) VJ 14 above 20 km South of Oruro Oruro Bolivia               | 20s - 40s | 23,80 Kč  |       |
| DHR-1757-B | REBUTIA        | haagei v. orurensis (salmon flowers with light throat) VJ 14 above 20 km South of Oruro Oruro Bolivia               | 42s - 60s | 45,00 Kč  |       |
| DHR-1757-C | REBUTIA        | haagei v. orurensis (salmon flowers with light throat) VJ 14 above 20 km South of Oruro Oruro Bolivia               | 100s      | 90,00 Kč  |       |
| DHR-1767-A | RHODIOLA       | rosea (frostproof caudex alpine plant) AT-49 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHR-1767-B | RHODIOLA       | rosea (frostproof caudex alpine plant) AT-49 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHR-1768-A | RHODODENDRON   | minus CV Carolinianum (USA North Carolina, top bigger flowers) AT-47 Czech Nursery CZ                               | 20s - 40s | 23,80 Kč  |       |
| DHR-1768-B | RHODODENDRON   | minus CV Carolinianum (USA North Carolina, top bigger flowers) AT-47 Czech Nursery CZ                               | 42s - 60s | 45,00 Kč  |       |
| DHR-1768-C | RHODODENDRON   | minus CV Carolinianum (USA North Carolina, top bigger flowers) AT-47 Czech Nursery CZ                               | 100s      | 90,00 Kč  |       |
| DHR-1769-A | RHODODENDRON   | planetum (top bigger flowers) AT-48 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHR-1769-B | RHODODENDRON   | planetum (top bigger flowers) AT-48 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHR-1769-C | RHODODENDRON   | planetum (top bigger flowers) AT-48 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHS-1771-A | SAXIFRAGA      | granulata (Italia Val de Toste alt 2400 m alpine plant) AT-51 Czech Nursery CZ                                      | 20s - 40s | 23,80 Kč  |       |
| DHS-1771-B | SAXIFRAGA      | granulata (Italia Val de Toste alt 2400 m alpine plant) AT-51 Czech Nursery CZ                                      | 42s - 60s | 45,00 Kč  |       |
| DHS-1771-C | SAXIFRAGA      | granulata (Italia Val de Toste alt 2400 m alpine plant) AT-51 Czech Nursery CZ                                      | 100s      | 90,00 Kč  |       |
| DHS-1772-A | SAXIFRAGA      | hirsuta (alpine plant) AT-52 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHS-1772-B | SAXIFRAGA      | hirsuta (alpine plant) AT-52 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHS-1772-C | SAXIFRAGA      | hirsuta (alpine plant) AT-52 Czech Nursery CZ   | 100s      | 90,00 Kč  |       |
| DHS-1773-A | SAXIFRAGA      | hostii (alpine plant) AT-53 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHS-1773-B | SAXIFRAGA      | hostii (alpine plant) AT-53 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHS-1773-C | SAXIFRAGA      | hostii (alpine plant) AT-53 Czech Nursery CZ  | 100s      | 90,00 Kč  |       |
| DHS-1774-A | SAXIFRAGA      | tenella (alpine plant) AT-54 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHS-1774-B | SAXIFRAGA      | tenella (alpine plant) AT-54 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHS-1774-C | SAXIFRAGA      | tenella (alpine plant) AT-54 Czech Nursery CZ   | 100s      | 90,00 Kč  |       |
| DHS-1775-A | SEDUM          | aizoon (alpine plant) AT-55 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHS-1775-B | SEDUM          | aizoon (alpine plant) AT-55 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHS-1776-A | SEDUM          | cepae (alpine plant) AT-56 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHS-1776-B | SEDUM          | cepae (alpine plant) AT-56 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHS-1777-A | SEDUM          | maximum (alpine plant) AT-57 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHS-1777-B | SEDUM          | maximum (alpine plant) AT-57 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHS-1778-A | SEDUM          | ussuriense (alpine plant) AT-58 Czech Nursery CZ  | 20s - 40s | 23,80 Kč  |       |
| DHS-1778-B | SEDUM          | ussuriense (alpine plant) AT-58 Czech Nursery CZ  | 42s - 60s | 45,00 Kč  |       |
| DHS-1779-A | SENNA          | marilandica (Leguminosae Cassia marilandica) AT-59 Czech Nursery CZ   | 20s - 40s | 34,00 Kč  |       |
| DHS-1779-B | SENNA          | marilandica (Leguminosae Cassia marilandica) AT-59 Czech Nursery CZ   | 42s - 60s | 64,00 Kč  |       |
| DHS-1779-C | SENNA          | marilandica (Leguminosae Cassia marilandica) AT-59 Czech Nursery CZ   | 100s      | 128,00 Kč |       |
| DHS-1780-A | SETIECHINOPSIS | mirabilis (long nocturnal flowers) JPR 92-84/190 Zapata to Tunuyan 900 m Mendoza Argentina                          | 20s - 40s | 25,50 Kč  |       |
| DHS-1780-B | SETIECHINOPSIS | mirabilis (long nocturnal flowers) JPR 92-84/190 Zapata to Tunuyan 900 m Mendoza Argentina                          | 42s - 60s | 48,00 Kč  |       |
| DHS-1780-C | SETIECHINOPSIS | mirabilis (long nocturnal flowers) JPR 92-84/190 Zapata to Tunuyan 900 m Mendoza Argentina                          | 100s      | 96,00 Kč  |       |
| DHS-1782-A | SETIECHINOPSIS | mirabilis (long nocturnal flowers) WP 92-161/265 Tunuyan Mendoza Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHS-1782-B | SETIECHINOPSIS | mirabilis (long nocturnal flowers) WP 92-161/265 Tunuyan Mendoza Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHS-1782-C | SETIECHINOPSIS | mirabilis (long nocturnal flowers) WP 92-161/265 Tunuyan Mendoza Argentina  | 100s      | 96,00 Kč  |       |
| DHS-1781-A | SETIECHINOPSIS | mirabilis (long nocturnal flowers) WS 348 Los Colorados La Rioja Argentina  | 20s - 40s | 25,50 Kč  |       |
| DHS-1781-B | SETIECHINOPSIS | mirabilis (long nocturnal flowers) WS 348 Los Colorados La Rioja Argentina  | 42s - 60s | 48,00 Kč  |       |
| DHS-1781-C | SETIECHINOPSIS | mirabilis (long nocturnal flowers) WS 348 Los Colorados La Rioja Argentina  | 100s      | 96,00 Kč  |       |
| DHS-1783-A | SHRUB          | species (larger tree with blue green leaves and fruit like Avocado) KAB 63 C Belen El Centro Catamarca Argentina    | 20s - 40s | 23,80 Kč  |       |
| DHS-1783-B | SHRUB          | species (larger tree with blue green leaves and fruit like Avocado) KAB 63 C Belen El Centro Catamarca Argentina    | 42s - 60s | 45,00 Kč  |       |
| DHS-1783-C | SHRUB          | species (larger tree with blue green leaves and fruit like Avocado) KAB 63 C Belen El Centro Catamarca Argentina    | 100s      | 90,00 Kč  |       |
| DHS-1783-D | SHRUB          | species (larger tree with blue green leaves and fruit like Avocado) KAB 63 C Belen El Centro Catamarca Argentina    | 500s      | 335,00 Kč |       |
| DHS-1784-A | SHRUB          | species (long green stalks fruits of very long pods) KAB 65 E Quebrada Los Amaichas Cascadas 2248 Tucuman Argentina | 20s - 40s | 23,80 Kč  |       |
| DHS-1784-B | SHRUB          | species (long green stalks fruits of very long pods) KAB 65 E Quebrada Los Amaichas Cascadas 2248 Tucuman Argentina | 42s - 60s | 45,00 Kč  |       |
| DHS-1784-C | SHRUB          | species (long green stalks fruits of very long pods) KAB 65 E Quebrada Los Amaichas Cascadas 2248 Tucuman Argentina | 100s      | 90,00 Kč  |       |
| DHS-1784-D | SHRUB          | species (long green stalks fruits of very long pods) KAB 65 E Quebrada Los Amaichas Cascadas 2248 Tucuman Argentina | 500s      | 335,00 Kč |       |
| DHS-1785-A | SHRUB          | species (two differently species of shrubs growing on this location) KAB 66 C El Remate 2210 m Tucuman Argentina    | 20s - 40s | 23,80 Kč  |       |
| DHS-1785-B | SHRUB          | species (two differently species of shrubs growing on this location) KAB 66 C El Remate 2210 m Tucuman Argentina    | 42s - 60s | 45,00 Kč  |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)    | ORDER |
|------------|--------------|---|-----------|-------------|-------|
| DHS-1789-A | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 70 A Icano Valley Catamarca Argentina  | 20s - 40s | 23,80 Kč    |       |
| DHS-1789-B | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 70 A Icano Valley Catamarca Argentina  | 42s - 60s | 45,00 Kč    |       |
| DHS-1789-C | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 70 A Icano Valley Catamarca Argentina  | 100s      | 90,00 Kč    |       |
| DHS-1789-D | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 70 A Icano Valley Catamarca Argentina  | 500s      | 335,00 Kč   |       |
| DHS-1789-E | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 70 A Icano Valley Catamarca Argentina  | 1000s     | 569,00 Kč   |       |
| DHS-1790-A | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 71 A Rio Chico (house) Catamarca Argentina   | 20s - 40s | 23,80 Kč    |       |
| DHS-1790-B | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 71 A Rio Chico (house) Catamarca Argentina   | 42s - 60s | 45,00 Kč    |       |
| DHS-1790-C | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 71 A Rio Chico (house) Catamarca Argentina   | 100s      | 90,00 Kč    |       |
| DHS-1790-D | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 71 A Rio Chico (house) Catamarca Argentina   | 500s      | 335,00 Kč   |       |
| DHS-1790-E | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 71 A Rio Chico (house) Catamarca Argentina   | 1000s     | 569,00 Kč   |       |
| DHS-1791-A | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 72 C Recreo (Salinas Grandes) Ruta 157 Catamarca Argentina                               | 20s - 40s | 23,80 Kč    |       |
| DHS-1791-B | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 72 C Recreo (Salinas Grandes) Ruta 157 Catamarca Argentina                               | 42s - 60s | 45,00 Kč    |       |
| DHS-1791-C | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 72 C Recreo (Salinas Grandes) Ruta 157 Catamarca Argentina                               | 100s      | 90,00 Kč    |       |
| DHS-1791-D | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 72 C Recreo (Salinas Grandes) Ruta 157 Catamarca Argentina                               | 500s      | 335,00 Kč   |       |
| DHS-1791-E | STETSONIA    | coryne (typical long centrals, very good for grafting) KAB 72 C Recreo (Salinas Grandes) Ruta 157 Catamarca Argentina                               | 1000s     | 569,00 Kč   |       |
| DHS-1792-A | STETSONIA    | coryne (typical long centrals, very good for grafting) KFF 1219 Casa de Piedra 228 m Catamarca Argentina  | 20s - 40s | 23,80 Kč    |       |
| DHS-1792-B | STETSONIA    | coryne (typical long centrals, very good for grafting) KFF 1219 Casa de Piedra 228 m Catamarca Argentina  | 42s - 60s | 45,00 Kč    |       |
| DHS-1792-C | STETSONIA    | coryne (typical long centrals, very good for grafting) KFF 1219 Casa de Piedra 228 m Catamarca Argentina  | 100s      | 90,00 Kč    |       |
| DHS-1792-D | STETSONIA    | coryne (typical long centrals, very good for grafting) KFF 1219 Casa de Piedra 228 m Catamarca Argentina  | 500s      | 335,00 Kč   |       |
| DHS-1792-E | STETSONIA    | coryne (typical long centrals, very good for grafting) KFF 1219 Casa de Piedra 228 m Catamarca Argentina  | 1000s     | 569,00 Kč   |       |
| DHS-1806-A | SULCOREBUTIA | purpurea (purple to violet red flowers) HS 109 Cuesta de Santiago to Novillero km 3 alt 2800 m Cochabamba Bolivia                                   | 20s - 40s | 51,00 Kč    |       |
| DHS-1806-B | SULCOREBUTIA | purpurea (purple to violet red flowers) HS 109 Cuesta de Santiago to Novillero km 3 alt 2800 m Cochabamba Bolivia                                   | 42s - 60s | 96,00 Kč    |       |
| DHT-2466-A | TALINUM      | calycinum (Portulacaceae, fleshy bright green needle like leaves, bright pink magenta flowers) JWB 109 (John Blanchard) USA                         | 20s - 40s | 34,00 Kč    |       |
| DHT-2466-B | TALINUM      | calycinum (Portulacaceae, fleshy bright green needle like leaves, bright pink magenta flowers) JWB 109 (John Blanchard) USA                         | 42s - 60s | 64,00 Kč    |       |
| DHT-2466-C | TALINUM      | calycinum (Portulacaceae, fleshy bright green needle like leaves, bright pink magenta flowers) JWB 109 (John Blanchard) USA                         | 100s      | 128,00 Kč   |       |
| DHT-1815-A | TALINUM      | crassifolium v. albiflorum (Anacampseros lanceolata v. albiflora) South Africa  | 20s - 40s | 34,00 Kč    |       |
| DHT-1815-B | TALINUM      | crassifolium v. albiflorum (Anacampseros lanceolata v. albiflora) South Africa  | 42s - 60s | 64,00 Kč    |       |
| DHT-1815-C | TALINUM      | crassifolium v. albiflorum (Anacampseros lanceolata v. albiflora) South Africa  | 100s      | 128,00 Kč   |       |
| DHT-1815-D | TALINUM      | crassifolium v. albiflorum (Anacampseros lanceolata v. albiflora) South Africa  | 500s      | 479,00 Kč   |       |
| DHT-1816-A | TALIAM       | paniculatum (tuberous roots and panicles of flowers) AT-61 Czech Nursery CZ   | 20s - 40s | 23,80 Kč    |       |
| DHT-1816-B | TALIAM       | paniculatum (tuberous roots and panicles of flowers) AT-61 Czech Nursery CZ   | 42s - 60s | 45,00 Kč    |       |
| DHT-1816-C | TALIAM       | paniculatum (tuberous roots and panicles of flowers) AT-61 Czech Nursery CZ   | 100s      | 90,00 Kč    |       |
| DHT-2991-A | TEPHROCACTUS | papyracanthus f. inermis (greyish cylindrical segments, large light pinkish flowers) KP 75 Famatina Pituil San Blas cruce 1161 m La Rioja Argentina | 20s - 40s | 85,00 Kč    |       |
| DHT-2991-B | TEPHROCACTUS | papyracanthus f. inermis (greyish cylindrical segments, large light pinkish flowers) KP 75 Famatina Pituil San Blas cruce 1161 m La Rioja Argentina | 42s - 60s | 159,00 Kč   |       |
| DHT-2991-C | TEPHROCACTUS | papyracanthus f. inermis (greyish cylindrical segments, large light pinkish flowers) KP 75 Famatina Pituil San Blas cruce 1161 m La Rioja Argentina | 100s      | 319,00 Kč   |       |
| DHT-1858-A | TEPHROCACTUS | papyracanthus f. longispinus (classic long papery twisted spines) KBA 67 A Chilecito to Famatina Road 1256 m La Rioja Argentina                     | 20s - 40s | 85,00 Kč    |       |
| DHT-1858-B | TEPHROCACTUS | papyracanthus f. longispinus (classic long papery twisted spines) KBA 67 A Chilecito to Famatina Road 1256 m La Rioja Argentina                     | 42s - 60s | 159,00 Kč   |       |
| DHT-1858-C | TEPHROCACTUS | papyracanthus f. longispinus (classic long papery twisted spines) KBA 67 A Chilecito to Famatina Road 1256 m La Rioja Argentina                     | 100s      | 319,00 Kč   |       |
| DHT-1864-A | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 A Amaicha del Valle Calle Los Perichos Tucuman Argentina                                      | 20s - 40s | 85,00 Kč    |       |
| DHT-1864-B | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 A Amaicha del Valle Calle Los Perichos Tucuman Argentina                                      | 42s - 60s | 159,00 Kč   |       |
| DHT-1864-C | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 A Amaicha del Valle Calle Los Perichos Tucuman Argentina                                      | 100s      | 319,00 Kč   |       |
| DHT-1864-D | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 A Amaicha del Valle Calle Los Perichos Tucuman Argentina                                      | 500s      | 1 196,00 Kč |       |
| DHT-1865-A | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 B Amaicha del Valle (hill up Restobar Arabica) Tucuman Argentina                              | 20s - 40s | 85,00 Kč    |       |
| DHT-1865-B | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 B Amaicha del Valle (hill up Restobar Arabica) Tucuman Argentina                              | 42s - 60s | 159,00 Kč   |       |
| DHT-1865-C | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 B Amaicha del Valle (hill up Restobar Arabica) Tucuman Argentina                              | 100s      | 319,00 Kč   |       |
| DHT-1865-D | TEPHROCACTUS | weberii (bright rich orange reddish spination) KAB 67 B Amaicha del Valle (hill up Restobar Arabica) Tucuman Argentina                              | 500s      | 1 196,00 Kč |       |
| DHT-1866-A | TEPHROCACTUS | weberii (white orange reddish spination) KAB 64 B Rio Villa Vill alt 1805 m Catamarca Argentina   | 20s - 40s | 85,00 Kč    |       |
| DHT-1866-B | TEPHROCACTUS | weberii (white orange reddish spination) KAB 64 B Rio Villa Vill alt 1805 m Catamarca Argentina   | 42s - 60s | 159,00 Kč   |       |
| DHT-1866-C | TEPHROCACTUS | weberii (white orange reddish spination) KAB 64 B Rio Villa Vill alt 1805 m Catamarca Argentina   | 100s      | 319,00 Kč   |       |
| DHT-1866-D | TEPHROCACTUS | weberii (white orange reddish spination) KAB 64 B Rio Villa Vill alt 1805 m Catamarca Argentina   | 500s      | 1 196,00 Kč |       |
| DHT-1867-A | TEPHROCACTUS | weberii f. longi-albispinus (white long downwards wide papery centrals) KAB 52 A Cuesta Miranda 2059 m La Rioja Argentina                           | 20s - 40s | 85,00 Kč    |       |
| DHT-1867-B | TEPHROCACTUS | weberii f. longi-albispinus (white long downwards wide papery centrals) KAB 52 A Cuesta Miranda 2059 m La Rioja Argentina                           | 42s - 60s | 159,00 Kč   |       |
| DHT-1867-C | TEPHROCACTUS | weberii f. longi-albispinus (white long downwards wide papery centrals) KAB 52 A Cuesta Miranda 2059 m La Rioja Argentina                           | 100s      | 319,00 Kč   |       |
| DHT-1867-D | TEPHROCACTUS | weberii f. longi-albispinus (white long downwards wide papery centrals) KAB 52 A Cuesta Miranda 2059 m La Rioja Argentina                           | 500s      | 1 196,00 Kč |       |
| DHT-1867-E | TEPHROCACTUS | weberii f. longi-albispinus (white long downwards wide papery centrals) KAB 52 A Cuesta Miranda 2059 m La Rioja Argentina                           | 1000s     | 2 033,00 Kč |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|--|-----------|-----------|-------|
| DHT-2081-A | THELOCACTUS  | bicolor (coloured spines, usually bicolored flowers) Czech Nursery Breclav CZ  | 20s - 40s | 25,50 Kč  |       |
| DHT-2081-B | THELOCACTUS  | bicolor (coloured spines, usually bicolored flowers) Czech Nursery Breclav CZ  | 42s - 60s | 48,00 Kč  |       |
| DHT-2465-A | THELOCACTUS  | bicolor (coloured spines, usually bicolored flowers) GL 752 Rio Grande City Texas USA  | 20s - 40s | 25,50 Kč  |       |
| DHT-2080-A | THELOCACTUS  | bicolor (coloured spines, usually bicolored flowers) LH 327 Entronque Huizache San Luis Potosi Mexico                          | 20s - 40s | 25,50 Kč  |       |
| DHT-1874-A | THELOCACTUS  | bicolor (coloured spines, usually bicolored flowers) MK 69.210 South of Ciudad Lerdo Durango Mexico                            | 20s - 40s | 25,50 Kč  |       |
| DHT-2997-A | THELOCACTUS  | bicolor (coloured spines, usually bicolored flowers) PAN 194 El Coyote 1400 m San Luis Potosi Mexico                           | 20s - 40s | 25,50 Kč  |       |
| DHT-1878-A | THELOCACTUS  | bicolor (coloured spines, usually bicolored flowers) SB 287 Huizache San Luis Potosi Mexico                                    | 20s - 40s | 25,50 Kč  |       |
| DHT-2720-A | THELOCACTUS  | conothelos (large bubble tubercles, pink flowers) KMR 67 South of Siberia San Antonio Pena Nevada Nuevo Leon Mexico            | 20s - 40s | 25,50 Kč  |       |
| DHT-1898-A | THELOCACTUS  | hexaedrophorus ssp. kvetae (pink reddish large flowers) MZ 739 Villa Juarez San Luis Potosi Mexico                             | 20s - 40s | 51,00 Kč  |       |
| DHT-1911-A | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) CSD 168 Rayones Nuevo Leon Mexico  | 20s - 40s | 25,50 Kč  |       |
| DHT-1911-B | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) CSD 168 Rayones Nuevo Leon Mexico  | 42s - 60s | 48,00 Kč  |       |
| DHT-1913-A | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) MK 99.237 Rayones Nuevo Leon Mexico  | 20s - 40s | 25,50 Kč  |       |
| DHT-1913-B | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) MK 99.237 Rayones Nuevo Leon Mexico  | 42s - 60s | 48,00 Kč  |       |
| DHT-1914-A | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) MZ 95 Rayones Nuevo Leon Mexico  | 20s - 40s | 25,50 Kč  |       |
| DHT-1914-B | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) MZ 95 Rayones Nuevo Leon Mexico  | 42s - 60s | 48,00 Kč  |       |
| DHT-1912-A | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) SN 93 about 10 km before Rayones Nuevo Leon Mexico                           | 20s - 40s | 25,50 Kč  |       |
| DHT-1912-B | THELOCACTUS  | matudae (longer tubercles, larger purple flowers) SN 93 about 10 km before Rayones Nuevo Leon Mexico                           | 42s - 60s | 48,00 Kč  |       |
| DHT-2937-A | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1494 Quebrada Baratillo Atacama Chile                                   | 20s - 40s | 25,50 Kč  |       |
| DHT-2937-B | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1494 Quebrada Baratillo Atacama Chile                                   | 42s - 60s | 48,00 Kč  |       |
| DHT-2937-C | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1494 Quebrada Baratillo Atacama Chile                                   | 100s      | 96,00 Kč  |       |
| DHT-2700-A | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1664 Baratillo Atacama Chile  | 20s - 40s | 25,50 Kč  |       |
| DHT-2700-B | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1664 Baratillo Atacama Chile  | 42s - 60s | 48,00 Kč  |       |
| DHT-2700-C | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1664 Baratillo Atacama Chile  | 100s      | 96,00 Kč  |       |
| DHT-1925-A | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1682 Huasco Bajo (North) Atacama Chile                                  | 20s - 40s | 25,50 Kč  |       |
| DHT-1925-B | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1682 Huasco Bajo (North) Atacama Chile                                  | 42s - 60s | 48,00 Kč  |       |
| DHT-1925-C | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) CH 1682 Huasco Bajo (North) Atacama Chile                                  | 100s      | 96,00 Kč  |       |
| DHT-1926-A | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) JO 727.03 El Boratio 64 m Atacama Chile                                    | 20s - 40s | 25,50 Kč  |       |
| DHT-1926-B | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) JO 727.03 El Boratio 64 m Atacama Chile                                    | 42s - 60s | 48,00 Kč  |       |
| DHT-1926-C | THELOCEPHALA | aerocarpa (dark body, very short pectinated spines) JO 727.03 El Boratio 64 m Atacama Chile                                    | 100s      | 96,00 Kč  |       |
| DHT-1927-A | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1410 (54B) Quebrada Baratillo 75 m Atacama Chile                   | 20s - 40s | 25,50 Kč  |       |
| DHT-1927-B | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1410 (54B) Quebrada Baratillo 75 m Atacama Chile                   | 42s - 60s | 48,00 Kč  |       |
| DHT-1927-C | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1410 (54B) Quebrada Baratillo 75 m Atacama Chile                   | 100s      | 96,00 Kč  |       |
| DHT-1928-A | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1412 Llano Los Hornitos 81 m Atacama Chile                         | 20s - 40s | 25,50 Kč  |       |
| DHT-1928-B | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1412 Llano Los Hornitos 81 m Atacama Chile                         | 42s - 60s | 48,00 Kč  |       |
| DHT-1928-C | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1412 Llano Los Hornitos 81 m Atacama Chile                         | 100s      | 96,00 Kč  |       |
| DHT-1929-A | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1424 Hacienda Nicolasa 195 m Atacama Chile                         | 20s - 40s | 25,50 Kč  |       |
| DHT-1929-B | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1424 Hacienda Nicolasa 195 m Atacama Chile                         | 42s - 60s | 48,00 Kč  |       |
| DHT-1929-C | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) BCHK 1424 Hacienda Nicolasa 195 m Atacama Chile                         | 100s      | 96,00 Kč  |       |
| DHT-1930-A | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) CH 1490 Colonia Freirina Ojo del Agua Atacama Chile                     | 20s - 40s | 25,50 Kč  |       |
| DHT-1930-B | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) CH 1490 Colonia Freirina Ojo del Agua Atacama Chile                     | 42s - 60s | 48,00 Kč  |       |
| DHT-1930-C | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) CH 1490 Colonia Freirina Ojo del Agua Atacama Chile                     | 100s      | 96,00 Kč  |       |
| DHT-1931-A | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) CH 1656 Puente Maintencillo 253 m Atacama Chile                         | 20s - 40s | 25,50 Kč  |       |
| DHT-1931-B | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) CH 1656 Puente Maintencillo 253 m Atacama Chile                         | 42s - 60s | 48,00 Kč  |       |
| DHT-1931-C | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) CH 1656 Puente Maintencillo 253 m Atacama Chile                         | 100s      | 96,00 Kč  |       |
| DHT-1932-A | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) JN 800 Maintencillo power station 249 m Atacama Chile                   | 20s - 40s | 25,50 Kč  |       |
| DHT-1932-B | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) JN 800 Maintencillo power station 249 m Atacama Chile                   | 42s - 60s | 48,00 Kč  |       |
| DHT-1932-C | THELOCEPHALA | duripulpa (bigger pale yellow to pale reddish flowers) JN 800 Maintencillo power station 249 m Atacama Chile                   | 100s      | 96,00 Kč  |       |
| DHT-1933-A | THELOCEPHALA | esmeraldana (special white and purplish colours of flowers natural mix) BCHK 1383 (38C) Quebrada Las Lozas 211 m Atacama Chile | 20s - 40s | 34,00 Kč  |       |
| DHT-1933-B | THELOCEPHALA | esmeraldana (special white and purplish colours of flowers natural mix) BCHK 1383 (38C) Quebrada Las Lozas 211 m Atacama Chile | 42s - 60s | 64,00 Kč  |       |
| DHT-1933-C | THELOCEPHALA | esmeraldana (special white and purplish colours of flowers natural mix) BCHK 1383 (38C) Quebrada Las Lozas 211 m Atacama Chile | 100s      | 128,00 Kč |       |
| DHT-1934-A | THELOCEPHALA | fankhauseri (news, dark greyish brown or greenish black flat body) BCHK 1425 Mina San Angel 541 m Region de Atacama Chile      | 20s - 40s | 34,00 Kč  |       |
| DHT-1934-B | THELOCEPHALA | fankhauseri (news, dark greyish brown or greenish black flat body) BCHK 1425 Mina San Angel 541 m Region de Atacama Chile      | 42s - 60s | 64,00 Kč  |       |
| DHT-1934-C | THELOCEPHALA | fankhauseri (news, dark greyish brown or greenish black flat body) BCHK 1425 Mina San Angel 541 m Region de Atacama Chile      | 100s      | 128,00 Kč |       |
| DHT-1938-A | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) BCHK 1418 (59C) Los Guindos 83 m Atacama Chile                       | 20s - 40s | 25,50 Kč  |       |
| DHT-1938-B | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) BCHK 1418 (59C) Los Guindos 83 m Atacama Chile                       | 42s - 60s | 48,00 Kč  |       |



| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|--|-----------|-----------|-------|
| DHT-1938-C | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) BCHK 1418 (59C) Los Guindos 83 m Atacama Chile                                     | 100s      | 96,00 Kč  |       |
| DHT-1939-A | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) BCHK 1419 (60A) Huasco Cerro Colorado 113 m Atacama Chile                          | 20s - 40s | 25,50 Kč  |       |
| DHT-1939-B | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) BCHK 1419 (60A) Huasco Cerro Colorado 113 m Atacama Chile                          | 42s - 60s | 48,00 Kč  |       |
| DHT-1939-C | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) BCHK 1419 (60A) Huasco Cerro Colorado 113 m Atacama Chile                          | 100s      | 96,00 Kč  |       |
| DHT-1941-A | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) CH 1503 Barranquillas Atacama Chile  | 20s - 40s | 25,50 Kč  |       |
| DHT-1941-B | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) CH 1503 Barranquillas Atacama Chile  | 42s - 60s | 48,00 Kč  |       |
| DHT-1941-C | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) CH 1503 Barranquillas Atacama Chile  | 100s      | 96,00 Kč  |       |
| DHT-1943-A | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) KBC 973 B Huasco Bajo (transmitter) 83 m Atacama Chile                             | 20s - 40s | 25,50 Kč  |       |
| DHT-1943-B | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) KBC 973 B Huasco Bajo (transmitter) 83 m Atacama Chile                             | 42s - 60s | 48,00 Kč  |       |
| DHT-1943-C | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) KBC 973 B Huasco Bajo (transmitter) 83 m Atacama Chile                             | 100s      | 96,00 Kč  |       |
| DHT-1944-A | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) PV 2379 Freirina (south) Atacama Chile   | 20s - 40s | 25,50 Kč  |       |
| DHT-1944-B | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) PV 2379 Freirina (south) Atacama Chile   | 42s - 60s | 48,00 Kč  |       |
| DHT-1944-C | THELOCEPHALA | glabrescens (stems with nearly spineless large tubercles) PV 2379 Freirina (south) Atacama Chile   | 100s      | 96,00 Kč  |       |
| DHT-2938-A | THELOCEPHALA | challensis (woolly areoles, addressed spines that make it looks like a tiny hairy Epithelantha) JA 18 (Piltz) Llanos de Challe Atacama Chile | 20s - 40s | 34,00 Kč  |       |
| DHT-2938-B | THELOCEPHALA | challensis (woolly areoles, addressed spines that make it looks like a tiny hairy Epithelantha) JA 18 (Piltz) Llanos de Challe Atacama Chile | 42s - 60s | 64,00 Kč  |       |
| DHT-1946-A | THELOCEPHALA | malleolata (pectinated curved spines toward the body) BCHK 1341 (10A) Mina Quarenta (riverbed) 87 m Atacama Chile                            | 20s - 40s | 42,50 Kč  |       |
| DHT-1946-B | THELOCEPHALA | malleolata (pectinated curved spines toward the body) BCHK 1341 (10A) Mina Quarenta (riverbed) 87 m Atacama Chile                            | 42s - 60s | 80,00 Kč  |       |
| DHT-1946-C | THELOCEPHALA | malleolata (pectinated curved spines toward the body) BCHK 1341 (10A) Mina Quarenta (riverbed) 87 m Atacama Chile                            | 100s      | 160,00 Kč |       |
| DHT-1947-A | THELOCEPHALA | malleolata (pectinated curved spines toward the body) CH 1511 Balneario Portifino Atacama Chile  | 20s - 40s | 42,50 Kč  |       |
| DHT-1947-B | THELOCEPHALA | malleolata (pectinated curved spines toward the body) CH 1511 Balneario Portifino Atacama Chile  | 42s - 60s | 80,00 Kč  |       |
| DHT-1947-C | THELOCEPHALA | malleolata (pectinated curved spines toward the body) CH 1511 Balneario Portifino Atacama Chile  | 100s      | 160,00 Kč |       |
| DHT-1952-A | THELOCEPHALA | odieri type (bright white woolly areoles, usually short spines) BCHK 1396 (47A) Punta Medio 91 m Atacama Chile                               | 20s - 40s | 25,50 Kč  |       |
| DHT-1952-B | THELOCEPHALA | odieri type (bright white woolly areoles, usually short spines) BCHK 1396 (47A) Punta Medio 91 m Atacama Chile                               | 42s - 60s | 48,00 Kč  |       |
| DHT-1952-C | THELOCEPHALA | odieri type (bright white woolly areoles, usually short spines) BCHK 1396 (47A) Punta Medio 91 m Atacama Chile                               | 100s      | 96,00 Kč  |       |
| DHT-1954-A | TIGRIDIA     | pavonia (Lilacea, tuber very nice bigger flowers) AT-62 Czech Nursery CZ   | 20s - 40s | 34,00 Kč  |       |
| DHT-1954-B | TIGRIDIA     | pavonia (Lilacea, tuber very nice bigger flowers) AT-62 Czech Nursery CZ   | 42s - 60s | 64,00 Kč  |       |
| DHT-1959-A | TRICHOCEREUS | huascha f. rubriflora (weaker spines, red purple flowers) KLA 106 C Quebrada del Rio Miranda La Rioja Argentina                              | 20s - 40s | 23,80 Kč  |       |
| DHT-1959-B | TRICHOCEREUS | huascha f. rubriflora (weaker spines, red purple flowers) KLA 106 C Quebrada del Rio Miranda La Rioja Argentina                              | 42s - 60s | 45,00 Kč  |       |
| DHT-1959-C | TRICHOCEREUS | huascha f. rubriflora (weaker spines, red purple flowers) KLA 106 C Quebrada del Rio Miranda La Rioja Argentina                              | 100s      | 90,00 Kč  |       |
| DHT-1966-A | TRICHOCEREUS | chilensis v. eburneus (platinum gray long strong spines) JS 207 Cerro Colorado Coquimbo Chile  | 20s - 40s | 23,80 Kč  |       |
| DHT-1966-B | TRICHOCEREUS | chilensis v. eburneus (platinum gray long strong spines) JS 207 Cerro Colorado Coquimbo Chile  | 42s - 60s | 45,00 Kč  |       |
| DHT-1966-C | TRICHOCEREUS | chilensis v. eburneus (platinum gray long strong spines) JS 207 Cerro Colorado Coquimbo Chile  | 100s      | 90,00 Kč  |       |
| DHT-1967-A | TRICHOCEREUS | chilensis v. panhoplites (young spines almost black, central spine very long) JS 249 Vicuna Rio Elqui Coquimbo Chile                         | 20s - 40s | 23,80 Kč  |       |
| DHT-1967-B | TRICHOCEREUS | chilensis v. panhoplites (young spines almost black, central spine very long) JS 249 Vicuna Rio Elqui Coquimbo Chile                         | 42s - 60s | 45,00 Kč  |       |
| DHT-1967-C | TRICHOCEREUS | chilensis v. panhoplites (young spines almost black, central spine very long) JS 249 Vicuna Rio Elqui Coquimbo Chile                         | 100s      | 90,00 Kč  |       |
| DHT-1968-A | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) JS 239 Humahuaca Jujuy Argentina                                       | 20s - 40s | 23,80 Kč  |       |
| DHT-1968-B | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) JS 239 Humahuaca Jujuy Argentina                                       | 42s - 60s | 45,00 Kč  |       |
| DHT-1968-C | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) JS 239 Humahuaca Jujuy Argentina                                       | 100s      | 90,00 Kč  |       |
| DHT-1968-D | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) JS 239 Humahuaca Jujuy Argentina                                       | 500s      | 335,00 Kč |       |
| DHT-1968-E | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) JS 239 Humahuaca Jujuy Argentina                                       | 1000s     | 569,00 Kč |       |
| DHT-1969-A | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KBA 52 B San Antonio 1920 m Salta Argentina                            | 20s - 40s | 23,80 Kč  |       |
| DHT-1969-B | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KBA 52 B San Antonio 1920 m Salta Argentina                            | 42s - 60s | 45,00 Kč  |       |
| DHT-1969-C | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KBA 52 B San Antonio 1920 m Salta Argentina                            | 100s      | 90,00 Kč  |       |
| DHT-1969-D | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KBA 52 B San Antonio 1920 m Salta Argentina                            | 500s      | 335,00 Kč |       |
| DHT-1969-E | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KBA 52 B San Antonio 1920 m Salta Argentina                            | 1000s     | 569,00 Kč |       |
| DHT-1970-A | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 46 A Amaicha del Valle Tucuman Argentina                           | 20s - 40s | 23,80 Kč  |       |
| DHT-1970-B | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 46 A Amaicha del Valle Tucuman Argentina                           | 42s - 60s | 45,00 Kč  |       |
| DHT-1970-C | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 46 A Amaicha del Valle Tucuman Argentina                           | 100s      | 90,00 Kč  |       |
| DHT-1970-D | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 46 A Amaicha del Valle Tucuman Argentina                           | 500s      | 335,00 Kč |       |
| DHT-1970-E | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 46 A Amaicha del Valle Tucuman Argentina                           | 1000s     | 569,00 Kč |       |
| DHT-1971-A | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 49 C Ruinas del Quilmes Tucuman Argentina                          | 20s - 40s | 23,80 Kč  |       |
| DHT-1971-B | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 49 C Ruinas del Quilmes Tucuman Argentina                          | 42s - 60s | 45,00 Kč  |       |
| DHT-1971-C | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 49 C Ruinas del Quilmes Tucuman Argentina                          | 100s      | 90,00 Kč  |       |
| DHT-1971-D | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 49 C Ruinas del Quilmes Tucuman Argentina                          | 500s      | 335,00 Kč |       |
| DHT-1971-E | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 49 C Ruinas del Quilmes Tucuman Argentina                          | 1000s     | 569,00 Kč |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|--|-----------|-----------|-------|
| DHT-1972-A | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 50 D Gruta San Cayetano Tucuman Argentina                                | 20s - 40s | 23,80 Kč  |       |
| DHT-1972-B | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 50 D Gruta San Cayetano Tucuman Argentina                                | 42s - 60s | 45,00 Kč  |       |
| DHT-1972-C | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 50 D Gruta San Cayetano Tucuman Argentina                                | 100s      | 90,00 Kč  |       |
| DHT-1972-D | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 50 D Gruta San Cayetano Tucuman Argentina                                | 500s      | 335,00 Kč |       |
| DHT-1972-E | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 50 D Gruta San Cayetano Tucuman Argentina                                | 1000s     | 569,00 Kč |       |
| DHT-1973-A | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 65 A Chuscha (houses) Salta Argentina                                    | 20s - 40s | 23,80 Kč  |       |
| DHT-1973-B | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 65 A Chuscha (houses) Salta Argentina                                    | 42s - 60s | 45,00 Kč  |       |
| DHT-1973-C | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 65 A Chuscha (houses) Salta Argentina                                    | 100s      | 90,00 Kč  |       |
| DHT-1973-D | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 65 A Chuscha (houses) Salta Argentina                                    | 500s      | 335,00 Kč |       |
| DHT-1973-E | TRICHOCEREUS | pasacana (large white pink flowers, very good rootstock for grafting) KLA 65 A Chuscha (houses) Salta Argentina                                    | 1000s     | 569,00 Kč |       |
| DHT-1974-A | TRICHOCEREUS | pasacana f. robustior (very special gigant form, blue green silver body, pink flowers) KLA 71 B Chorillos (El Alisal) Salta Argentina              | 20s - 40s | 23,80 Kč  |       |
| DHT-1974-B | TRICHOCEREUS | pasacana f. robustior (very special gigant form, blue green silver body, pink flowers) KLA 71 B Chorillos (El Alisal) Salta Argentina              | 42s - 60s | 45,00 Kč  |       |
| DHT-1974-C | TRICHOCEREUS | pasacana f. robustior (very special gigant form, blue green silver body, pink flowers) KLA 71 B Chorillos (El Alisal) Salta Argentina              | 100s      | 90,00 Kč  |       |
| DHT-1974-D | TRICHOCEREUS | pasacana f. robustior (very special gigant form, blue green silver body, pink flowers) KLA 71 B Chorillos (El Alisal) Salta Argentina              | 500s      | 335,00 Kč |       |
| DHT-1974-E | TRICHOCEREUS | pasacana f. robustior (very special gigant form, blue green silver body, pink flowers) KLA 71 B Chorillos (El Alisal) Salta Argentina              | 1000s     | 569,00 Kč |       |
| DHT-1975-A | TRICHOCEREUS | pasacana v. poco f. densispinus (yellow heavy till hairy long dense spines) KLA 73 B Alfarsito Salta Argentina                                     | 20s - 40s | 23,80 Kč  |       |
| DHT-1975-B | TRICHOCEREUS | pasacana v. poco f. densispinus (yellow heavy till hairy long dense spines) KLA 73 B Alfarsito Salta Argentina                                     | 42s - 60s | 45,00 Kč  |       |
| DHT-1975-C | TRICHOCEREUS | pasacana v. poco f. densispinus (yellow heavy till hairy long dense spines) KLA 73 B Alfarsito Salta Argentina                                     | 100s      | 90,00 Kč  |       |
| DHT-1975-D | TRICHOCEREUS | pasacana v. poco f. densispinus (yellow heavy till hairy long dense spines) KLA 73 B Alfarsito Salta Argentina                                     | 500s      | 335,00 Kč |       |
| DHT-1975-E | TRICHOCEREUS | pasacana v. poco f. densispinus (yellow heavy till hairy long dense spines) KLA 73 B Alfarsito Salta Argentina                                     | 1000s     | 569,00 Kč |       |
| DHT-1976-A | TRICHOCEREUS | pasacana v. poco f. senilis (best white hairy alike Cephalocereus senilis) KLA 81 A Cardonal II. Salta Argentina                                   | 20s - 40s | 23,80 Kč  |       |
| DHT-1976-B | TRICHOCEREUS | pasacana v. poco f. senilis (best white hairy alike Cephalocereus senilis) KLA 81 A Cardonal II. Salta Argentina                                   | 42s - 60s | 45,00 Kč  |       |
| DHT-1976-C | TRICHOCEREUS | pasacana v. poco f. senilis (best white hairy alike Cephalocereus senilis) KLA 81 A Cardonal II. Salta Argentina                                   | 100s      | 90,00 Kč  |       |
| DHT-1976-D | TRICHOCEREUS | pasacana v. poco f. senilis (best white hairy alike Cephalocereus senilis) KLA 81 A Cardonal II. Salta Argentina                                   | 500s      | 335,00 Kč |       |
| DHT-1976-E | TRICHOCEREUS | pasacana v. poco f. senilis (best white hairy alike Cephalocereus senilis) KLA 81 A Cardonal II. Salta Argentina                                   | 1000s     | 569,00 Kč |       |
| DHT-2805-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.1 Tarma 3505 m Junin Peru               | 20s - 40s | 32,30 Kč  |       |
| DHT-2805-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.1 Tarma 3505 m Junin Peru               | 42s - 60s | 61,00 Kč  |       |
| DHT-2805-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.1 Tarma 3505 m Junin Peru               | 100s      | 122,00 Kč |       |
| DHT-2805-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.1 Tarma 3505 m Junin Peru               | 500s      | 455,00 Kč |       |
| DHT-2814-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.10 Ollantaytambo 2860 m Cusco Peru      | 20s - 40s | 32,30 Kč  |       |
| DHT-2814-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.10 Ollantaytambo 2860 m Cusco Peru      | 42s - 60s | 61,00 Kč  |       |
| DHT-2814-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.10 Ollantaytambo 2860 m Cusco Peru      | 100s      | 122,00 Kč |       |
| DHT-2814-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.10 Ollantaytambo 2860 m Cusco Peru      | 500s      | 455,00 Kč |       |
| DHT-2806-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.2 Andahuaylillas 3193 m Cuzco Peru      | 20s - 40s | 32,30 Kč  |       |
| DHT-2806-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.2 Andahuaylillas 3193 m Cuzco Peru      | 42s - 60s | 61,00 Kč  |       |
| DHT-2806-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.2 Andahuaylillas 3193 m Cuzco Peru      | 100s      | 122,00 Kč |       |
| DHT-2806-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.2 Andahuaylillas 3193 m Cuzco Peru      | 500s      | 455,00 Kč |       |
| DHT-2807-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.3 North West of Urcos 3175 m Cuzco Peru | 20s - 40s | 32,30 Kč  |       |
| DHT-2807-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.3 North West of Urcos 3175 m Cuzco Peru | 42s - 60s | 61,00 Kč  |       |
| DHT-2807-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.3 North West of Urcos 3175 m Cuzco Peru | 100s      | 122,00 Kč |       |
| DHT-2807-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.3 North West of Urcos 3175 m Cuzco Peru | 500s      | 455,00 Kč |       |
| DHT-2808-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.4 San Salvador Urcos 3820 m Cuzco Peru  | 20s - 40s | 32,30 Kč  |       |
| DHT-2808-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.4 San Salvador Urcos 3820 m Cuzco Peru  | 42s - 60s | 61,00 Kč  |       |
| DHT-2808-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.4 San Salvador Urcos 3820 m Cuzco Peru  | 100s      | 122,00 Kč |       |
| DHT-2808-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.4 San Salvador Urcos 3820 m Cuzco Peru  | 500s      | 455,00 Kč |       |
| DHT-2809-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.5 Pisac 3104 m Cuzco Peru               | 20s - 40s | 32,30 Kč  |       |
| DHT-2809-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.5 Pisac 3104 m Cuzco Peru               | 42s - 60s | 61,00 Kč  |       |
| DHT-2809-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.5 Pisac 3104 m Cuzco Peru               | 100s      | 122,00 Kč |       |
| DHT-2809-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.5 Pisac 3104 m Cuzco Peru               | 500s      | 455,00 Kč |       |
| DHT-2810-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.6 Huachac 3200 m Cusco Peru             | 20s - 40s | 32,30 Kč  |       |
| DHT-2810-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.6 Huachac 3200 m Cusco Peru             | 42s - 60s | 61,00 Kč  |       |
| DHT-2810-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.6 Huachac 3200 m Cusco Peru             | 100s      | 122,00 Kč |       |
| DHT-2810-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.6 Huachac 3200 m Cusco Peru             | 500s      | 455,00 Kč |       |
| DHT-2811-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.7 Pausa 2740 m Ayacucho Peru            | 20s - 40s | 32,30 Kč  |       |
| DHT-2811-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.7 Pausa 2740 m Ayacucho Peru            | 42s - 60s | 61,00 Kč  |       |

| CODE       | GENUS        | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION  | PCKT      | CZK (Kč)  | ORDER |
|------------|--------------|--|-----------|-----------|-------|
| DHT-2811-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.7 Pausa 2740 m Ayacucho Peru          | 100s      | 122,00 Kč |       |
| DHT-2811-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.7 Pausa 2740 m Ayacucho Peru          | 500s      | 455,00 Kč |       |
| DHT-2812-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.8 Cotahuasi 3540 m Arequipa Peru      | 20s - 40s | 32,30 Kč  |       |
| DHT-2812-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.8 Cotahuasi 3540 m Arequipa Peru      | 42s - 60s | 61,00 Kč  |       |
| DHT-2812-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.8 Cotahuasi 3540 m Arequipa Peru      | 100s      | 122,00 Kč |       |
| DHT-2812-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.8 Cotahuasi 3540 m Arequipa Peru      | 500s      | 455,00 Kč |       |
| DHT-2813-A | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.9 Quiscos 3020 m Arequipa Peru        | 20s - 40s | 32,30 Kč  |       |
| DHT-2813-B | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.9 Quiscos 3020 m Arequipa Peru        | 42s - 60s | 61,00 Kč  |       |
| DHT-2813-C | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.9 Quiscos 3020 m Arequipa Peru        | 100s      | 122,00 Kč |       |
| DHT-2813-D | TRICHOCEREUS | peruvianus v. cuzcoensis (bright blue green body, strong long rounded spines, large white flowers) KP-PE 1.9 Quiscos 3020 m Arequipa Peru        | 500s      | 455,00 Kč |       |
| DHT-2832-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.1 San Marcos South Millhuish 3100 m Ancash Peru   | 20s - 40s | 32,30 Kč  |       |
| DHT-2832-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.1 San Marcos South Millhuish 3100 m Ancash Peru   | 42s - 60s | 61,00 Kč  |       |
| DHT-2832-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.1 San Marcos South Millhuish 3100 m Ancash Peru   | 100s      | 122,00 Kč |       |
| DHT-2832-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.1 San Marcos South Millhuish 3100 m Ancash Peru   | 500s      | 455,00 Kč |       |
| DHT-2833-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.2 San Marcos South Rancas 3050 m Ancash Peru      | 20s - 40s | 32,30 Kč  |       |
| DHT-2833-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.2 San Marcos South Rancas 3050 m Ancash Peru      | 42s - 60s | 61,00 Kč  |       |
| DHT-2833-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.2 San Marcos South Rancas 3050 m Ancash Peru      | 100s      | 122,00 Kč |       |
| DHT-2833-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.2 San Marcos South Rancas 3050 m Ancash Peru      | 500s      | 455,00 Kč |       |
| DHT-2834-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.3 San Marcos South Huarimayo 3125 m Ancash Peru   | 20s - 40s | 32,30 Kč  |       |
| DHT-2834-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.3 San Marcos South Huarimayo 3125 m Ancash Peru   | 42s - 60s | 61,00 Kč  |       |
| DHT-2834-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.3 San Marcos South Huarimayo 3125 m Ancash Peru   | 100s      | 122,00 Kč |       |
| DHT-2834-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.3 San Marcos South Huarimayo 3125 m Ancash Peru   | 500s      | 455,00 Kč |       |
| DHT-2835-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.4 San Marcos South Mullipampa 3100 m Ancash Peru  | 20s - 40s | 32,30 Kč  |       |
| DHT-2835-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.4 San Marcos South Mullipampa 3100 m Ancash Peru  | 42s - 60s | 61,00 Kč  |       |
| DHT-2835-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.4 San Marcos South Mullipampa 3100 m Ancash Peru  | 100s      | 122,00 Kč |       |
| DHT-2835-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.4 San Marcos South Mullipampa 3100 m Ancash Peru  | 500s      | 455,00 Kč |       |
| DHT-2836-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.5 San Marcos South Quishu 3200 m Ancash Peru      | 20s - 40s | 32,30 Kč  |       |
| DHT-2836-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.5 San Marcos South Quishu 3200 m Ancash Peru      | 42s - 60s | 61,00 Kč  |       |
| DHT-2836-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.5 San Marcos South Quishu 3200 m Ancash Peru      | 100s      | 122,00 Kč |       |
| DHT-2836-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.5 San Marcos South Quishu 3200 m Ancash Peru      | 500s      | 455,00 Kč |       |
| DHT-2837-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.6 San Marcos South Chacapatac 3080 m Ancash Peru  | 20s - 40s | 32,30 Kč  |       |
| DHT-2837-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.6 San Marcos South Chacapatac 3080 m Ancash Peru  | 42s - 60s | 61,00 Kč  |       |
| DHT-2837-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.6 San Marcos South Chacapatac 3080 m Ancash Peru  | 100s      | 122,00 Kč |       |
| DHT-2837-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.6 San Marcos South Chacapatac 3080 m Ancash Peru  | 500s      | 455,00 Kč |       |
| DHT-2838-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.7 San Marcos South East Runtu 3250 m Ancash Peru  | 20s - 40s | 32,30 Kč  |       |
| DHT-2838-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.7 San Marcos South East Runtu 3250 m Ancash Peru  | 42s - 60s | 61,00 Kč  |       |
| DHT-2838-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.7 San Marcos South East Runtu 3250 m Ancash Peru  | 100s      | 122,00 Kč |       |
| DHT-2838-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.7 San Marcos South East Runtu 3250 m Ancash Peru  | 500s      | 455,00 Kč |       |
| DHT-2839-A | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.8 San Marcos South East Carash 3150 m Ancash Peru | 20s - 40s | 32,30 Kč  |       |
| DHT-2839-B | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.8 San Marcos South East Carash 3150 m Ancash Peru | 42s - 60s | 61,00 Kč  |       |
| DHT-2839-C | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.8 San Marcos South East Carash 3150 m Ancash Peru | 100s      | 122,00 Kč |       |
| DHT-2839-D | TRICHOCEREUS | peruvianus v. santaensis (spines are extremely long, white hairs on the large flowers) KP-PE 4.8 San Marcos South East Carash 3150 m Ancash Peru | 500s      | 455,00 Kč |       |
| DHT-1978-A | TRICHOCEREUS | species (long erected yellow orange spiny, large reddish flowers) KLA 52 D El Corralito (chapell garden) Salta Argentina                         | 20s - 40s | 23,80 Kč  |       |
| DHT-1978-B | TRICHOCEREUS | species (long erected yellow orange spiny, large reddish flowers) KLA 52 D El Corralito (chapell garden) Salta Argentina                         | 42s - 60s | 45,00 Kč  |       |
| DHT-1978-C | TRICHOCEREUS | species (long erected yellow orange spiny, large reddish flowers) KLA 52 D El Corralito (chapell garden) Salta Argentina                         | 100s      | 90,00 Kč  |       |
| DHT-1980-A | TRICHOCEREUS | tercheckii f. guanchinensis (mostly dense yellow spines) KBA 71 B Puerto Alegre 1784 La Rioja Argentina  | 20s - 40s | 23,80 Kč  |       |
| DHT-1980-B | TRICHOCEREUS | tercheckii f. guanchinensis (mostly dense yellow spines) KBA 71 B Puerto Alegre 1784 La Rioja Argentina  | 42s - 60s | 45,00 Kč  |       |
| DHT-1980-C | TRICHOCEREUS | tercheckii f. guanchinensis (mostly dense yellow spines) KBA 71 B Puerto Alegre 1784 La Rioja Argentina  | 100s      | 90,00 Kč  |       |
| DHT-1980-D | TRICHOCEREUS | tercheckii f. guanchinensis (mostly dense yellow spines) KBA 71 B Puerto Alegre 1784 La Rioja Argentina  | 500s      | 335,00 Kč |       |
| DHT-1981-A | TUNILLA      | corrugata f. violaciflora (dark violet flowers, dense spined tufts) KFF 1308 Tafi del Valle 2875 m Tucuman Argentina                             | 20s - 40s | 68,00 Kč  |       |
| DHT-1981-B | TUNILLA      | corrugata f. violaciflora (dark violet flowers, dense spined tufts) KFF 1308 Tafi del Valle 2875 m Tucuman Argentina                             | 42s - 60s | 128,00 Kč |       |
| DHT-1981-C | TUNILLA      | corrugata f. violaciflora (dark violet flowers, dense spined tufts) KFF 1308 Tafi del Valle 2875 m Tucuman Argentina                             | 100s      | 255,00 Kč |       |
| DHT-1982-A | TUNILLA      | corrugata f. violaciflora (dark violet flowers, dense spined tufts) KFF 1310 (118 B) El Infernillo 2963 m Tucuman Argentina                      | 20s - 40s | 68,00 Kč  |       |
| DHT-1982-B | TUNILLA      | corrugata f. violaciflora (dark violet flowers, dense spined tufts) KFF 1310 (118 B) El Infernillo 2963 m Tucuman Argentina                      | 42s - 60s | 128,00 Kč |       |
| DHT-1982-C | TUNILLA      | corrugata f. violaciflora (dark violet flowers, dense spined tufts) KFF 1310 (118 B) El Infernillo 2963 m Tucuman Argentina                      | 100s      | 255,00 Kč |       |

| CODE       | GENUS      | SPECIES SUBSPECIES VARIETY FORM FIELD NUMBER AND LOCATION   | PCKT      | CZK (Kč)  | ORDER |
|------------|------------|---|-----------|-----------|-------|
| DHT-1985-A | TUNILLA    | soehrensii (red violet dense spines, very compact tufts) KL 15-17 El Alto (64 km before) Arequipa Peru                                  | 20s - 40s | 68,00 Kč  |       |
| DHT-1985-B | TUNILLA    | soehrensii (red violet dense spines, very compact tufts) KL 15-17 El Alto (64 km before) Arequipa Peru                                  | 42s - 60s | 128,00 Kč |       |
| DHT-1985-C | TUNILLA    | soehrensii (red violet dense spines, very compact tufts) KL 15-17 El Alto (64 km before) Arequipa Peru                                  | 100s      | 255,00 Kč |       |
| DHT-1983-A | TUNILLA    | soehrensii (red violet dense spines, very compact tufts) KLA 73 D Alfarsito Salta Argentina   | 20s - 40s | 68,00 Kč  |       |
| DHT-1983-B | TUNILLA    | soehrensii (red violet dense spines, very compact tufts) KLA 73 D Alfarsito Salta Argentina   | 42s - 60s | 128,00 Kč |       |
| DHT-1983-C | TUNILLA    | soehrensii (red violet dense spines, very compact tufts) KLA 73 D Alfarsito Salta Argentina   | 100s      | 255,00 Kč |       |
| DHT-1984-A | TUNILLA    | soehrensii f. curvispina (growing at high altitude, red violet heavy curved spines) KLA 78 B Abra del Acay 4371 m Salta Argentina       | 20s - 40s | 68,00 Kč  |       |
| DHT-1984-B | TUNILLA    | soehrensii f. curvispina (growing at high altitude, red violet heavy curved spines) KLA 78 B Abra del Acay 4371 m Salta Argentina       | 42s - 60s | 128,00 Kč |       |
| DHT-1984-C | TUNILLA    | soehrensii f. curvispina (growing at high altitude, red violet heavy curved spines) KLA 78 B Abra del Acay 4371 m Salta Argentina       | 100s      | 255,00 Kč |       |
| DHV-2025-A | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 17 C Los Zorzales 2018 m Mendoza Argentina | 20s - 40s | 23,80 Kč  |       |
| DHV-2025-B | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 17 C Los Zorzales 2018 m Mendoza Argentina | 42s - 60s | 45,00 Kč  |       |
| DHV-2025-C | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 17 C Los Zorzales 2018 m Mendoza Argentina | 100s      | 90,00 Kč  |       |
| DHV-2025-D | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 17 C Los Zorzales 2018 m Mendoza Argentina | 500s      | 335,00 Kč |       |
| DHV-2025-E | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 17 C Los Zorzales 2018 m Mendoza Argentina | 1000s     | 569,00 Kč |       |
| DHV-2026-A | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 7 B La Punilla 1007 m San Luis Argentina   | 20s - 40s | 23,80 Kč  |       |
| DHV-2026-B | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 7 B La Punilla 1007 m San Luis Argentina   | 42s - 60s | 45,00 Kč  |       |
| DHV-2026-C | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 7 B La Punilla 1007 m San Luis Argentina   | 100s      | 90,00 Kč  |       |
| DHV-2026-D | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 7 B La Punilla 1007 m San Luis Argentina   | 500s      | 335,00 Kč |       |
| DHV-2026-E | VERBASCUM  | thapsus (Divisna, Scrophulariaceae large green silver rosette of leaves, yellow flowers) KAB 7 B La Punilla 1007 m San Luis Argentina   | 1000s     | 569,00 Kč |       |
| DHW-2030-A | WEINGARTIA | lecoriensis (very long dense bownish spines) KP 11 Estancia Cuchi Huasi Padcoyo 3250 m Chuquisaca Bolivia                               | 20s - 40s | 25,50 Kč  |       |
| DHW-2031-A | WEINGARTIA | lecoriensis (very long dense bownish spines) KP 125 Santa Maria 3102 m Chuquisaca Bolivia   | 20s - 40s | 25,50 Kč  |       |
| DHW-2032-A | WEINGARTIA | lecoriensis (very long dense bownish spines) KP 135 Camargo to Padcoyo 3407 m Chuquisaca Bolivia  | 20s - 40s | 25,50 Kč  |       |
| DHW-2035-A | WEINGARTIA | neumanniana (dark greyish brown with long spines, yellow flowers) CH 1191 Humahuaca (Cerro Negro) 3269 m Jujuy Argentina                | 20s - 40s | 68,00 Kč  |       |
| DHW-2036-A | WEINGARTIA | neumanniana f. nova (orange to dark red flowers, very variable colour of flowers) ROS 856.1 West 6 km of Cachug 3749 m Jujuy Argentina  | 20s - 40s | 76,50 Kč  |       |
| DHW-2034-A | WEINGARTIA | westii (very dense acicular spreading spines) LH 667 Khucho Ingenio Culpina Potosi Bolivia  | 20s - 40s | 59,50 Kč  |       |
| DHW-2717-A | WEINGARTIA | westii f. culpinensis (very dense acicular spreading spines) LH 665 Culpina Potosi Bolivia  | 20s - 40s | 59,50 Kč  |       |
| DHW-2040-A | WERAUHIA   | gladioliflora (Bromeliaceae subfamily Tillandsioideae) AT-65 Czech Nursery CZ   | 20s - 40s | 23,80 Kč  |       |
| DHW-2040-B | WERAUHIA   | gladioliflora (Bromeliaceae subfamily Tillandsioideae) AT-65 Czech Nursery CZ   | 42s - 60s | 45,00 Kč  |       |
| DHW-2041-A | WIGGINSIA  | arechavaletae (long erected central spines) KVV 1076 Pan de Azucar 66 m Maldonado Uruguay   | 20s - 40s | 25,50 Kč  |       |
| DHW-2041-B | WIGGINSIA  | arechavaletae (long erected central spines) KVV 1076 Pan de Azucar 66 m Maldonado Uruguay   | 42s - 60s | 48,00 Kč  |       |
| DHW-2041-C | WIGGINSIA  | arechavaletae (long erected central spines) KVV 1076 Pan de Azucar 66 m Maldonado Uruguay   | 100s      | 96,00 Kč  |       |
| DHW-2043-A | WIGGINSIA  | arechavaletae f. minima (smaller plants) KVV 1070 Ruta 8 KM 260 Jose Pedro Varela 93 m Treinta Y Tres Uruguay                           | 20s - 40s | 25,50 Kč  |       |
| DHW-2043-B | WIGGINSIA  | arechavaletae f. minima (smaller plants) KVV 1070 Ruta 8 KM 260 Jose Pedro Varela 93 m Treinta Y Tres Uruguay                           | 42s - 60s | 48,00 Kč  |       |
| DHW-2043-C | WIGGINSIA  | arechavaletae f. minima (smaller plants) KVV 1070 Ruta 8 KM 260 Jose Pedro Varela 93 m Treinta Y Tres Uruguay                           | 100s      | 96,00 Kč  |       |
| DHW-2044-A | WIGGINSIA  | arechavaletae KPR 51 Tacuarembó Ruta 26 Tucuaembo Uruguay   | 20s - 40s | 23,80 Kč  |       |
| DHW-2044-B | WIGGINSIA  | arechavaletae KPR 51 Tacuarembó Ruta 26 Tucuaembo Uruguay   | 42s - 60s | 45,00 Kč  |       |
| DHW-2045-A | WIGGINSIA  | arechavaletae v. aureus FR 1396 South of Rio Pardo Rio Grande do Sul Brazil   | 20s - 40s | 23,80 Kč  |       |
| DHW-2045-B | WIGGINSIA  | arechavaletae v. aureus FR 1396 South of Rio Pardo Rio Grande do Sul Brazil   | 42s - 60s | 45,00 Kč  |       |
| DHW-2049-A | WIGGINSIA  | arechavaletae WRA 55 Cerro Largo Cerro Largo Uruguay  | 20s - 40s | 23,80 Kč  |       |
| DHW-2049-B | WIGGINSIA  | arechavaletae WRA 55 Cerro Largo Cerro Largo Uruguay  | 42s - 60s | 45,00 Kč  |       |
| DHW-2054-A | WIGGINSIA  | fricii (very stout long white spines) KVV 1081 (58B) Punta Ballena Peninsula 38 m Maldonado Uruguay                                     | 20s - 40s | 25,50 Kč  |       |
| DHW-2054-B | WIGGINSIA  | fricii (very stout long white spines) KVV 1081 (58B) Punta Ballena Peninsula 38 m Maldonado Uruguay                                     | 42s - 60s | 48,00 Kč  |       |
| DHW-2054-C | WIGGINSIA  | fricii (very stout long white spines) KVV 1081 (58B) Punta Ballena Peninsula 38 m Maldonado Uruguay                                     | 100s      | 96,00 Kč  |       |
| DHW-2995-A | WIGGINSIA  | kovarikii (dark green body, ribs sharp edged, areoles with white wool, longer central spine) Czech Nursery Kyjovice CZ                  | 20s - 40s | 25,50 Kč  |       |
| DHW-2995-B | WIGGINSIA  | kovarikii (dark green body, ribs sharp edged, areoles with white wool, longer central spine) Czech Nursery Kyjovice CZ                  | 42s - 60s | 48,00 Kč  |       |
| DHW-2995-C | WIGGINSIA  | kovarikii (dark green body, ribs sharp edged, areoles with white wool, longer central spine) Czech Nursery Kyjovice CZ                  | 100s      | 96,00 Kč  |       |
| DHW-2994-A | WIGGINSIA  | langsдорffii (spreading curved down backward spines) HU 6 around Lavras do Sul Rio Grande do Sul Brazil                                 | 20s - 40s | 25,50 Kč  |       |
| DHW-2994-B | WIGGINSIA  | langsdorffii (spreading curved down backward spines) HU 6 around Lavras do Sul Rio Grande do Sul Brazil                                 | 42s - 60s | 48,00 Kč  |       |